Experiment 11: Home Finder – Online Real Estate Website

Aim:

To develop an online real estate website using HTML, CSS, and JavaScript that allows users to search properties by location, price, and type, view property details, and find suitable houses or lands within their budget.

Algorithm

1. Start and display available properties.
2. Enter location, property type, and budget.
3. Filter and display matching properties.
4. View property details and contact information.
5. Display a message to schedule a property visit.
6. Stop.

Code

<!DOCTYPE html>

<html>

<head>

<title>Home Finder</title>

<style>

body{font-family:Arial;background:#f3f5f7;margin:0}

header{background:#174c3c;color:white;text-align:center;padding:20px}

input,select,button{padding:10px;margin:6px;border:1px solid #ccc;border-radius:5px}

button{background:#174c3c;color:white;cursor:pointer}


```
.properties{display:flex;flex-wrap:wrap;justify-
content:center;gap:15px;padding:20px}
.card{background:white;padding:18px;width:220px;border-radius:10px}
.card h3{color:#174c3c}
#msg{text-align:center;font-weight:bold}
</style>
</head>
<body>
<header>
<h1>Home Finder</h1>
<p>Find Your Dream Property</p>
<input id="loc" placeholder="Enter location">
<select id="type">
<option>All</option><option>House</option><option>Land</option>
<option>Apartment</option>
</select>
<input id="budget" type="number" placeholder="Maximum budget">
<button onclick="search()">Search</button>
</header>
<h2 align="center">Available Properties</h2>
<div class="properties" id="list"></div>
<p id="msg"></p>
<script>
let data=[
{name:"Modern House",loc:"Chennai",type:"House",price:4500000},
{name:"Residential Land",loc:"Madurai",type:"Land",price:1800000},
```

```
{name:"City Apartment",loc:"Chennai",type:"Apartment",price:3000000},
{name:"Family House",loc:"Coimbatore",type:"House",price:3500000},
{name:"Open Plot",loc:"Madurai",type:"Land",price:1200000}
];
function search(){
let l=document.getElementById("loc").value.toLowerCase();
let t=document.getElementById("type").value;
let b=Number(document.getElementById("budget").value)||Infinity;
let a=data.filter(p=>p.loc.toLowerCase().includes(l)&&
(t=="All"||p.type==t)&&p.price<=b);
list.innerHTML="";
if(!a.length){list.innerHTML="<p>No properties found.</p>";return}
a.forEach(p=>{
list.innerHTML+=`<div class="card">
<h3>${p.name}</h3><p>Location: ${p.loc}</p>
<p>Type: ${p.type}</p><h3>₹${p.price.toLocaleString("en-IN")}</h3>
<button onclick="visit('${p.name}')">Schedule Visit</button>
</div>`;
});
}
function visit(n){
msg.innerText="Visit request submitted for "+n+". Contact the property agent to confirm.";
}
search();
</script>
```

</body>

</html>

Output



Result

Thus, the Home Finder website was developed successfully with property searching, filtering by location, type and budget, property details, and a property visit request feature.