Experiment 13: BlossomGifts – Online Flowers and Gifts Ordering System

Aim:

To design and develop a user-friendly online flower and gift ordering website with product categories, search, shopping cart, delivery scheduling, and order confirmation. The lab document also specifies inventory management and administrator control over product details and prices.

Algorithm

1. Create a homepage displaying flowers and gifts by category and occasion.
2. Display product images, descriptions, and prices.
3. Allow users to search and filter products.
4. Add products to the cart and update quantities or remove items.
5. Enter customer details and select a delivery date and time.
6. Calculate the total and display an order confirmation.

Code

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>BlossomGifts</title>
<style>
*{box-sizing:border-box}
```

```
body{margin:0;font-family:Arial,sans-serif;background:#fff8f8;color:#402b35}
header{background:#b83e68;color:white;padding:22px;text-align:center}
nav{background:#ffe2eb;padding:12px;text-align:center}
nav a{margin:12px;color:#8d2450;text-decoration:none;font-weight:bold}
main{max-width:1050px;margin:auto;padding:20px}
.hero{text-align:center;padding:22px;background:#fce4ec;border-radius:14px}
.controls{display:flex;gap:10px;flex-wrap:wrap;margin:20px 0}
input,select,button{padding:11px;border:1px solid #e1b6c5;border-radius:7px}
.controls input{flex:1;min-width:180px}
.products{display:grid;grid-template-columns:repeat(auto-
fit,minmax(200px,1fr));gap:16px}
.card{background:white;padding:17px;border-radius:12px;text-
align:center;box-shadow:0 3px 10px #ead5dc}
.pic{font-size:65px;background:#fff0f4;border-radius:10px;padding:14px}
.price{color:#b83265;font-weight:bold;font-size:18px}
button{background:#b83e68;color:white;border:0;cursor:pointer}
button:hover{background:#8e2450}
section{margin-top:28px}
.cart-item{padding:10px;border-bottom:1px solid #edd5dd}
#message{color:#16834a;font-weight:bold}
footer{text-align:center;background:#ffe2eb;padding:16px;margin-top:25px}
</style>
</head>
<body>

<header>
  <h1>🌸 BlossomGifts</h1>
```

```
  <p>Flowers, gifts and happiness delivered with love!</p>
</header>

<nav>
  <a href="#home">Home</a>
  <a href="#products">Shop Gifts</a>
  <a href="#cart">Shopping Cart</a>
</nav>

<main>
<section id="home" class="hero">
  <h2>Make Every Occasion Special 💝 </h2>
  <p>Birthday • Anniversary • Love • Celebration</p>
  <p>Choose a gift, schedule delivery and place your order.</p>
</section>

<section id="products">
  <h2>Our Gift Collection</h2>
  <div class="controls">
    <input id="search" placeholder="Search flowers or gifts..."
oninput="displayProducts()">
    <select id="category" onchange="displayProducts()">
      <option value="All">All Categories</option>
      <option value="Flowers">Flowers</option>
      <option value="Gifts">Gifts</option>
      <option value="Baskets">Gift Baskets</option>
```

```
    </select>
    <select id="occasion" onchange="displayProducts()">
      <option value="All">All Occasions</option>
      <option value="Birthday">Birthday</option>
      <option value="Love">Love</option>
      <option value="Anniversary">Anniversary</option>
    </select>
  </div>
  <div class="products" id="productList"></div>
</section>

<section id="cart">
  <h2>🛒 Shopping Cart</h2>
  <div id="cartItems">Your cart is empty.</div>
  <h3>Total: ₹<span id="total">0</span></h3>
  <button onclick="clearCart()">Clear Cart</button>
</section>

<section>
  <h2>Delivery & Checkout</h2>
  <form id="checkout">
    <p><input id="customer" placeholder="Customer name" required></p>
    <p><input id="phone" type="tel" placeholder="Phone number" required
pattern="[0-9]{10}" title="Enter a 10-digit phone number"></p>
    <p><input id="address" placeholder="Delivery address" required></p>
    <p>Delivery date: <input id="date" type="date" required></p>
```

```
    <p>Delivery time:
      <select id="time">
        <option>10 AM - 12 PM</option>
        <option>12 PM - 3 PM</option>
        <option>3 PM - 6 PM</option>
      </select>
    </p>
    <button type="submit">Place Order</button>
  </form>
  <p id="message"></p>
  <div id="orderHistory"></div>
</section>
</main>

<footer>© 2026 BlossomGifts | Made with 💗 </footer>

<script>
const products = [
 {id:1,name:"Rose Bouquet",category:"Flowers",occasion:"Love",price:499,emoji:"🌹"},
 {id:2,name:"Birthday Flowers",category:"Flowers",occasion:"Birthday",price:399,emoji:"💐"},
 {id:3,name:"Chocolate Gift Box",category:"Gifts",occasion:"Birthday",price:299,emoji:"🍫"},
 {id:4,name:"Anniversary Roses",category:"Flowers",occasion:"Anniversary",price:699,emoji:"🌷"},
```

```
 {id:5,name:"Teddy
Bear",category:"Gifts",occasion:"Love",price:349,emoji:" 🧸 "},
 {id:6,name:"Fruit Gift
Basket",category:"Baskets",occasion:"Birthday",price:599,emoji:" 🎁 "}
];

let cart = [];

function displayProducts(){
 const search = document.getElementById("search").value.toLowerCase();
 const category = document.getElementById("category").value;
 const occasion = document.getElementById("occasion").value;

 const filtered = products.filter(p =>
  p.name.toLowerCase().includes(search) &&
  (category === "All" || p.category === category) &&
  (occasion === "All" || p.occasion === occasion)
 );

 document.getElementById("productList").innerHTML = filtered.length
 ? filtered.map(p => `
  <div class="card">
   <div class="pic">${p.emoji}</div>
   <h3>${p.name}</h3>
   <p>${p.category} | ${p.occasion}</p>
   <p class="price">₹${p.price}</p>
```

```
    <button onclick="addToCart(${p.id})">Add to Cart</button>
  </div>`).join("")
 : "<p>No products found.</p>";
}

function addToCart(id){
 const item = cart.find(p => p.id === id);
 if(item) item.qty++;
 else cart.push({...products.find(p => p.id === id),qty:1});
 displayCart();
}

function displayCart(){
 const area = document.getElementById("cartItems");
 if(cart.length === 0){
  area.textContent = "Your cart is empty.";
 }else{
  area.innerHTML = cart.map(p => `
   <div class="cart-item">
    ${p.emoji} ${p.name} — ₹${p.price} ×
    <button onclick="changeQty(${p.id},-1)">−</button>
    ${p.qty}
    <button onclick="changeQty(${p.id},1)">+</button>
    <button onclick="removeItem(${p.id})">Remove</button>
   </div>`).join("");
 }
```

```
 document.getElementById("total").textContent =
   cart.reduce((sum,p)=>sum+p.price*p.qty,0);
}

function changeQty(id,amount){
 const item = cart.find(p=>p.id===id);
 if(item) item.qty += amount;
 cart = cart.filter(p=>p.qty>0);
 displayCart();
}

function removeItem(id){
 cart = cart.filter(p=>p.id!==id);
 displayCart();
}

function clearCart(){
 cart = [];
 displayCart();
}

document.getElementById("date").min =
 new Date().toLocaleDateString("en-CA");

document.getElementById("checkout").addEventListener("submit",function(e){
 e.preventDefault();
```

```
if(cart.length===0){
  document.getElementById("message").textContent =
    "Please add a product to your cart first.";
  return;
}

const orderId = "BG" + Date.now().toString().slice(-6);
const total = cart.reduce((sum,p)=>sum+p.price*p.qty,0);

document.getElementById("message").textContent =
  `Order confirmed! Order ID: ${orderId}. Total: ₹${total}. Thank you,
${document.getElementById("customer").value}!`;


document.getElementById("orderHistory").innerHTML =
  `<h3>Order Summary</h3>
   <p>Order ID: ${orderId}</p>
   <p>Delivery: ${document.getElementById("date").value},
   ${document.getElementById("time").value}</p>
   <p>Address: ${document.getElementById("address").value}</p>
   <p>Items: ${cart.map(p=>p.name+" × "+p.qty).join(", ")}</p>`;

cart = [];
displayCart();
this.reset();
document.getElementById("date").min =
```

```
  new Date().toLocaleDateString("en-CA");
});

displayProducts();
displayCart();
</script>
</body>
</html>
```

Output



Result:

Thus, the BlossomGifts website was developed successfully with product search, category and occasion filters, cart management, delivery scheduling, and order confirmation.