# Experiment 3 – Bus Ticket Booking System

**Aim:**

To develop an online Bus Ticket Booking System for searching buses, checking seat availability, booking tickets, cancelling tickets, and managing bus information.

**Algorithm:**

1. Register and log in the user.
2. Enter source, destination, date, and time.
3. Search and display available buses.
4. Display bus type, route, and available seats.
5. Select a seat and enter passenger details.
6. Complete the ticket booking and payment.
7. Allow users to view and cancel bookings.
8. Allow admin to manage buses, categories, users, comments, news, and reports.

**Code:**

```
<!DOCTYPE html>
<html>
<head>
  <title>Bus Ticket Booking System</title>

  <style>
    body {
      font-family: Arial;
      margin: 0;
```

```
    background: #f2f2f2;
}

header {
    background: #174ea6;
    color: white;
    padding: 20px;
    text-align: center;
}

nav {
    background: #222;
    padding: 12px;
    text-align: center;
}

nav a {
    color: white;
    margin: 15px;
    text-decoration: none;
}

.box {
    background: white;
    width: 80%;
    margin: 25px auto;
```

```
    padding: 20px;
    border-radius: 10px;
}

input, select, textarea {
    width: 90%;
    padding: 10px;
    margin: 8px;
}

button {
    background: #174ea6;
    color: white;
    padding: 10px 20px;
    border: none;
    border-radius: 5px;
    cursor: pointer;
}

.bus {
    border: 1px solid #ccc;
    padding: 15px;
    margin: 10px;
}

.seat {
```

```
        display: inline-block;
        background: #ddd;
        padding: 12px;
        margin: 5px;
        cursor: pointer;
    }

    .selected {
        background: green;
        color: white;
    }

    footer {
        background: #222;
        color: white;
        text-align: center;
        padding: 15px;
    }
</style>

<script>
    function book() {
        alert("Ticket booked successfully!");
    }

    function cancel() {
```

```
            alert("Ticket cancelled successfully!");
        }

        function selectSeat(x) {
            x.classList.toggle("selected");
        }
    </script>
</head>

<body>

<header>
    <h1>🚌 Bus Ticket Booking System</h1>
    <p>Book Your Journey Easily</p>
</header>

<nav>
    <a href="#home">Home</a>
    <a href="#login">Login</a>
    <a href="#register">Register</a>
    <a href="#search">Search Bus</a>
    <a href="#booking">My Booking</a>
    <a href="#admin">Admin</a>
</nav>

<!-- HOME -->
```

```
<div class="box" id="home">
   <h2>Welcome</h2>
   <p>
      Online Bus Ticket Booking System allows users to search,
      book and cancel bus tickets easily.
   </p>

   <h3>Facilities</h3>
   <ul>
      <li>Search buses</li>
      <li>View available seats</li>
      <li>Online ticket booking</li>
      <li>Seat selection</li>
      <li>Booking cancellation</li>
      <li>Comments and reviews</li>
      <li>Booking history</li>
   </ul>
</div>

<!-- LOGIN -->

<div class="box" id="login">
   <h2>Login</h2>

   <form>
```

```
      <input type="email" placeholder="Email" required>
      <input type="password" placeholder="Password" required>
      <button type="submit">Login</button>
      <button type="button">Forgot Password</button>
    </form>
</div>

<!-- REGISTRATION -->

<div class="box" id="register">
    <h2>Registration</h2>

    <form>
      <input type="text" placeholder="Full Name" required>
      <input type="email" placeholder="Email" required>
      <input type="text" placeholder="Phone Number" required>
      <input type="password" placeholder="Password" required>
      <input type="password" placeholder="Confirm Password" required>
      <button type="submit">Register</button>
    </form>
</div>

<!-- SEARCH BUS -->

<div class="box" id="search">
    <h2>Search Bus</h2>
```

```
<input type="text" placeholder="From">
<input type="text" placeholder="To">
<input type="date">

<select>
   <option>Select Bus Type</option>
   <option>Volvo</option>
   <option>Sleeper Coach</option>
   <option>AC Coach</option>
   <option>Non-AC Coach</option>
</select>

<button>Search Bus</button>

<div class="bus">
   <h3>Chennai → Bangalore</h3>
   <p>Bus: Volvo AC</p>
   <p>Departure: 10:00 PM</p>
   <p>Available Seats: 20</p>
   <p>Price: ₹800</p>
   <button onclick="location.href='#booking'">Book Ticket</button>
</div>

<div class="bus">
   <h3>Chennai → Coimbatore</h3>
```

```
      <p>Bus: Sleeper Coach</p>
      <p>Departure: 9:00 PM</p>
      <p>Available Seats: 15</p>
      <p>Price: ₹700</p>
      <button onclick="location.href='#booking'">Book Ticket</button>
    </div>
</div>

<!-- BOOKING -->

<div class="box" id="booking">
    <h2>Book Ticket</h2>

    <h3>Select Seat</h3>

    <div class="seat" onclick="selectSeat(this)">1</div>
    <div class="seat" onclick="selectSeat(this)">2</div>
    <div class="seat" onclick="selectSeat(this)">3</div>
    <div class="seat" onclick="selectSeat(this)">4</div>
    <div class="seat" onclick="selectSeat(this)">5</div>
    <div class="seat" onclick="selectSeat(this)">6</div>
    <div class="seat" onclick="selectSeat(this)">7</div>
    <div class="seat" onclick="selectSeat(this)">8</div>

    <h3>Passenger Details</h3>
```

```
    <input type="text" placeholder="Passenger Name">
    <input type="number" placeholder="Age">
    <select>
      <option>Male</option>
      <option>Female</option>
      <option>Other</option>
    </select>

    <h3>Payment</h3>

    <select>
      <option>UPI</option>
      <option>Credit Card</option>
      <option>Debit Card</option>
      <option>Net Banking</option>
    </select>

    <br>

    <button onclick="book()">Pay & Book Ticket</button>
</div>

<!-- BOOKING HISTORY -->

<div class="box">
    <h2>My Booking</h2>
```

```
    <table border="1" width="100%" cellpadding="10">
      <tr>
        <th>Bus</th>
        <th>Route</th>
        <th>Seat</th>
        <th>Date</th>
        <th>Status</th>
      </tr>

      <tr>
        <td>Volvo AC</td>
        <td>Chennai - Bangalore</td>
        <td>12</td>
        <td>15-10-2026</td>
        <td>Booked</td>
      </tr>
    </table>

    <br>

    <button onclick="cancel()">Cancel Ticket</button>
</div>

<!-- COMMENTS -->
```

```
<div class="box">
   <h2>Comments / Reviews</h2>

   <textarea rows="5" placeholder="Write your comment"></textarea>
   <br>

   <button>Post Comment</button>
</div>

<!-- ADMIN -->

<div class="box" id="admin">
   <h2>Admin Panel</h2>

   <h3>Manage Bus Category</h3>

   <select>
      <option>Volvo</option>
      <option>Sleeper Coach</option>
      <option>AC Coach</option>
      <option>Non-AC Coach</option>
   </select>

   <button>Add Category</button>

   <h3>Update Bus Information</h3>
```

```
<input type="text" placeholder="Bus Name">
<input type="text" placeholder="Bus Type">
<input type="text" placeholder="From">
<input type="text" placeholder="To">
<input type="number" placeholder="Available Seats">
<input type="number" placeholder="Ticket Price">
<textarea placeholder="Bus Description"></textarea>

<button>Update Bus</button>

<h3>Manage Users</h3>

<button>View Registered Users</button>

<h3>Manage News</h3>

<textarea placeholder="Enter News"></textarea>
<br>
<button>Add News</button>

<h3>Generate Report</h3>

<button onclick="alert('Report generated successfully!')">
   Generate Report
</button>
```

** **

**<footer>**


** © 2026 Bus Ticket Booking System **

**</footer>**

**</body>**

**</html>**

## Output:




## Result:

The Bus Ticket Booking System was successfully developed to support bus search, seat selection, ticket booking, cancellation, comments, and administrative management.