Experiment 5 – Online Flight Reservation System

Aim:
To develop an online Flight Reservation System for searching flights, checking seat availability, booking tickets, making payments, and managing reservations.

Algorithm:

1. Register and log in the user.
2. Enter destination, date, and class.
3. Search and display available flights.
4. Show flight details, fares, and seat availability.
5. Select a flight and seat.
6. Enter passenger details and make payment.
7. Generate and display the e-ticket.
8. Allow users to view, print, or cancel tickets.
9. Allow admin to manage flights, seats, users, and reports.

Code:

```
<!DOCTYPE html>
<html>
<head>
  <title>Flight Reservation System</title>

  <style>
    body {
      font-family: Arial;
```

```
    background: #eef3f8;
    margin: 0;
}

header {
    background: #1565c0;
    color: white;
    padding: 20px;
    text-align: center;
}

.container {
    width: 90%;
    max-width: 900px;
    margin: 25px auto;
    background: white;
    padding: 25px;
    border-radius: 10px;
    box-shadow: 0 0 10px #aaa;
}

input, select, button {
    width: 100%;
    padding: 10px;
    margin: 8px 0;
    box-sizing: border-box;
```

```
}

button {
    background: #1565c0;
    color: white;
    border: none;
    cursor: pointer;
    border-radius: 5px;
}

button:hover {
    background: #0d47a1;
}

.flight {
    border: 1px solid #ccc;
    padding: 15px;
    margin-top: 15px;
    border-radius: 8px;
}

.ticket {
    background: #e8f5e9;
    padding: 15px;
    margin-top: 20px;
    border-radius: 8px;
```

```
        }
    </style>
</head>

<body>

<header>
    <h1>✈ Flight Reservation System</h1>
</header>

<div class="container">

    <h2>Search Flight</h2>

    <input type="text" id="from" placeholder="From">
    <input type="text" id="to" placeholder="Destination">

    <input type="date" id="date">

    <select id="class">
        <option>Economy</option>
        <option>Business</option>
        <option>First Class</option>
    </select>

    <button onclick="searchFlights()">Search Flights</button>
```

```
    <div id="results"></div>

    <div id="booking" style="display:none">

        <h2>Passenger Details</h2>

        <input type="text" id="name" placeholder="Passenger Name">
        <input type="email" id="email" placeholder="Email">
        <input type="text" id="phone" placeholder="Phone Number">

        <button onclick="bookFlight()">Book Ticket</button>

    </div>

    <div id="ticket"></div>

</div>

<script>

let selectedFlight = "";

function searchFlights() {

    let from = document.getElementById("from").value;
```

```
let to = document.getElementById("to").value;

if (from == "" || to == "") {
   alert("Enter source and destination");
   return;
}

document.getElementById("results").innerHTML = `
   <div class="flight">
      <h3>Air India</h3>
      <p>${from} → ${to}</p>
      <p>Departure: 10:00 AM</p>
      <p>Arrival: 12:30 PM</p>
      <p>Price: ₹5,500</p>
      <p>Seats Available: 25</p>
      <button onclick="selectFlight('Air India')">
         Select Flight
      </button>
   </div>

   <div class="flight">
      <h3>IndiGo</h3>
      <p>${from} → ${to}</p>
      <p>Departure: 2:00 PM</p>
      <p>Arrival: 4:30 PM</p>
      <p>Price: ₹4,800</p>
```

```
            <p>Seats Available: 18</p>
            <button onclick="selectFlight('IndiGo')">
               Select Flight
            </button>
        </div>
    `;
}

function selectFlight(flight) {

    selectedFlight = flight;

    document.getElementById("booking").style.display = "block";

    alert(flight + " selected");
}

function bookFlight() {

    let name = document.getElementById("name").value;
    let email = document.getElementById("email").value;
    let phone = document.getElementById("phone").value;

    if (name == "" || email == "" || phone == "") {
        alert("Please enter all passenger details");
        return;
```

```
    }

    let pnr = "FL" + Math.floor(100000 + Math.random() * 900000);

    document.getElementById("ticket").innerHTML = `
      <div class="ticket">
        <h2>🎫 Booking Confirmed</h2>
        <p><b>Passenger:</b> ${name}</p>
        <p><b>Flight:</b> ${selectedFlight}</p>
        <p><b>Route:</b>
          ${document.getElementById("from").value}
          →
          ${document.getElementById("to").value}
        </p>
        <p><b>Class:</b>
          ${document.getElementById("class").value}
        </p>
        <p><b>PNR:</b> ${pnr}</p>
        <p><b>Status:</b> Confirmed</p>


        <button onclick="window.print()">Print Ticket</button>
      </div>
    `;
}

</script>
```

</body>

</html>

Output:



Result:

The Online Flight Reservation System was successfully developed with flight search, seat selection, ticket booking, payment, cancellation, and ticket management features.