Experiment 7 – Beauty Parlour Appointment Booking System

Aim:
To develop an online Beauty Parlour Appointment Booking System for searching services, selecting stylists, checking available slots, and booking appointments.

Algorithm:

1. Register and log in the customer.
2. Display available beauty services and stylists.
3. Select the required service and stylist.
4. Check the reservation calendar.
5. Select the preferred date and time.
6. Enter customer details and make payment.
7. Confirm, reschedule, or cancel the appointment.
8. Store upcoming and previous reservations.
9. Allow salon staff to manage reservations and schedules.

Code:

```
<!DOCTYPE html>
<html>
<head>
  <title>Beauty Parlour Appointment</title>

  <style>
    body {
```

```
    font-family: Arial;
    background: #fff0f5;
    margin: 0;
}

header {
    background: #c2185b;
    color: white;
    text-align: center;
    padding: 20px;
}

.container {
    width: 90%;
    max-width: 800px;
    margin: 25px auto;
    background: white;
    padding: 25px;
    border-radius: 10px;
    box-shadow: 0 0 10px #aaa;
}

input, select, button {
    width: 100%;
    padding: 10px;
    margin: 8px 0;
```

```
    box-sizing: border-box;
}

button {
    background: #c2185b;
    color: white;
    border: none;
    border-radius: 5px;
    cursor: pointer;
}

button:hover {
    background: #880e4f;
}

.services {
    display: flex;
    gap: 15px;
    flex-wrap: wrap;
}

.service {
    border: 1px solid #ddd;
    padding: 15px;
    width: 200px;
    border-radius: 8px;
```

```
            text-align: center;
        }

        .service span {
            font-size: 40px;
        }

        .confirmation {
            background: #fce4ec;
            padding: 15px;
            margin-top: 20px;
            border-radius: 8px;
        }
    </style>
</head>

<body>

<header>
    <h1>💇‍♀️ Beauty Parlour</h1>
    <p>Online Appointment Booking</p>
</header>

<div class="container">

    <h2>Our Services</h2>
```

```
<div class="services">

    <div class="service">
        <span> 💇 </span>
        <h3>Hair Styling</h3>
        <p>₹500</p>
        <button onclick="selectService('Hair Styling')">
            Select
        </button>
    </div>

    <div class="service">
        <span> 💅 </span>
        <h3>Manicure</h3>
        <p>₹400</p>
        <button onclick="selectService('Manicure')">
            Select
        </button>
    </div>

    <div class="service">
        <span> 💆 </span>
        <h3>Facial</h3>
        <p>₹800</p>
        <button onclick="selectService('Facial')">
```

```
            Select
        </button>
    </div>

</div>

<div id="booking" style="display:none">

    <h2>Book Appointment</h2>

    <p>
        <b>Selected Service:</b>
        <span id="selectedService"></span>
    </p>

    <label>Customer Name</label>
    <input type="text" id="name"
           placeholder="Enter your name">

    <label>Phone Number</label>
    <input type="text" id="phone"
           placeholder="Enter phone number">

    <label>Select Stylist</label>

    <select id="stylist">
```

```
        <option>Priya</option>
        <option>Anjali</option>
        <option>Meena</option>
    </select>

    <label>Select Date</label>

    <input type="date" id="date">

    <label>Select Time</label>

    <select id="time">
        <option>10:00 AM</option>
        <option>11:00 AM</option>
        <option>12:00 PM</option>
        <option>02:00 PM</option>
        <option>03:00 PM</option>
        <option>04:00 PM</option>
        <option>05:00 PM</option>
    </select>

    <button onclick="bookAppointment()">
        Book Appointment
    </button>

</div>
```

```
    <div id="result"></div>

</div>

<script>

let selectedService = "";

function selectService(service) {

    selectedService = service;

    document.getElementById("selectedService")
        .innerText = service;

    document.getElementById("booking")
        .style.display = "block";

    window.scrollTo(0, document.body.scrollHeight);
}

function bookAppointment() {

    let name =
        document.getElementById("name").value;
```

```
let phone =
    document.getElementById("phone").value;

let stylist =
    document.getElementById("stylist").value;

let date =
    document.getElementById("date").value;

let time =
    document.getElementById("time").value;

if (name == "" || phone == "" || date == "") {
    alert("Please fill all details");
    return;
}

let appointmentId =
    "APT" + Math.floor(10000 + Math.random() * 90000);

document.getElementById("result").innerHTML = `

    <div class="confirmation">

        <h2>✅ Appointment Confirmed</h2>
```

```
<p>
    <b>Appointment ID:</b>
    ${appointmentId}
</p>

<p>
    <b>Customer:</b>
    ${name}
</p>

<p>
    <b>Service:</b>
    ${selectedService}
</p>

<p>
    <b>Stylist:</b>
    ${stylist}
</p>

<p>
    <b>Date:</b>
    ${date}
</p>
```

```
            <p>
                <b>Time:</b>
                ${time}
            </p>

            <p>
                <b>Status:</b> Confirmed
            </p>


            <button onclick="window.print()">
                Print Appointment
            </button>

        </div>
    `;
}

</script>

</body>
</html>
```

Output:



Result:

The Beauty Parlour Appointment Booking System was successfully developed to manage services, stylists, reservations, payments, and customer appointments.