Experiment 14: ReNewMarket – Second-Hand Goods Marketplace

Aim:

To develop an online marketplace where users can browse and sell second-hand goods such as electronics, furniture, clothing, and collectibles. The system includes user management, category management, product management, and order-status management.

Algorithm

1. Create a homepage displaying second-hand products and categories.
2. Allow users to search and filter available products.
3. Display product descriptions, prices, and condition.
4. Allow users to add products to a shopping cart and place orders.
5. Provide controls to manage products and categories.
6. Display order details and update delivery status to Shipped or Received.

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>ReNewMarket</title>
<style>
*{box-sizing:border-box}
body{margin:0;font-family:Arial;background:#f3f7f5;color:#20352c}
```

```
header{background:#176b50;color:white;text-align:center;padding:22px}
nav{background:#d9eee4;padding:13px;text-align:center}
nav a{margin:12px;color:#176b50;text-decoration:none;font-weight:bold}
main{max-width:1000px;margin:auto;padding:20px}
.hero{background:#d9eee4;padding:22px;text-align:center;border-radius:12px}
.controls{display:flex;gap:10px;margin:20px 0;flex-wrap:wrap}
input,select{padding:10px;border:1px solid #b8cec3;border-radius:6px}
.controls input{flex:1;min-width:180px}
button{background:#176b50;color:white;padding:10px 13px;border:0;border-radius:6px;cursor:pointer}
button:hover{background:#104b39}
.products{display:grid;grid-template-columns:repeat(auto-fit,minmax(210px,1fr));gap:16px}
.card{background:white;border-radius:12px;padding:16px;text-align:center;box-shadow:0 3px 9px #d8e3dd}
.pic{font-size:58px;background:#e6f3ec;padding:14px;border-radius:9px}
.price{color:#176b50;font-weight:bold;font-size:19px}
section{margin-top:25px}
.item{padding:10px;border-bottom:1px solid #ddd}
.status{font-weight:bold;color:#176b50}
footer{text-align:center;padding:16px;background:#d9eee4;margin-top:25px}
</style>
</head>
<body>

<header>
<h1>♻️ ReNewMarket</h1>
```

```
<p>Buy Smart. Sell Second-Hand. Reduce Waste.</p>
</header>

<nav>
<a href="#home">Home</a>
<a href="#products">Products</a>
<a href="#cart">Cart</a>
<a href="#admin">Admin</a>
</nav>

<main>
<section id="home" class="hero">
<h2>Give Pre-loved Products a New Life!</h2>
<p>Affordable electronics, furniture, clothing and more.</p>
</section>

<section id="products">
<h2>Available Products</h2>
<div class="controls">
<input id="search" placeholder="Search products..."
oninput="displayProducts()">
<select id="category" onchange="displayProducts()">
<option value="All">All Categories</option>
<option>Electronics</option>
<option>Furniture</option>
<option>Clothing</option>
```

<option>Collectibles</option>

</select>

</section>

<section id="cart">

<h2>🛒 Shopping Cart</h2>

Your cart is empty.

<h3>Total: ₹0</h3>

<input id="buyer" placeholder="Enter your name">

<button onclick="checkout()">Place Order</button>

</section>

<section id="orders">

<h2> 📦 Order Management</h2>

No orders placed yet.

</section>

<section id="admin">

<h2>Admin: Add a Product</h2>

<input id="newName" placeholder="Product name">

<input id="newPrice" type="number" min="1" placeholder="Price in ₹">

<input id="newEmoji" placeholder="Product emoji, e.g. 📱 ">

```
<p>
<select id="newCategory">
<option>Electronics</option>
<option>Furniture</option>
<option>Clothing</option>
<option>Collectibles</option>
</select>
</p>
<button onclick="addProduct()">Add Product</button>
<p id="adminMessage"></p>
</section>
</main>

<footer>© 2026 ReNewMarket | Reuse • Recycle • Resell</footer>

<script>
let products = [
{id:1,name:"Used Laptop",category:"Electronics",price:12000,emoji:"💻"},
{id:2,name:"Study Table",category:"Furniture",price:1800,emoji:"🪑"},
{id:3,name:"Denim Jacket",category:"Clothing",price:500,emoji:"🧥"},
{id:4,name:"Vintage Camera",category:"Collectibles",price:2500,emoji:"📷"},
{id:5,name:"Headphones",category:"Electronics",price:700,emoji:"🎧"},
{id:6,name:"Bookshelf",category:"Furniture",price:1100,emoji:"📚"}
];
```

```
let cart = [];
let orders = [];
let nextId = 7;

function displayProducts(){
 const search = document.getElementById("search").value.toLowerCase();
 const category = document.getElementById("category").value;

 const filtered = products.filter(p =>
  p.name.toLowerCase().includes(search) &&
  (category === "All" || p.category === category)
 );

 document.getElementById("productList").innerHTML = filtered.length
 ? filtered.map(p => `
 <div class="card">
  <div class="pic">${p.emoji}</div>
  <h3>${p.name}</h3>
  <p>${p.category} | Pre-owned</p>
  <p class="price">₹${p.price}</p>
  <button onclick="addToCart(${p.id})">Add to Cart</button>
  <button onclick="deleteProduct(${p.id})">Remove Listing</button>
 </div>`).join("")
 : "<p>No products found.</p>";
}
```

```
function addToCart(id){
 const p = products.find(x => x.id === id);
 if(!p) return;
 const item = cart.find(x => x.id === id);
 if(item) item.qty++;
 else cart.push({...p,qty:1});
 displayCart();
}

function displayCart(){
 document.getElementById("cartItems").innerHTML = cart.length
 ? cart.map(p => `
 <div class="item">${p.emoji} ${p.name} — ₹${p.price}
 × ${p.qty}
 <button onclick="changeQty(${p.id},-1)">−</button>
 <button onclick="changeQty(${p.id},1)">+</button>
 <button onclick="removeCartItem(${p.id})">Remove</button>
 </div>`).join("")
 : "Your cart is empty.";

 document.getElementById("total").textContent =
 cart.reduce((sum,p)=>sum+p.price*p.qty,0);
}

function changeQty(id,amount){
 const item = cart.find(p=>p.id===id);
```

```
 if(item) item.qty += amount;
 cart = cart.filter(p=>p.qty>0);
 displayCart();
}

function removeCartItem(id){
 cart = cart.filter(p=>p.id!==id);
 displayCart();
}

function checkout(){
 const buyer = document.getElementById("buyer").value.trim();
 if(!buyer){alert("Please enter your name.");return;}
 if(cart.length===0){alert("Your cart is empty.");return;}

 const order = {
 id:orders.length+1,
 buyer:buyer,
 items:cart.map(p=>({...p})),
 total:cart.reduce((sum,p)=>sum+p.price*p.qty,0),
 status:"Shipped"
 };
 orders.push(order);
 cart=[];
 displayCart();
 displayOrders();
```

```
 document.getElementById("message").textContent =
 "Order placed successfully! Order ID: "+order.id;
}

function displayOrders(){
 document.getElementById("orderList").innerHTML = orders.length
 ? orders.map(o=>`
 <div class="item">
 <b>Order #${o.id}</b> — ${o.buyer}<br>
 Items: ${o.items.map(p=>p.name+" × "+p.qty).join(", ")}<br>
 Total: ₹${o.total}<br>
 Status: <span class="status">${o.status}</span><br>
 <button onclick="updateStatus(${o.id})">Mark Received</button>
 <button onclick="deleteOrder(${o.id})">Delete Order</button>
 </div>`).join("")
 : "No orders placed yet.";
}

function updateStatus(id){
 const order = orders.find(o=>o.id===id);
 if(order){
   order.status="Received";
   displayOrders();
 }
}
```

```
function deleteOrder(id){
 orders=orders.filter(o=>o.id!==id);
 displayOrders();
}

function addProduct(){
 const name=document.getElementById("newName").value.trim();
 const price=Number(document.getElementById("newPrice").value);
 const emoji=document.getElementById("newEmoji").value.trim() || " 📦 ";
 const category=document.getElementById("newCategory").value;


 if(!name || price<=0){
  document.getElementById("adminMessage").textContent =
    "Enter a product name and a valid price.";
  return;
 }

 products.push({id:nextId++,name,price,emoji,category});
 displayProducts();
 document.getElementById("adminMessage").textContent =
  "Product added successfully!";
 document.getElementById("newName").value="";
 document.getElementById("newPrice").value="";
 document.getElementById("newEmoji").value="";
}
```

```
function deleteProduct(id){
 products=products.filter(p=>p.id!==id);
 cart=cart.filter(p=>p.id!==id);
 displayProducts();
 displayCart();
}

displayProducts();
displayCart();
displayOrders();
</script>
</body>
</html>
```

Output



Result:

Thus, the ReNewMarket second-hand goods marketplace was developed successfully using HTML, CSS, and JavaScript.