# LEIE Data Upload and Validation Guide

## Purpose

This document covers one current workflow in the broader CCRS team automation application: upload LEIE data, validate the database load, and confirm the results in the CCRS UI. The framework can grow beyond LEIE and referrals to automate more repetitive work and free time for testing. This guide documents only the implemented LEIE workflow; see PROJECT_VISION.md for the wider direction.

LEIE Data upload is separate from CCRS Referral upload. LEIE sends the processed `.xlsx` file to `/in/manual_process/`; CCRS Referral sends its final `.gz` archive to `/CCRA_Uploads`.

## Recommended File Name

`LEIE_UPLOAD_VALIDATION_GUIDE.md`

## Prerequisites

Before starting, make sure you have:

- The current LEIE source file in `.xlsx` format.
- Access to WinSCP.
- Access to the `ediuser` account.
- Access to the `/in/manual_process/` directory in each environment.
- Access to the `ccrsdb` database in the target environment.
- Access to the CCRS Table Viewer UI.

## Load Order

Load LEIE data in this order:

1. Lower environments first:

- `SQA`

- `DEV`
- `PPD`

1. Production last:

- `PROD`

## Environment Reference

| Environment | Database Server | Database |
|---|---|---|
| `SQA` | `VAC10SQLCCN816.va.gov` | `ccrsdb` |
| `PPD` | `VAC10SQLCCN402.va.gov` | `ccrsdb` |
| `New PPD` | `VAC10SQLCCN404.va.gov` | `ccrsdb` |
| `DEV` | `VAC10SQLCCN802.va.gov` | `ccrsdb` |

## CCRS Table Viewer URLs

Use the correct URL for each environment:

- `https://preprod.ccrs.va.gov/tableviewer`
- `https://dev.ccrs.va.gov/tableviewer`
- `https://sqa.ccrs.va.gov/tableviewer`
- `https://ccrs.va.gov/tableviewer`

## Step 1: Prepare the LEIE File

1. Confirm you have the correct LEIE `.xlsx` file.
2. Verify the file is the final version to be loaded.
3. Count the number of records in the `.xlsx` file because you will compare that count to the database load count later.
4. Review the application's preflight summary for file size and row count. Split an oversized source into approved batches rather than bypassing workstation safety limits.

## Step 2: Upload the File with WinSCP

1. Open WinSCP.

2. Connect using user `ediuser`.
3. Go to the target environment's manual-processing directory: `/in/manual_process/`.
4. Upload the LEIE `.xlsx` file.
5. Confirm the file was transferred successfully.

When uploading from the CCRS application, the transfer is retried after transient errors, verified by remote byte size, and reported independently for each environment. The Cancel control can stop an active application job; inspect the output folder before restarting a cancelled process.

Repeat this process for each environment in the required load order.

## Step 3: Check the Batch Log to Find the ETL Batch ID

After the file is loaded, connect to the environment's `ccrsdb` database and run:

```
select * from CLAIM_BATCH_LOG order by last_updated_date desc;
-- First get the etl_batch_id
```

Find the correct LEIE load entry and copy the `etl_batch_id` value.

Example:

```
LEIE0731202606153013
```

## Step 4: Validate the LEIE Load in the Database

Use the `etl_batch_id` from Step 3 and run the following SQL. Replace the example batch ID with the batch ID for the file you loaded.

```
Use ccrsdb;

select * from CLAIM_BATCH_LOG order by last_updated_date desc;--
First get the etl_batch_id

Select File_Name, *
from CLAIM_BATCH_LOG
where etl_batch_id = 'LEIE0731202606153013'
order by Start_date_time desc;

select count(*)
from dbo.LKUP_PROVIDER_SANCTION
where etl_batch_id = 'LEIE0731202606153013';
```

```
Select count(*)
from dbo.LKUP_PROVIDER_SANCTION
where etl_batch_id <> 'LEIE0731202606153013'
  and is_current = 'Y';

select * from dbo.LKUP_PROVIDER_SANCTION;
```

The queries identify the latest batch, verify the correct file and batch record, count loaded rows, confirm no older batch remains current, and provide a full LEIE data view.

## Step 5: Validate in CCRS UI

1. Open the correct CCRS Table Viewer URL for the environment.
2. Choose the `CLAIM_BATCH_LOG` table.
3. Search for the latest LEIE batch.
4. Confirm the file name, `etl_batch_id`, and timestamps match the database results.
5. Confirm the load status shows the LEIE file was loaded successfully.
6. Verify the LEIE data loaded successfully.

## Validation Checklist

Use this checklist for each environment:

- The correct `.xlsx` file was uploaded.
- The file was uploaded to `/in/manual_process/` using `ediuser`.
- The correct `etl_batch_id` was identified.
- The row count in `LKUP_PROVIDER_SANCTION` matches the source `.xlsx` record count.
- No previous batch remains `is_current = 'Y'`.
- The load is visible in `CLAIM_BATCH_LOG`.
- The load is visible in the CCRS Table Viewer UI.

## Suggested Execution Sequence

Use this sequence when performing the work:

1. Upload and validate in `SQA`.
2. Upload and validate in `DEV`.

3. Upload and validate in `PPD`.
4. Upload and validate in `PROD` after approval.

## Notes

- Always validate lower environments before moving to production.
- Always save the `etl_batch_id` for each environment.
- Always compare the database row count to the source `.xlsx` record count.
- If the counts do not match, stop and investigate before moving to the next environment.
- Notify the team before deploying or loading the file in `PROD`.
- Imported application upload credentials are encrypted with Windows-protected storage. Do not copy the protected runtime credential file to another user profile or workstation.