

NM-SALESFORCE DEVELOPER
PROJECT REPORT

**CUSTOMER SUPPORT TICKET PRIORITY
PREDICTION AND AUTOMATED ASSIGNMENT
SYSTEM
USING AGENTFORCE**

A Salesforce CRM and Agentforce Based
Customer Support Automation Project Report

Submitted By :

Mohamad Rahuman A - 822723104023

Rishikesavan P - 822723104036

Vallarasu M - 822723104049

Nivetha E - 822723104027

Vishalini K - 822723104053

**Department of Computer Science and Engineering
Government College of Engineering, Thanjavur**

TABLE OF CONTENTS

1. Introduction
2. Ideation Phase
3. Requirement Analysis
4. Project Design
5. Project Planning and Scheduling
6. Project Development
7. Salesforce Data Model and Configuration
8. Automation and Workflow Design
9. Agentforce Configuration and Conversational Processing
10. Functional and Performance Testing
11. Security, Reliability and Scalability
12. Advantages and Disadvantages
13. Future Scope
14. Conclusion
15. Appendix
16. References
17. Sample Images

1. INTRODUCTION

1.1 Project Overview

The Customer Support Ticket Priority Prediction and Automated Assignment System is a Salesforce-based solution designed to reduce the manual effort involved in analyzing and handling customer support tickets. The system combines Salesforce data management, an Auto-Launched Flow, and Agentforce to retrieve the latest support ticket for a customer Account, analyze the ticket description, classify its priority, assign an appropriate support level, and initiate urgent handling when required.

The project uses the Support Ticket Intelligence custom object as the central ticket record. Agentforce provides the conversational interface through which a user supplies an Account Name. The Agentforce subagent named Support Ticket Priority Analysis then invokes backend automation to retrieve and analyze the relevant ticket. The current implementation classifies tickets as High, Medium, or Low based on configured urgency conditions.

1.2 Purpose

- Automatically classify support tickets as High, Medium, or Low priority.
- Retrieve the latest support ticket associated with a customer Account.
- Reduce manual prioritization and support-assignment effort.
- Create an urgent handling Task for High-priority tickets.
- Use Agentforce for conversational ticket analysis and backend automation.
- Improve the speed and consistency of support-ticket handling.

1.3 Background

Customer support teams may receive many tickets containing different types of technical, billing, and general issues. When ticket prioritization and assignment depend heavily on manual review, urgent cases can remain behind lower-priority cases. The project addresses this operational problem by connecting ticket information with automated decision logic inside Salesforce.

1.4 Objectives

- Centralize customer support ticket information in Salesforce.
- Associate tickets with Accounts and Contacts.
- Retrieve the most recent ticket for an Account.
- Analyze ticket descriptions using configured urgency indicators.
- Automatically set the priority level.
- Create a high-priority handling Task when appropriate.
- Assign High-priority cases to a senior support level.
- Provide a clear conversational result through Agentforce.
- Provide an optional SLA-breach-risk check for older unresolved tickets.

1.5 Scope

The current scope covers the Support Ticket Intelligence custom object, its fields and relationships, the Auto-Launched Flow, the Support Ticket Priority Analysis Agentforce subagent, the Agentforce action, priority decision logic, urgent Task creation, support assignment, optional SLA-risk checking, and

conversational output. The documented Agentforce scope is limited to support-ticket analysis and related backend automation; unrelated requests such as billing, subscription management, or account updates are outside the configured subagent scope.

2. IDEATION PHASE

2.1 Problem Statement

The project identifies several connected problems faced by support agents, customers, and support managers. Support agents need to focus on critical tickets first, but prioritization may be manual. Customers expect urgent issues to be resolved quickly, while support managers need a consistent way to assign cases to an appropriate support level and reduce SLA-related risk.

Persona	Goal	Problem	Effect
Support Agent	Focus on critical tickets first	Tickets are not always prioritized automatically	Manual effort and frustration
Customer	Get urgent issues resolved quickly	Critical issues may wait behind lower-priority tickets	Concern about delays
Support Manager	Assign tickets to the right support level	Assignment may require manual decisions	Operational overload
Support Agent	Identify urgency from descriptions	Important urgency keywords can be missed	Uncertainty
Support Manager	Reduce SLA-related risk	Older unresolved tickets may remain unnoticed	Concern about SLA risk

2.2 Empathy Map

Empathy Area	Observation
Think & Feel	Wants critical issues identified quickly so urgent customer problems receive attention.
Hear	Receives customer issue descriptions and support requests.
See	Ticket status, issue type, description, priority, assignment, and SLA risk.
Say & Do	Reviews tickets, handles assigned cases, and focuses on urgent support issues.
Pain	Manual prioritization, missed urgency signals, and delays in handling critical tickets.
Gain	Automatic priority classification, clearer assignment, urgent-task creation, and reduced manual effort.

2.3 Brainstorming and Idea Prioritization

The project considered manual ticket registers, spreadsheet-based ticket tracking, a standalone support portal, and Salesforce CRM with Agentforce. Salesforce CRM was selected for the project because the required workflow can be represented through Salesforce records and Flow while Agentforce provides AI-assisted conversational interaction.

2.4 Rationale for the Selected Approach

- Salesforce provides centralized customer and ticket records.
- Flow can perform record retrieval, decisions, assignments, and record creation.
- Agentforce provides a conversational interface for the ticket-analysis process.
- High-priority automation can create a Task without requiring manual task entry.
- The architecture can be extended with additional assignment rules, SLA monitoring, and analytics.

3. REQUIREMENT ANALYSIS PHASE

3.1 Customer Journey Map

Stage	Purpose
Ticket Creation	Capture customer support issue information.
Account Identification	Identify the customer Account supplied to Agentforce.
Ticket Retrieval	Retrieve the latest Support Ticket Intelligence record.
Description Analysis	Read the ticket description and evaluate urgency indicators.
Priority Classification	Set High, Medium, or Low priority.
Agent Assignment	Determine the appropriate support level.
Urgent Task Creation	Create a handling Task for High-priority cases.
Support Handling	Support team acts on the assigned ticket.
Resolution	Ticket proceeds toward resolution.

3.2 Functional Requirements

ID	Functional Requirement
FR-1	Support ticket creation and management
FR-2	Account and Contact association
FR-3	Ticket description analysis

FR-4	Automatic priority classification
FR-5	High-priority Task creation
FR-6	Support agent assignment
FR-7	SLA-breach-risk checking
FR-8	Agentforce conversational analysis

3.3 Non-Functional Requirements

Requirement	Description
Usability	Clear Agentforce interaction and understandable priority messages.
Reliability	Consistent priority classification based on configured conditions.
Performance	Quick retrieval and analysis of the latest support ticket.
Security	Controlled Salesforce access to customer and ticket information.
Maintainability	Flow and Agentforce configuration can be updated.
Scalability	Supports increasing support-ticket volumes through Salesforce automation.

3.4 Data Flow

Customer / Support Request → Account → Latest Support Ticket → Ticket Description
→ Analyze Description → Priority Level → High / Medium / Low Decision
→ Agent Assignment → High-Priority Task (if applicable) → Final Response

Agentforce: Account Name → Support Ticket Priority Analysis → Auto-Launched Flow
→ Ticket Analysis → Priority and Assignment Output → Response to User.

3.5 Technology Stack

Layer	Technology
Platform	Salesforce
Database	Support_Ticket_Intelligence__c with Account, Contact, User and Task records
Logic	Auto-Launched Flow
AI	Agentforce
Agent Configuration	Support Ticket Priority Analysis subagent
Automation	Flow Decision, Assignment and Create Records

Output	Agentforce conversational response
--------	------------------------------------

4. PROJECT DESIGN PHASE

4.1 Problem–Solution Fit


Problem	Solution	Benefit
Manual ticket prioritization	Flow analyzes description and sets priority	Faster identification of urgent cases
Urgent issues may be missed	Configured High-priority conditions	Critical cases receive attention
Manual Task creation	Flow creates Task for High priority	Reduced manual effort
Manual support assignment	Flow sets assigned support level	More consistent handling
SLA risk can be overlooked	Optional SLA-risk decision	Better risk awareness
Need for conversational access	Agentforce subagent	AI-assisted interaction

4.2 Proposed Solution

Parameter	Description
Problem	Manual ticket prioritization and assignment can delay handling of critical support issues.
Solution	Salesforce-based Customer Support Ticket Priority Prediction and Automated Assignment System.
Innovation	Agentforce AI plus Auto-Launched Flow for ticket analysis, priority classification, assignment and urgent-task automation.
Impact	Faster identification of critical tickets, reduced manual effort, improved response time and better support-team productivity.
Business Context	Customer support operations involving customers, support agents, support managers and AI-assisted ticket handling.
Scalability	Supports increasing ticket volumes with scope for additional rules, SLA monitoring and priority indicators.

4.3 Solution Architecture

Users / Support Team



4.4 Design Principles

- Centralized ticket information
- Automation of repetitive support actions
- Consistent priority classification
- Conversational access through Agentforce
- Controlled backend actions through Flow
- Maintainability and future extensibility

5. PROJECT PLANNING AND SCHEDULING

5.1 Agile Methodology

The supplied project material uses an Agile methodology based on epics, user stories, story points, sprint-based execution, and velocity-oriented estimation. For the report, the implementation is organized into logical development sprints covering environment setup, data modeling, automation, Agentforce configuration, task assignment, SLA handling, and conversational support.

5.2 Product Backlog

Sprint	User Story / Task	Points	Priority
Sprint-1	Configure Salesforce environment for Support Ticket Intelligence	3	High

Sprint-2	Create Support Ticket Intelligence object and required fields	5	High
Sprint-2	Associate tickets with Accounts and Contacts	3	High
Sprint-3	Create Auto-Launched Flow to retrieve latest ticket	5	High
Sprint-3	Implement High/Medium/Low priority decision logic	5	High
Sprint-4	Configure Agentforce Support Ticket Priority Analysis subagent	8	High
Sprint-4	Create urgent Task and assign High-priority support level	5	High
Sprint-5	Implement optional SLA-risk check	5	Medium
Sprint-6	Configure Agentforce action, outputs and conversational response	5	Medium

5.3 Sprint Schedule

Sprint	Focus Area	Duration
Sprint-1	Developer setup and Salesforce environment	6 Days
Sprint-2	Data modeling and relationships	6 Days
Sprint-3	Flow automation and priority classification	6 Days
Sprint-4	Agentforce and task/assignment automation	6 Days
Sprint-5	SLA-risk handling and refinement	6 Days
Sprint-6	Agentforce conversation and final validation	6 Days

5.4 Planning Benefits

Sprint-based planning separates environment setup, data modeling, automation, Agentforce configuration, and validation into manageable activities. Each requirement can be associated with a user story and estimated effort, making the implementation easier to track and review.

6. PROJECT DEVELOPMENT

6.1 Development Milestones

- Salesforce developer environment setup.
- Creation of the Support Ticket Intelligence custom object.
- Configuration of fields and relationships.
- Creation of the Auto-Launched Flow.
- Implementation of account and latest-ticket retrieval.
- Implementation of description-based priority decisions.
- High-priority Task creation and support-level assignment.
- Agentforce subagent creation and configuration.
- Agentforce action configuration and output mapping.
- Functional validation of the complete flow.


6.2 Salesforce Development Environment


The supplied project material describes the Salesforce developer environment as the platform for creating the custom object, fields, relationships, Flow and Agentforce configuration. Salesforce Setup is used for object and automation configuration, while Agentforce Builder is used for conversational-agent configuration.

6.3 Development Approach

The implementation combines declarative Salesforce configuration with Agentforce. The Support Ticket Intelligence object stores the business data. The Auto-Launched Flow performs the backend sequence of retrieving records, evaluating the description, assigning priority, creating a Task when required, and preparing output variables. Agentforce provides the conversational layer and triggers the backend action.

6.4 Final Processing Sequence





7.SALESFORCE DATA MODEL AND CONFIGURATION

7.1 Custom Object

Property	Value
Object Name	Support Ticket Intelligence
API Name	Support_Ticket_Intelligence__c
Primary Purpose	Store and manage customer support ticket information

7.2 Fields

Field Label	API Name	Data Type	Description
Ticket Number	Ticket_Number__c	Auto Number	TKT-{0000} ticket identifier
Customer	Customer__c	Lookup (Account)	Related customer Account
Contact	Contact__c	Lookup (Contact)	Customer contact
Issue Type	Issue_Type__c	Picklist	Technical, Billing, General
Description	Description__c	Long Text Area	Issue details
Priority Level	Priority_Level__c	Picklist	Low, Medium, High

Status	Status__c	Picklist	New, In Progress, Resolved
Created Date	Created_Date__c	Date	Ticket date
Assigned To	Assigned_To__c	Lookup (User)	Support agent
SLA Breach Risk	SLA_Breach_Risk__c	Checkbox	Risk flag
Resolution Time (hrs)	Resolution_Time__c	Number	Time taken for resolution

7.3 Relationships

The Support Ticket Intelligence record is associated with an Account through Customer__c and with a Contact through Contact__c. The Assigned To field references a Salesforce User. The automation also creates a Salesforce Task linked to the analyzed ticket.

7.4 Flow Variables

Variable	Type	Direction	Purpose
varAccountName	Text	Input	Account name supplied by the user/Agentforce
varAccountId	Text	Output	Unique identifier of the customer Account
varTicketId	Text	Output	Identifier of the analyzed ticket
varPriorityLevel	Text	Output	High, Medium or Low
varAssignedTo	Text	Output	Assigned support agent/level
varActionMessage	Text	Output	Final action message returned to Agentforce

8. AUTOMATION AND WORKFLOW DESIGN

8.1 Auto-Launched Flow

The project uses an Auto-Launched Flow with no direct record trigger. It can be called from Agentforce and accepts Account Name as its input. The Flow performs the backend processing and returns output variables to the Agentforce action.

8.2 Step-by-Step Flow Implementation

Step 1: Get Account: Get Records on Account where Name equals varAccountName. The flow stores only the first matching record and sorts by CreatedDate in descending order.

Step 2: Store Account Id: Assignment stores Get_Account.Id in varAccountId.

Step 3: Get Ticket: Get Records on Support_Ticket_Intelligence__c where Customer__c equals varAccountId. The newest record is selected using CreatedDate DESC.

Step 4: Store Ticket Id: Assignment stores Get_Ticket.Id in varTicketId.

Step 5: Analyze Description: Decision evaluates the ticket description against configured High and Medium priority conditions.

Step 6: Set Priority Level: Assignment sets varPriorityLevel to High, Medium or Low.

Step 7: Check High Priority: Decision checks whether varPriorityLevel equals High.

Step 8: Create Task: For High priority, a Task named Urgent Ticket Handling is created with High priority and Not Started status.

Step 9: Assign Support Level: The documented High-priority path sets varAssignedTo to Senior Support Agent.

Step 10: Optional SLA Check: A documented example checks whether Created Date is older than two days and can set an internal risk flag or message.

Step 11: Final Message: The flow sets a user-facing action message according to the priority.

Step 12: Save and Activate: The flow is saved under the documented Support_Ticket_Intelligence label and activated.

8.3 Priority Classification Logic

Priority	Configured Description Indicators	Action
High	urgent; not working; failure	Create urgent handling Task and assign senior support level
Medium	issue; slow; delay	Mark ticket Medium and provide handling message
Low	None of the High/Medium indicators	Mark ticket Low and queue for processing

8.4 Final Flow Structure

Start → Get Account → Store Account Id → Get Ticket → Store Ticket Id
→ Decision: Analyze Description → Assignment: Priority Level
→ Decision: Is High Priority → Create Task (High only)
→ Assignment: Assigned Agent → Optional SLA Decision
→ Assignment: Final Message → End

9. AGENTFORCE CONFIGURATION AND CONVERSATIONAL PROCESSING

9.1 Agentforce Role

Agentforce acts as the conversational interface for the support-ticket analysis workflow. The user provides an Account Name. The configured Support Ticket Priority Analysis subagent retrieves the latest ticket through the backend Flow, analyzes the description, determines priority, triggers required automation, and returns a clear response.

9.2 Subagent Configuration

Configuration	Value
Name	Support Ticket Priority Analysis
API Name	Support_Ticket_Priority_Analysis
Classification	Analyzes customer support tickets to determine priority based on issue description and urgency.
Scope	Analyze ticket descriptions, determine High/Medium/Low priority, and trigger backend automation for task assignment.

9.3 Agent Instructions

- Ask the user for Account Name if it has not already been provided.
- Retrieve the latest support ticket associated with the Account.
- Read and analyze the ticket description.
- Determine priority using the configured urgency indicators.
- Set the priority level accordingly.
- If the ticket is High Priority, trigger the Auto-Launched Flow and ensure a handling Task is created.
- Assign the ticket to the appropriate support level.
- Return a clear response to the user.
- Do not update records directly or send emails; use Flow for backend actions.

9.4 Agentforce Action

The configured Agentforce action uses varAccountName as its required input. The action returns varAccountId, varTicketId, varPriorityLevel, varAssignedTo and varActionMessage as conversational outputs. These outputs allow the user to understand which ticket was analyzed, its calculated priority, the assigned support level, and the resulting action.

9.5 Conversational Output

Priority	Documented Response
High	High priority ticket detected. Assigned to senior agent.

Medium	Ticket marked as medium priority. Will be handled shortly.
Low	Tickets are low priority and queued for processing.

10. FUNCTIONAL AND PERFORMANCE TESTING

10.1 Testing Objective

Testing is intended to validate that the Salesforce configuration, Flow logic, Agentforce action, priority classification, Task creation, assignment output, and conversational response operate according to the documented requirements.

10.2 Functional Test Areas

Test Area	Expected Behavior
Account retrieval	The Account matching the supplied Account Name is retrieved.
Latest ticket retrieval	The newest support ticket associated with the Account is selected.
High priority detection	Descriptions containing configured High indicators are classified as High.
Medium priority detection	Descriptions containing configured Medium indicators are classified as Medium.
Low priority detection	Descriptions without configured High/Medium indicators are classified as Low.
Task creation	High-priority tickets create an Urgent Ticket Handling Task.
Agent assignment	High-priority handling returns Senior Support Agent as the documented support level.
SLA risk check	Older unresolved tickets can be flagged through the optional SLA decision.
Agentforce output	The action returns priority, ticket, assignment and action information.

10.3 Example Test Cases

Test Case	Input Description	Expected Result
TC-01	System failure is urgent and not working	High; urgent Task created

TC-02	Customer reports a slow issue with delay	Medium; no urgent Task
TC-03	Customer requests general information	Low; queued for processing
TC-04	Account with multiple tickets	Latest ticket is selected
TC-05	High-priority ticket	Senior Support Agent returned

10.4 Performance Considerations

The project defines quick retrieval and analysis of the latest ticket as a performance requirement. The Flow retrieves only the first matching Account and the latest associated ticket, which keeps the documented retrieval process focused on the record required for analysis.

10.5 Reliability Considerations

Reliability depends on correct Account, Contact and ticket information, consistent Flow configuration, valid Agentforce instructions, and correctly configured priority conditions. Because the current classification is condition-based, the system should be validated whenever priority rules or support processes change.

11. SECURITY, RELIABILITY AND SCALABILITY

11.1 Security

The project requires controlled Salesforce access to customer and ticket information. The Agentforce subagent is also deliberately scoped so that it does not handle unrelated requests such as billing, subscription management or account updates. Backend record changes are performed through Flow rather than direct conversational record updates.

11.2 Reliability

- Account and ticket relationships provide a defined retrieval path.
- Configured priority conditions produce consistent outputs for known indicators.
- High-priority Task creation is handled by the Flow.
- Agentforce uses the configured action instead of directly changing records.
- Output variables provide a structured result to the conversation.

11.3 Availability

The solution is built on Salesforce and is intended to be used through the Salesforce environment by authorized support users. Availability therefore depends on the Salesforce environment, user access, and correct configuration of the Agentforce and Flow components.

11.4 Scalability

Salesforce automation provides a foundation for increasing support-ticket volumes. The project can be extended with additional support teams, more detailed assignment rules, expanded SLA monitoring, and analytics for ticket trends.

11.5 Maintainability

The separation between Agentforce conversational instructions and Flow-based backend processing supports maintainability. Priority keywords, Flow variables, assignment rules and Agentforce outputs can be updated as business requirements evolve.

12. ADVANTAGES AND DISADVANTAGES

12.1 Advantages

- Automatic Ticket Prioritization – Classifies support tickets as High, Medium, or Low.
- Faster Identification of Critical Issues – Helps support agents focus on urgent tickets first.
- Reduced Manual Effort – Automates ticket analysis, priority setting, Task creation and assignment.
- Intelligent Ticket Handling – Agentforce analyzes ticket details and initiates backend automation.
- Automatic Urgent Task Creation – High-priority tickets create an Urgent Ticket Handling Task.
- Improved Support Assignment – High-priority cases are assigned to the documented senior support level.
- Conversational Support – Users can interact with Agentforce to analyze ticket information.
- Better Response Time – Automation can reduce delays in handling critical customer issues.
- SLA Risk Awareness – Older unresolved tickets can be checked for potential SLA risk.
- Scalable Support Operations – Salesforce automation can support increasing ticket volumes.
- Improved Team Productivity – Repetitive work is reduced so support teams can focus on resolution.

12.2 Disadvantages and Limitations

- Keyword-Based Priority Logic – Current priority classification depends on configured words such as urgent, not working, failure, issue, slow and delay.
- Limited Context Understanding – The documented decision logic may not capture every possible urgency signal.
- Dependence on Accurate Ticket Data – Correct Account, Contact and ticket information is required.
- Flow Configuration Dependency – Changes in handling logic require Flow maintenance.
- Agentforce Configuration Dependency – Responses and actions depend on correct subagent instructions and action configuration.
- Limited Agentforce Scope – The configured subagent is focused on ticket analysis and related automation.
- Limited SLA Monitoring – The current implementation contains an optional SLA-risk check rather than a complete escalation system.
- Assignment Logic May Need Expansion – Additional support teams or more complex routing require further configuration.
- Maintenance Required – Priority conditions, variables, outputs and assignment logic may need periodic updates.
- Limited Analytics in Current Scope – Advanced priority and resolution analytics are identified as future scope.

13. FUTURE SCOPE

13.1 Expanded Priority Indicators

The priority engine can be extended with additional urgency indicators and business rules. This would allow the system to recognize a wider range of support situations beyond the currently configured conditions.

13.2 Advanced SLA Monitoring and Escalation

The current implementation includes an optional SLA-risk check. Future development can introduce richer SLA monitoring, escalation rules, aging thresholds, notifications and management visibility.

13.3 Additional Assignment Rules

The current High-priority path assigns the documented senior support level. Future versions can support multiple support teams and assignment rules based on issue type, customer category, expertise, workload or other business conditions.

13.4 Ticket Analytics

Analytics can be added to track priority trends, ticket volumes, resolution time, recurring issue categories and support-team performance. Such analytics would extend the solution from operational automation toward support-management intelligence.

13.5 Richer Agentforce Outputs

The supplied project material identifies the possibility of adding more variables to the Flow and configuring them in the Agentforce action. Future outputs could therefore provide richer ticket context and more detailed handling information.

13.6 Future Development Roadmap

Future Feature	Purpose
More Priority Indicators	Improve coverage of urgency conditions
Advanced SLA Monitoring	Identify and escalate aging tickets
Expanded Assignment Rules	Support multiple teams and routing conditions
Priority Trend Analytics	Monitor ticket patterns and priority distribution
Resolution Performance Analytics	Track resolution time and support performance
Richer Agentforce Outputs	Provide additional ticket and handling information

14. CONCLUSION

The Customer Support Ticket Priority Prediction and Automated Assignment System demonstrates how Salesforce Flow and Agentforce can be combined to automate customer support-ticket handling. The solution begins with a customer Account, retrieves the latest associated Support Ticket Intelligence record, analyzes its description, determines a priority level, performs the required support assignment logic, creates an urgent handling Task for High-priority cases, and returns the outcome through Agentforce.

The project integrates Salesforce data modeling, Flow automation and Agentforce conversational processing into a single support workflow. The Support Ticket Intelligence custom object provides a structured representation of customer support information, while the Auto-Launched Flow provides the backend processing sequence. The Agentforce Support Ticket Priority Analysis subagent provides a controlled conversational entry point and triggers the backend action.

The current implementation provides clear automation benefits while also having documented limitations. In particular, priority classification depends on configured conditions and therefore does not represent a complete natural-language urgency model. The project nevertheless establishes a foundation that can be extended with richer priority indicators, advanced SLA monitoring, expanded assignment rules, analytics and additional Agentforce outputs.

Overall, the project demonstrates a practical Salesforce-based approach to reducing repetitive ticket-handling work, improving consistency in priority classification, and connecting conversational AI with backend business automation.

15. APPENDIX

15.1 Key Object Summary

Object / Record	Primary Role
Support_Ticket_Intelligence__c	Central support-ticket management object
Account	Customer account used to identify the latest ticket
Contact	Customer contact associated with a ticket
User	Support user / assigned support record
Task	Urgent handling activity created for High-priority tickets

15.2 Key Automation Summary

Automation	Function
Support_Ticket_Intelligence Flow	Retrieve Account and latest ticket, analyze priority, assign support level, create Task and return output.
Analyze Description Decision	Classify ticket as High, Medium or Low using configured conditions.
High Priority Decision	Determine whether urgent Task creation is required.
Create Task	Create Urgent Ticket Handling Task for High priority.
SLA Risk Decision	Optionally check whether a ticket is older than the configured threshold.

15.3 Key Agentforce Components

Component	Description
Support Ticket Priority Analysis	Agentforce subagent dedicated to ticket priority analysis and backend automation.
Support_Ticket_Priority_Analysis	API name of the subagent.
Agent Action	Invokes the Flow-based ticket intelligence process.
varAccountName	Required conversational input.
varTicketId	Output containing the analyzed ticket identifier.
varPriorityLevel	Output containing High, Medium or Low.
varAssignedTo	Output containing the support assignment.
varActionMessage	Output containing the final action message.

15.4 Priority Rule Summary

High: "urgent", "not working", "failure"
Medium: "issue", "slow", "delay"
Low: No configured High or Medium indicators

15.5 Flow Output Summary

Output	Purpose
varAccountId	Returns the customer Account identifier.
varTicketId	Returns the ticket identifier analyzed by the system.
varPriorityLevel	Returns the calculated priority.
varAssignedTo	Returns the support agent or support level.
varActionMessage	Returns the final action/result message.

16. REFERENCES

1. Supplied Salesforce project document: “Customer Support Ticket Priority Prediction and Automated Assignment System Using Agentforce.”
2. Supplied reference report: “WhatNext Vision Motors: Shaping the Future of Mobility with Innovation and Excellence – A Salesforce CRM-Based Vehicle Order and Dealership Management System.”
3. Salesforce configuration, object, Flow and Agentforce concepts documented in the supplied project material.
4. Salesforce Developer environment and Agentforce configuration activities described in the supplied project material.

Report Preparation Note

This report was prepared by using the supplied Customer Support Ticket Priority Prediction and Automated Assignment System project document as the factual basis and the supplied WhatNext Vision Motors college report as the structural and presentation reference. The vehicle-ordering content from the reference report has not been transferred to this project; the sections have been adapted to the actual Salesforce and Agentforce implementation described in the project material.

17. Sample Images

Developer Edition

Developer Edition

Welcome

Search...

Support Ticket Intelligence

TKT-0002

New Contact

Edit

New Opportunity

Related

Details

Support Ticket Intelligence Name

TKT-0002

Owner

Mohamed Rahuman

Ticket Number

1

Customer

Vallarasu

Contact

nivetha e

Issue Type

Technical

Description

urgent

Priority Level

High

Status

New

Created Date

10/1/2026

Activity

Filters: All time • All activities • All types

Refresh • Expand All • View All


Upcoming & Overdue

No activities to show.

Get started by sending an email, scheduling a task, and more.

To change what's shown, try changing your filters.

Show All Activities



Developer Edition

Search...

Developer EditionWelcome

Support Ticket Intelligence

TKT-0002

RelatedDetails

Support Ticket Intelligence Name

TKT-0002

Owner

Mohamed Rahuman

Ticket Number

1

Customer

Vallarasu

Contact

nivetha e

Issue Type

Technical

Description

urgent

Priority Level

High

Status

New

Created Date

10/1/2026

Agentforce (Default)

Give me my support ticket data

Here is the data for your support ticket:

- Support Ticket Intelligence Name: TKT-0002
- Owner: Mohamed Rahuman
- Ticket Number: 1
- Customer: Vallarasu
- Contact: nivetha e
- Issue Type: Technical
- Description: urgent
- Priority Level: High
- Status: New
- Created Date: 10/1/2026
- Assigned To: Mohamed Rahuman
- SLA Breach Risk: Yes
- Resolution Time (hrs): 2.0
- Last Modified Date: 10/2/2026

Let me know if you need further details or assistance!

Describe your task or ask a question...

Agentforce is AI and can make mistakes.