Status	Finished
Started	Monday, 26 October 2026, 9:34 PM
Completed	Monday, 26 October 2026, 9:38 PM
Duration	3 mins 33 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Both keys and values are unique in dictionary.

a. True

b. False ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Suppose d = {"john":40, "peter":45}, to delete the entry for "john" what command do we use?

a. d.delete("john":40)

b. d.delete("john")

c. del d("john":40)

d. del d["john"] ✓

Question **3**

Correct

Mark 1.00 out of 1.00

What will be the Output of the following code?
dl={1:10, 2:20, 3:30, 4:40}
d2={5:50, 6:60, 7:70}
dl.update (d2)
print (dl)

a. [1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70]

b. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]

c. {1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70} ✓

d. {1:10, 2: 20, 4: 40, 5: 50, 6: 60, 7: 70}

Question **4**

Correct

Mark 1.00 out of 1.00

Which of the following are true of Python dictionaries:

a) All the keys in a dictionary must be of the same type.

b) Items are accessed by their position in a dictionary.

c) A dictionary can contain any object type except another dictionary.

d) Dictionaries can be nested to any depth.

e) Dictionaries are mutable.

f) Dictionaries are accessed by key.

- a. b,c
- b. a,b
- c. d,e,f ✓
- d. c,d,e

Question **5**

Correct

Mark 1.00 out of 1.00

In dictionary Keys and values are separated by ____.

- a. Colon (:) ✓
- b. dot(.)
- c. Semicolon(;)
- d. Comma(,)

Question **6**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={1:"A",2:"B",3:"C"}
print(a.get(5,4))
```

- a. 5
- b. 4 ✓
- c. Invalid Synatx,Error
- d. A

Question **7**

Correct

Mark 1.00 out of 1.00

Dictionary is a ____ data type.

a. None of the mentioned
b. Ordered
c. Mapping ✓
d. Sequence

Question **8**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

a. dictionary
b. convert
c. dict ✓
d. create

Question **9**

Correct

Mark 1.00 out of 1.00

Choose the correct statement, in reference to the following code: D1.update(D2) #D1 and D2 are dictionaries

a. It will create a new dictionary.
b. It will merge all the elements of dictionary 'D2' in dictionary 'D1'. ✓
c. None of the mentioned
d. It will merge all the elements of dictionary 'D1' in dictionary 'D2'.

Question **10**

Correct

Mark 1.00 out of 1.00

Which statement is used to create an empty dictionary?

a. d1 = dict{ }
b. d1 = { } ✓
c. d1 =
d. d1 = [ ]

Question **11**

Correct

Mark 1.00 out of 1.00

_____ datatype fall under mapping.

- a. Dictionary ✓
- b. List
- c. String
- d. Tuple

Question **12**

Correct

Mark 1.00 out of 1.00

To obtain the number of entries in dictionary which command is used?

- a. size(d)
- b. len(d) ✓
- c. d.size()
- d. d.len()

Question **13**

Correct

Mark 1.00 out of 1.00

_____ function returns the value corresponding to the key passed as the argument.

- a. values
- b. update
- c. get ✓
- d. del

Question **14**

Correct

Mark 1.00 out of 1.00

The key-value pair in dictionary is called _____.

- a. value
- b. pair item
- c. paired value
- d. item ✓

Question **15**

Correct

Mark 1.00 out of 1.00

_____ function returns the number of key: value pairs of the dictionary.

a. items

b. len ✓

c. total

d. length