

CEREBRO-X

Computational Drug-DDS Engineering Report

Field	Value
Drug Name	Galantamine
Molecular Class	small_molecule
Molecular Weight	287.4 Da
Recommended DDS	GM1-Liposome
Carrier Type	Liposome
Surface Ligand	GM1-ganglioside
BBB Enhancement	58.0%
Composite Score	77.5/100
Disease Indication	CNS
Report Generated	2026-09-05 17:53 UTC
Created by	Muhammad Talaat CEREBRO-X
Modules Completed	50/62 science modules

■ This report is generated from computational models. All predictions must be validated experimentally before clinical application.

1. Drug Molecular Profile

Property	Value	Source / Method
Name	Galantamine	Input
MW (Da)	287.4	ChEMBL / UniProt
LogP	1.80	ADMET predictor
Half-life (days)	N/A	PubMed NLP
Protein Binding (%)	N/A	Calculated
BBB Penetration (%)	N/A	BBB model
Molecule Class	small_molecule	Input / inferred
Aqueous Solubility	N/A	ADMET
P-gp Substrate	Unknown	QSAR panel
ADMET Score	N/A	Multi-endpoint
ADMET Grade	N/A	A-F scale

1a. Drug Delivery Barriers Identified (Auto-detected)

The pipeline automatically identified 1 delivery barriers based on molecular data. Each is resolved by the recommended DDS.

[HIGH] Poor BBB penetration	
Evidence:	Native BBB permeability = 5.0% (threshold: >10%)
Without DDS:	Only 5.0% reaches brain -- insufficient for therapeutic effect
With DDS:	58.0% BBB crossing -- 11.6x improvement
DDS Solution:	Liposome with GM1-ganglioside surface targeting
Scientific basis:	Receptor-mediated transcytosis via GM1-ganglioside increases BBB penetration from 5.0% to 58.0% (+53.0%). Carrier bypass

2. DDS Ranking — Composite Score Methodology

All DDS formulations ranked by Composite Score = weighted combination of DLVO colloidal stability, transcytosis driving force, endosomal escape, stealth index, BBB receptor affinity, and CNS bioavailability. Scores are physics-derived — not estimated.

DDS Name	Carrier	Ligand	Score	DLVO kT
GM1-Liposome	Liposome	GM1-ganglioside	77.51	6.27
Mannose-Liposome	Liposome	Mannose	77.50	2.38
RVG-LNP HighPEG	Lipid Nanoparticle	RVG29	73.95	-6.06
RVG29-Vexosome	Vexosome	RVG29	73.56	-2.42
Tf-PLGA NP	Polymeric Nanoparticle	Transferrin	73.44	-6.50
Lf-Micelle	Polymeric Nanoparticle	Lactoferrin	71.05	7.09
4D Shape-Shift LNP	Lipid Nanoparticle	pH-responsive DSPE	70.58	-7.03
Angiopep2-LNP	Lipid Nanoparticle	Angiopep-2	70.51	-6.28
CD44-HA PLGA	Polymeric Nanoparticle	Hyaluronic acid	70.27	2.28
Anti-ApoE4 Vexosome	Vexosome	ApoE3-peptide	70.12	-2.42

2a. Recommended DDS — Detailed Profile

Parameter	Value	Biophysical Meaning
Composite Score	77.5	Overall Drug+DDS suitability (0-100)
BBB Enhancement	58.0%	% of dose crossing BBB via receptor transcytosis
CNS Bioavailability	38.3%	% dose reaching brain as free drug
DLVO Stability	6.3 kT	>25kT = colloidally stable in blood
Endosomal Escape	0.98	Fraction escaping lysosomes (0-1)
Stealth Index	1.00	MPS evasion (0=opsonised, 1=invisible)
Protein Corona	N/A nm	Corona thickness; thicker = faster clearance
MPS Clearance	N/A h	Hours before liver/spleen removes DDS
Payload Efficiency	N/A%	% dose delivered as active drug to CNS
CARPA Risk	0.59	Complement activation risk (0=safe)

3. PBPK-CNS Digital Twin — 6-Compartment Simulation

Physiologically Based Pharmacokinetic model solved with scipy Radau ODE integrator (stiff system). Compartments: Plasma, BBB endothelium, Brain ISF, Brain cells, CSF, Peripheral. All parameters from molecular data — not estimated.

PK Metric	Value	Compartment	Source
Model	6-compartment ODE (Radau stiff solver)	—	CEREBRO-X PBPK
Cmax (brain)	0.047400 µg/mL	Brain/CNS	Peak brain concentration
AUC (brain)	1.17070 µg·h/mL	Brain/CNS	Total brain exposure
AUC (plasma)	3.730 µg·h/mL	Plasma	Systemic exposure
Kp,brain	0.31362	Brain/Plasma	Partition coefficient
BBB penetration	0.0000%	BBB	
Kp,uu brain	1.17382	Unbound	Unbound Kp (pharmacodynamically relevant)
t_above 10%Cmax	55.9 h	Brain ISF	Duration above therapeutic threshold
Glymphatic t1/2	14.9 h	Brain	Clearance half-life in brain
BBB PS_in	69.643 mL/h	BBB	Permeability-surface area product
BBB PS_out	26.116 mL/h	BBB	Efflux transport rate
Disease state	healthy	BBB	BBB integrity modifier applied

3a. PBPK Time-Course (sampled points)

t (h)	Plasma (µg/mL)	Brain ISF (µg/mL)	Ratio (Kp)
0.0	0.2500	0.00000	0.00000
6.5	0.1589	0.04624	0.29102
13.0	0.1021	0.03413	0.33433
19.5	0.0661	0.02420	0.36591
26.0	0.0433	0.01738	0.40112
32.5	0.0288	0.01269	0.44022
39.3	0.0193	0.00934	0.48296
45.8	0.0135	0.00708	0.52295
52.3	0.0098	0.00547	0.55723
58.8	0.0074	0.00431	0.58113
65.3	0.0059	0.00346	0.59136
72.0	0.0048	0.00282	0.58691

4. In-Silico Drug Release Profile

Release model: Weibull | Release order: pH-triggered (endosomal) | Max EE: 75%

Metric	Blood (pH 7.4)	Endosomal (pH 5.5)	Significance
t50 (50% release)	21.0 h	21.5 h	Faster endo = better escape
t90 (90% release)	48.0 h	N/A	Complete release window
Rate constant k	0.0300 /h	0.0294 /h	Higher endo = pH-responsive
Max released	75%	75%	= encapsulation efficiency

5. Shelf-Life & Degradation Predictor

Grade: MARGINAL (3-6 months) | t90 = 106 days | Dominant pathway: Drug leakage | Storage: 4 degC

Pathway	Rate (k, /day)	Relative %
Hydrolysis	0.000202	20%
Oxidation	0.000160	16%
Aggregation	0.000265	27%
Drug leakage	0.000368	37%

6. Colloidal Stability — DLVO Theory + Protein Corona

DLVO potential energy $V_{\text{total}} = 6.3 \text{ kT}$ (UNSTABLE ~~x~~ — REFORMULATE) | Threshold: $>25 \text{ kT}$ prevents aggregation in blood.

Parameter	Value	Equation	Significance
DLVO V_{total} (kT)	6.3	$V_{\text{vdW}} + V_{\text{EDL}}$	$>25\text{kT} = \text{stable}$
V_{vdW} (attraction)	N/A	$-A \cdot R / (12h)$	Hamaker constant
V_{EDL} (repulsion)	N/A	$64\pi \epsilon R \gamma^2 e^{-\kappa h}$	Zeta potential
Debye length (nm)	N/A	$1/\kappa$	Ionic screening
Protein corona (nm)	N/A	Langmuir model	Stealth reduction
Opsonin index	N/A	IgG + C3b binding	$<0.3 = \text{good}$
Stealth index	1.000	PEG brush model	$0.6+ = \text{good}$
MPS clearance (h)	N/A	Michaelis-Menten	$>12\text{h}$ adequate

7. Nanotoxicity & Immunogenicity Screening

Immunogenicity grade: **CAUTION** | Score: 48/100

Test	Score / Result	Risk	Threshold
CARPA (complement)	0.960	HIGH	$>0.6 = \text{HIGH}$
Anti-PEG antibody	0.250	LOW	$0.5+ = \text{caution}$
MPS uptake	0.320	—	$>0.6 = \text{rapid clearance}$
Cytokine storm	—	LOW	Charge-dependent
Platelet activation	—	LOW	Cationic $>200\text{nm}$

Mitigations:

→ Consider pre-medication with antihistamines (H1/H2 blockers)

8. Off-Target Toxicity — 50-Receptor QSAR Panel

Overall: SAFE | Cardiac risk: NO ✓ | Hepatic risk: NO ✓ | CNS off-target: NO ✓

Receptor	Free Drug Score	In-DDS Score	Risk
hERG_K+	0.000	0.000	LOW
Nav1.5	0.000	0.000	LOW
Cav1.2	0.000	0.000	LOW
CYP3A4_inhib	0.386	0.241	LOW
CYP2D6_inhib	0.314	0.196	LOW
CYP2C9_inhib	0.279	0.174	LOW
CYP1A2_inhib	0.242	0.151	LOW
CYP2C8_inhib	0.296	0.185	LOW
OATP1B1	0.343	0.214	LOW
MDR1_Pgp	0.340	0.212	LOW
BCRP	0.332	0.208	LOW
MRP2	0.350	0.219	LOW
DAT_dopamine	0.000	0.000	LOW
SERT_serotonin	0.000	0.000	LOW
5HT2A	0.000	0.000	LOW
D2_dopamine	0.000	0.000	LOW
GABA_A	0.004	0.003	LOW
NMDA	0.000	0.000	LOW
sigma1	0.171	0.107	LOW
ERalpha_estrogen	0.095	0.059	LOW

9. Advanced Science Modules — Key Outputs

9a. Competitive DDS Landscape (ClinicalTrials.gov)

Our DDS: BBB Score = 58 | Position: NEEDS IMPROVEMENT | Active trials found: 4

NCT ID	Title	Phase	N
NCT04899908	Stereotactic Brain-directed Radiation With or	['PHASE2']	134
NCT06855368	Biomarkers for Monitoring Dementia Progressio	['?']	300
NCT06846658	Exploring the Olfactory Mucosa, Blood and Uri	['?']	180
NCT07667387	Study of LNP.UCD.ABE in Patients With Urea Cy	['PHASE1', 'PHASE2']	7

9b. Patient Subgroup Stratification

Overall response: 78.9% | Best: Very elderly (>80) (81%) | Worst: Young adults (18-40) (76%) | Recommendation: Highest efficacy in Very elderly (>80) (predicted response 81%). Dose reduce by

Subgroup	Pop. Freq.	CNS Bioavail	Response%	Tox Risk	Dose Adj.
Young adults (18-40)	20% of patients	31.9%	75.6%	LOW	x1.29 standard dose
Middle-aged (40-65)	35% of patients	36.4%	79.1%	LOW	x1.14 standard dose
Elderly (65-80)	30% of patients	37.2%	79.6%	LOW	x0.72 standard dose
Very elderly (>80)	15% of patients	40.2%	81.4%	MODERATE	x0.46 standard dose

9c. Quantum Coherence Transport Model

WKB tunneling probability = 5.934e-13 | Barrier = 2.10 kcal/mol | Classical prob = 0.03313 | Quantum tunneling probability = 5.93e-13 (negligible contribution). Classical ba

9d. Lysosomal Trafficking Predictor

Cytosolic route: 60% | Lysosomal degradation: 39% | Nuclear entry: 2% | Concern: HIGH -- significant lysosomal degradation expected | Mitigation: Endosomal escape is adequate

9e. LNP Ionization State

Estimated pKa = 5.9 | Endosomal escape prediction = 57% | Optimal ionizable lipid pKa = 5.9 (suboptimal -- target pKa 6.0-6.8 for endosoma

10. Synthetic Clinical Trial — N=500 Virtual Patients

Monte Carlo simulation of Phase 1 trial. Patient covariates: age, weight, CYP3A4 genotype, renal function, BBB integrity by age. Pharmacokinetics computed per-patient from PBPK model.

NO-GO / REFORMULATE Go/No-Go	100.0% Response Rate	23.4% Severe AE	0.15 mg/kg Optimal Dose	500 N Patients
--	------------------------------------	-------------------------------	---------------------------------------	------------------------------

Endpoint	Result	Benchmark	Status
Overall response rate	100.0%	>60% = GO	✓
Severe AE rate	23.4%	<5% = GO	✗
Young adults (<65)	100.0%	—	—
Elderly (>65)	100.0%	—	—
Mild AE	49.8%	—	—
Renal AE	11.4%	<15%	✓

Recommendation: Predicted Phase 1 success rate: 100%. Dose 0.15 mg/kg recommended. Monitor renal function in 11% of elderly patients.

11. Manufacturing & Sterilization Modules

11a. Terminal Sterilization Survivability

Recommended method: Gamma 25kGy | Cost implication: Gamma or E-beam (~3x cost) | Feasible methods: gamma 25kGy, aseptic filtration 022um, VHP H2O2

Method	Survives?	Detail
autoclave 121C	NO ✗	Tm=42 degC < 121 degC -- LIPID MELTS
gamma 25kGy	YES ✓	Survives gamma sterilization
aseptic filtration 022um	YES ✓	Size 140 nm < 220 nm -- filterable
VHP H2O2	YES ✓	PEG provides surface protection

11b. Lyophilization Cycle Optimizer

Parameter	Value	Standard
Tg' (cryo.	-30°C	Formulation-specific
Primary drying T	-32.0°C	Must be < Tg'
Primary P	0.1478 mbar	0.5×P_ice
Primary time	25.6 h	Sublimation model
Secondary T	25.0°C	+25°C
Cycle total	41.2 h	Include ramp time
Cake collapse	OK: primary drying fixed at Tg'-2degC safety margin (-32 degC)	Must say OK

11c. Cryo-Chain Excursion Predictor

Excursion: -20.0°C for 4.0h | EE: 75.0% → 75.0% (loss: 0.0%) | Decision: RELEASE BATCH | Confidence: 98%

11d. Adversarial Stress-Testing

Grade: 3/5 scenarios passed -- CONDITIONAL | 3/5 scenarios passed.

Scenario	Pass/Fail	Detail
Fever 40C	FAIL ✗	Tm=42.0degC -- RISK: may partially melt at fever temperature
Shear Stress	PASS ✓	Carrier withstands capillary shear
Oxidative Stress	FAIL ✗	Lipid oxidation t1/2 = 35h (RISK: add antioxidant like alpha-tocophero
High Protein Plasma	PASS ✓	Stealth index 1.00: adequate MPS evasion
Repeated Dosing	PASS ✓	Anti-PEG IgM may reduce t1/2 to 70% of first dose after re-dosing. Mon

12. Regulatory Compliance & Supply Chain

12a. FDA 21 CFR Part 11 Compliance

Status: NOT VERIFIED -- no audit trail entries found for this trial. log_computation() must be called during computation to build a compliant audit trail; this trial has none. | Audit entries: 0 | Data integrity: N/A -- no audit entries to hash-chain

12b. Geopolitical Supply-Chain Risk Assessment

Overall supply risk: HIGH | Supply chain score: 67/100 | Recommendation: Establish 6-month buffer stock for high-risk materials

Material	Risk	Source	HHI Index	Mitigation
DPPC	MODERATE	Multiple (Lipoid, NOF)	0.3	Maintain 6-month safety stock
Cholesterol	LOW	Multiple commodity	0.1	Maintain 6-month safety stock
DSPE-PEG2000	HIGH	Single (NOF Corp, Japan)	0.7	Qualify alternative supplier

12c. Digital Pharmacovigilance — Post-Elimination Fate

Unchanged excretion: 11.0% | Eco-persistence: 0.9 days | Environmental risk: LOW | Renal dose adjustment: Reduce by 50%

13. Literature Citations — PubMed Auto-Mined

Top relevant publications retrieved live from PubMed E-utilities API based on drug name + carrier type. These papers confirm or contextualize the computational predictions above.

[1]

14. Biophysical Binding & CNS-Specific Modules

14a. FEP+ Binding Affinity (LIE approximation)

Ligand: gm1-ganglioside | ΔG_{single} = -5.00 kcal/mol | $\Delta G_{\text{avidity}}$ = -2.59 kcal/mol | K_d = 14975652 nM (Weak (>100nM)) | n_{ligands} = 49260 | Residence time = 66.8 s

14b. Glymphatic Clearance Simulation

ECM binding index = 0.740 | $t_{1/2}$ waking = 12.4 h | t_{90} clearance = 41.4 h | GOOD: particle size > ECM pore -- extended CNS retention

14c. Microglial Activation & Neuroinflammation

Neuroinflammation score = 0.059 | Risk: LOW -- safe for CNS application | IL-6 fold-change = 1.6× | $\text{TNF-}\alpha$ = 1.5×

→ No mitigation needed

14d. FUS-Responsive Nanocarrier Design

Frequency = 0.5 MHz | MI target = 0.40 | BBB open window = 42 min | FUS uptake = 44.0% | Inject 140 nm DDS 5 min before FUS. FUS opens BBB for 42 min. Predicted 44% enha

14e. 62-Principle C+ Flow — Class A Surrogate (Top-1 DDS)

Top-1 DDS: GM1-Liposome **Composite:** 77.5/100 **Verdict:** GOOD

GM1-Liposome: composite CNS-principle score = 77.5/100 (GOOD). Carrier: liposome, size 0.0 nm, ζ +0.0 mV, ligand: GM1-ganglioside. Strongest group: G4 Safety (90.7/100); weakest: G8 Translational (0.0/100). Evaluated against all 57 Class A surrogate principles.

CNS Principle Group Rollups

CNS Group	Score (0-100)
G1 CNS Delivery	81.0
G2 Release Kinetics	58.6
G3 Stability	62.6
G4 Safety	90.7
G5 Glymphatic BBB	60.0
G6 Manufacturability	67.1
G7 DrugDDS Fit	66.8
G8 Translational	0.0

Top Strengths (Class A Surrogate)

Principle	Score	Method	Reference
P02	100.0	BW ^{0.75} scaling + class-specific adjustment	
P05	100.0	% subgroups responding (lower CYP risk = more univ	
P09	100.0	100 - sum(metabolite organ accumulation risks)	

Weak Spots (Below 60)

Principle	Score	Method	Reference
P59	30.0	Stimuli-responsive bonus by release kinetics	
P34	25.0	DNA-based carriers score high	
P43	25.0	FUS-response by carrier acoustic properties	

14e-ii. Complete 62-Principle Scoreboard (P01 → P62)

All 62 principles in canonical order, covering [Class A \(Surrogate\)](#), [Class B \(Deep Physics\)](#), and [Class C \(Translational\)](#).

P#	Cls	Title	Score	Conf.	Method
P01	B	Adversarial Stress-Testing Engine	53.1	MODERATE	Mean of 6 stress scenarios (pH4.5, pH2, pH8.5, 42°)
P02	B	Cross-Species PK Scaling (Allometric)	100.0	MODERATE	$BW^{0.75}$ scaling + class-specific adjustment
P03	A	Competitive DDS Landscape Radar	99.2	LOW	Novelty = $100 - \text{frequency_of_combo_in_CNS_trials}$,
P04	B	Quantum Coherence Transport Model	6.7	MODERATE	WKB tunneling: $P \propto \exp(-2 \cdot \text{barrier})$
P05	A	In-Silico Patient Subgroup Stratifier	100.0	MODERATE	% subgroups responding (lower CYP risk = more univ)
P06	A	Lysosomal Trafficking Predictor	98.2	MODERATE	Carrier endosomal_escape $\oplus$ drug-passive permeation
P07	A	Real-Time Literature Mining (PubMed)	50.0	LOW	log-count proxy of literature support
P08	B	Degradation Kinetics Under Oxidative S	45.0	MODERATE	Arrhenius $k=A \cdot \exp(-E_a/RT)$ for carrier; minus penal
P09	A	Digital Pharmacovigilance Engine	100.0	MODERATE	$100 - \text{sum}(\text{metabolite organ accumulation risks})$
P10	B	LNP Ionization State Predictor	60.0	LOW	Non-LNP carrier — falls back to drug-side ionizati
P11	B	Formulation Instability Fingerprint	100.0	MODERATE	$100 - \text{sum}(\text{weak-bond penalties from SMILES})$
P12	B	CNS Disease-Stage-Aware Dosing	87.2	MODERATE	Score = $100 - \text{BBB_integrity_factor} \times (0.4 + 0.6 \cdot \text{CNS-})$
P13	B	PBPK Digital Twin	100.0	MODERATE	AUC_brain/AUC_plasma proxy; 3-compartment surrogat
P14	A	In-silico Dissolution & Release Profil	99.5	MODERATE	t50 from carrier kinetics $\times$ drug-membrane partitio
P15	A	Shelf-life & Degradation Predictor	46.2	MODERATE	Arrhenius baseline $\times (0.7 + 0.3 \cdot \text{EE}) \times \text{drug_hydroly}$
P16	B	Scale-up & Manufacturability	50.0	MODERATE	Scale-readiness $\times$ shear-robustness, minus drug-pro
P17	A	Nanotoxicity & Immunogenicity Screenin	83.8	MODERATE	Mean of (hemolysis penalized by drug net+ charge,
P18	B	Active Targeting & Receptor Binding	48.4	MODERATE	Ligand-affinity table $\times$ density $\times$ drug-compatibili
P19	A	QbD - Quality by Design Engine	100.0	MODERATE	Fraction of CQAs (size, zeta, EE, PDI, drug-loadin
P20	A	Cost-Efficiency Engine	71.6	LOW	Score = $100 - 3 \cdot (\$/\text{mg estimate, drug+carrier+ligan})$
P21	C	Pre-IND Regulatory Reports	0.0	—	skipped_deep_validation_insufficient
P22	A	Protein Corona Predictor	63.0	MODERATE	$100 \times \exp(-\text{corona_thickness}/10)$; thickness from ca
P23	B	Dynamic Crystal Polymorphism	78.0	MODERATE	$100 - \text{polymorph risk} (\text{rot_bonds} + \text{H-bond pattern})$
P24	B	Shear-Stress & Scale-Up Collapse	60.0	MODERATE	$\log_{10}(\text{crit_shear}/\text{operating_shear}) \times 30$; crit_shear
P25	A	Extractables & Leachables	100.0	MODERATE	$100 - \text{leachables risk by drug LogP} \times \text{carrier}$

P#	Cls	Title	Score	Conf.	Method
P26	A	Microbiome-Excipient Interactions	79.0	MODERATE	$100 - \text{mean_microbiome_degradability}(\text{carrier}) - \text{dru}$
P27	A	Lyophilization Cycle Optimizer	62.5	MODERATE	$100 - (\text{Tg} - 5) \times 1.5$
P28	A	3D-Printed Polypill Rheology	50.0	MODERATE	Carrier-specific printability index
P29	B	Biomimetic & Exosome Engineering	65.0	MODERATE	Stealth-from-macrophage score; PEG $\geq 5\%$ boost
P30	B	QM/MM Stimuli-Responsive Cleavage	45.0	MODERATE	$\text{Score} = 50 \times 7.4 - \text{pH_trigger} $
P31	B	In-Silico Biodistribution	100.0	MODERATE	$\text{brain\%} = \text{BBB} \cdot \text{ligand} \cdot \text{size_match} \cdot 100$; 100 if $\geq$
P32	C	Automated FTO & IP Evader	0.0	—	skipped_deep_validation_insufficient
P33	B	BBB Quantum Breaker (Trojan-Horse Desi	38.4	MODERATE	$(0.6 \cdot \text{ligand} + 0.4 \cdot \text{size}) \times \text{density_factor}$
P34	A	DNA Logic Gates & Bio-computing	25.0	MODERATE	DNA-based carriers score high
P35	A	Microgravity Formulation Engine	100.0	LOW	Sedimentation-Péclet proxy; smaller = better
P36	A	Geopolitical Supply-Chain Resilience	60.0	MODERATE	Supplier-diversity index by carrier + ligand
P37	A	Eco-Destructible Pharma	60.0	MODERATE	Biodegradability index by carrier class
P38	B	Glymphatic Clearance Trap	100.0	MODERATE	Stokes-Einstein: optimum 80-150 nm
P39	A	Microglial Activation & Neuroinflammat	100.0	MODERATE	$100 - (\text{cationic_charge} + \text{carrier_risk} - \text{PEG_protec}$
P40	B	Intranasal-to-Brain Delivery	55.0	MODERATE	Mucoadhesion + thermo-responsive boost
P41	B	Exosome Cargo Loading Thermodynamics	40.0	LOW	Not an exosome carrier — N/A
P42	A	Region-Specific Spatiotemporal Navigat	40.0	MODERATE	Ligand-region specificity table
P43	B	FUS-Responsive Nanocarriers	25.0	MODERATE	FUS-response by carrier acoustic properties
P44	B	CNS-Specific PBPK Time-Machine	100.0	MODERATE	AUC over 24h therapeutic window proxy
P45	C	FDA 21 CFR Part 11 Compliance	0.0	—	skipped_deep_validation_insufficient
P46	A	Polypharmacy & DDI Simulator	100.0	MODERATE	CYP-inhibition heuristic from SMILES
P47	B	Free Energy Perturbation (FEP+)	90.0	LOW	Vina-like ΔG proxy from MW + LogP (deep mode runs
P48	A	Off-Target Toxicity & QSAR (50-recepto	100.0	MODERATE	50-receptor QSAR surrogate (hERG, 5HT2B, AhR risks
P49	A	Organ-on-a-Chip Simulator	80.0	MODERATE	Microfluidic compatibility (size + PDI)
P50	B	Cryo-Chain Thermal Excursion Predictor	71.5	MODERATE	Distance from -20°C phase transition $\times 1.3$
P51	B	Terminal Sterilization Survivability	60.0	MODERATE	Carrier gamma-radiation survival (25 kGy)

P#	Cls	Title	Score	Conf.	Method
P52	A	Continuous Manufacturing Digital Twin	60.0	MODERATE	Continuous-process readiness by carrier
P53	A	Dark Data & Negative Results Vault	100.0	MODERATE	Similarity-to-documented-failure
P54	A	Pharmacogenomic-Guided Targeting	70.0	MODERATE	Class-based pharmacogenomic applicability
P55	C	Automated Grant & NIH Proposal Generat	0.0	—	skipped_deep_validation_insufficient
P56	C	Patentability Score Engine	0.0	—	skipped_deep_validation_insufficient
P57	B	Microfluidics & LNP Synthesis Digital	50.0	MODERATE	Microfluidic readiness for size 50-150 nm
P58	B	Impurity Cascade Predictor	80.0	MODERATE	Carrier residual-metals impurity profile
P59	B	4D Shape-Shifting Carriers	30.0	MODERATE	Stimuli-responsive bonus by release kinetics
P60	A	Swarm Nanorobotics Intelligence	15.0	LOW	Swarm capability (most carriers: no)
P61	B	Synthetic Clinical Trials & Virtual Hu	95.0	MODERATE	Virtual-cohort responder fraction
P62	A	Biobetter / Supergeneric Generator	65.0	LOW	Novelty distance from on-market CNS DDS

62 principles evaluated. Composite: 77.5/100 (GOOD)

14f. Class B Deep Physics Validation (Top-1 DDS)

Verdict: MARGINAL **Pass rate:** 53.6% (15/28 principles validated, threshold 70%)

Combined score (surrogate pass-through + real physics): 15/28 principles scored PASSED (53.6%). Of these, only 7/28 principles ran independent deep computation (passed 5/7 = 71.4%); the rest re-used their Class-A surrogate score pending a future full-physics HPC run. Cite independent_pct, not pct, as evidence of physics-based validation.

Per-principle deep validation

P#	Validated	Score	Value	Conf.	Method
P01	✗	53.1	53.08	LOW	Full MD stress simulation — surrogate value confirmed (
P02	✓	90.0	7.0	HIGH	Resolved clinical half-life (bundle tier 1); Mahmood 20
P04	✗	6.7	0.0334	LOW	Full QM tunneling (QCElemental + ASE) — surrogate value
P08	✗	45.0	45.0	LOW	Full radical-chain reaction MD — surrogate value confir
P10	✓	60.0	60.0	MODERATE	Constant-pH MD simulation — surrogate value confirmed (
P11	✓	100.0	100	MODERATE	DFT bond dissociation energies — surrogate value confir
P12	✓	87.2	87.25	MODERATE	Stage-specific PBPK with full BBB physiology — surrogat
P13	✓	100.0	12.6457	HIGH	3-compartment PBPK ODE (scipy.integrate.odeint): blood
P16	✗	50.0	50.0	LOW	CFD of 1000L bioreactor — surrogate value confirmed (fu
P18	✗	70.0	-7.0	MODERATE	MM/GBSA-style ΔG estimate from validated ligand-recepto
P23	✓	78.0	78.0	MODERATE	CSP via DFT — surrogate value confirmed (full-physics H
P24	✓	60.0	60.0	MODERATE	Full CFD + MD coupling — surrogate value confirmed (ful
P29	✓	65.0	65	MODERATE	Full membrane-fusion MD — surrogate value confirmed (fu
P30	✗	45.0	45.0	LOW	Full QM/MM (PySCF or ORCA) — surrogate value confirmed
P31	✓	100.0	54.05	MODERATE	7-organ whole-body distribution with size + charge + li
P33	✗	38.4	38.4	LOW	Atomistic docking + SMD pulling — surrogate value confi
P38	✓	94.2	16.8	HIGH	Stokes-Einstein $D = k_B \cdot T / (6\pi\eta r)$ at 37°C, $\eta_{\text{CSF}} = 7 \times 10$ ■
P40	✗	55.0	55	LOW	Full nasal cavity CFD — surrogate value confirmed (full
P41	✗	40.0	40	LOW	Full membrane mechanics MD — surrogate value confirmed
P43	✗	25.0	25	LOW	Full acoustic radiation force MD — surrogate value conf
P44	✓	100.0	47.76	HIGH	4-compartment CNS-PBPK ODE with glymphatic clearance: B
P47	✗	74.6	-6.78	LOW — LI	LIE approximation (fallback — Vina unavailable)
P50	✓	71.5	71.5	MODERATE	Full coarse-grained MD lipid phase transition — surroga
P51	✓	60.0	60	MODERATE	Full radical-chain damage MD — surrogate value confirme
P57	✗	50.0	50	LOW	Full CFD of mixer geometry — surrogate value confirmed
P58	✓	80.0	80	MODERATE	Full QM/MM cascade simulation — surrogate value confirm
P59	✗	30.0	30	LOW	Full coarse-grained MD morphological transition — surro

P#	Validated	Score	Value	Conf.	Method
P61	✓	95.0	95	MODERATE	Full Monte-Carlo population PBPK — surrogate value conf

14g. Class C Translational Deliverables

Principle	Title	Status	Score / Outcome
P21		skipped_deep_validation_	—
P32		skipped_deep_validation_	—
P45		skipped_deep_validation_	—
P55		skipped_deep_validation_	—
P56		skipped_deep_validation_	—

Narratives

P21: Deep validation passed only 15/28 principles. Translational deliverables withheld until a higher-ranked DDS passes deep validation.

P32: Deep validation passed only 15/28 principles. Translational deliverables withheld until a higher-ranked DDS passes deep validation.

P45: Deep validation passed only 15/28 principles. Translational deliverables withheld until a higher-ranked DDS passes deep validation.

P55: Deep validation passed only 15/28 principles. Translational deliverables withheld until a higher-ranked DDS passes deep validation.

P56: Deep validation passed only 15/28 principles. Translational deliverables withheld until a higher-ranked DDS passes deep validation.

v23: structured outlines for Pre-IND, Grant, Patent will be rendered as fully formatted Word/PDF deliverables.

14h. Top-N Fallback Audit Trail

If the Top-1 DDS fails deep validation ($\geq 70\%$ threshold), the orchestrator falls back to Top-2, then Top-3. Each candidate's outcome and the explicit transition reasoning are recorded below.

Rank	DDS Name	Verdict	Pass %	Promoted?
#1	GM1-Liposome	MARGINAL	53.6%	—
#2	Mannose-Liposome	MARGINAL	53.6%	—
#3	RVG-LNP HighPEG	MARGINAL	57.1%	—

#1 GM1-Liposome — MARGINAL

Failure reason: Deep validation MARGINAL: only 15/28 principles validated (53.6%, threshold 70%). Failed principles include: P01, P04, P08, P16, P18.

Transition reason: Falling back to rank #2 because this DDS did not meet the 70% deep-validation threshold.

Failed principles: P01, P04, P08, P16, P18, P30, P33, P40

#2 Mannose-Liposome — MARGINAL

Failure reason: Deep validation MARGINAL: only 15/28 principles validated (53.6%, threshold 70%). Failed principles include: P01, P04, P08, P16, P18.

Transition reason: Falling back to rank #3 because this DDS did not meet the 70% deep-validation threshold.

Failed principles: P01, P04, P08, P16, P18, P30, P33, P40

#3 RVG-LNP HighPEG — MARGINAL

Failure reason: Deep validation MARGINAL: only 16/28 principles validated (57.1%, threshold 70%). Failed principles include: P01, P04, P08, P16, P30.

Transition reason: No more candidates in Top-3 — reverting to rank #1 and reporting with MARGINAL verdict.

Failed principles: P01, P04, P08, P16, P30, P33, P40, P41

15. Executive Decision Framework

Criterion	Status	Evidence
DLVO colloidal stability	FAIL ✗	V_total = 6 kT
BBB penetration >10%	PASS ✓	DDS BBB = 58.0%
Cardiac off-target	PASS ✓	hERG/Nav/Cav QSAR
Clinical trial GO	NO-GO / REFORMULATE	Response 100% AE 23.4%
Sterilization feasible	3 method(s)	Gamma 25Kgy
Supply chain	HIGH	Score 67/100
OVERALL DECISION	CONDITIONAL GO	Reformulate/re-evaluate before IND-enabling studies — failed: synthetic trial returned 'NO-GO / REFORMULATE'; colloidal instability (DLVO)

NOTE: All results are computational predictions. Required wet-lab validation: DLS/Zeta (physical stability), HPLC/NMR (drug content), BBB TEER assay, in vivo PK in rodent model.