

Interdiction to the python program chapter 4

Multiple Choice Questions

1. A local variable in Python is a variable that is,

- a. Defined inside every function
- b. Local to the given program
- c. Accessible from within the function
- d. All of these

2. Which of the following statements are the advantages of using functions?

- a. Reduce duplication of code
- b. Clarity of code
- c. Reuse of code
- d. All of these

3. The keyword that is used to define the block of statements in function?

- a. function
- b. func
- c. def
- d. pi

4. The characteristics of docstrings are

- a. suitable way of using documentation
- b. Function should have a docstring
- c. Can be accessed by `__doc__`
- d. All of these

5. The two types of functions used in Python are

- a. Built-in and user-defined
- b. Custom function and user function
- c. User function and system call
- d. System function

6. _____ refers to built-in mathematical function.

- a. sqrt
- b. rhombus
- c. adds
- d. sub

7. The variable defined outside the function is referred as

- a. static
- b. global
- c. automatic
- d. register

8. Functions without a return statement do return a value and it is

- a. int
- b. null
- c. None
- d. error

9. The data type of the elements in sys.argv?

- a. set
- b. list
- c. tuple
- d. string

10. The length of sys.argv is?

- a. Total number of arguments excluding the filename
- b. Total number of arguments including the filename
- c. Only filename
- d. Total number of arguments including Python Command

115
Functions

11. The syntax of keyword arguments specified in the function header?

- a. * followed by an identifier
- b. _ followed by an identifier
- c. ** followed by an identifier
- d. _ _ followed by an identifier

12. The number of arguments that can be passed to a function is

- a. 0
- b. 1
- c. 0 or more
- d. 1 or more

13. The library that is used to create, manipulate, format and convert dates, times and timestamps in Python is

- a. Arrow
- b. Pandas
- c. Scipy
- d. NumPy

14. The command line arguments is stored in

- a. os.argv
- b. sys.argv
- c. argv
- d. None

15. The command that is used to install a third-party module in Python is

- a. pip
- b. pipe
- c. install_module
- d. pypy

16. Judge the output of the following code.

```
import math
math.sqrt(36)
```

- a. Error

- b. -6
- c. 6
- d. 6.0

17. The function divmod(10,20) is evaluated as

- a. (10%20,10//20)
- b. (10//20,10%20)
- c. (10//20,10*20)
- d. (10/20,10%20)116

18. Predict the output of the following code?

```
def. tweet ():
```

```
print ("Python Programming!")
```

```
tweet ()
```

- a. Python Programming!
- b. Indentation Error
- c. Syntax Error
- d. Name Error

19. The output of the following code is

```
def display message (message, times = 1):
```

```
print (message * times)
```

```
display message("Data")
```

```
display message ("Science", 5)
```

- a. Data Science Science Science Science Science
- b. Data Science 5
- c. DataDataDataDataDataScience
- d. DataDataDataDataDataData

20. Guess the output of the following code

```
def. quad(x):
```

```
return x * x * x * x
```

```
x = quad (3)
```

```
print(x)
```

- a. 27
- b. 9
- c. 3
- d. 81

21. The output of the following code is

```
def. add(*rags):
```

```
x = 0
```

```
for I in rags:
```

```
x += I
```

```
return x
```

```
print (add (1, 2, 3))
```

```
print (add (1, 2, 3, 4, 5))
```

- a. 16 15
- b. 6 15
- c. 1 2 3
- d. 1 2 3 45117

Functions

22. Gauge the output of the following code.

```
def. foo ():  
    return total + 1  
total = 0  
print (foo ())
```

- a. 1
- b. 0
- c. 11
- d. 00

23. The default arguments specified in the function header is an

- a. Identifier followed by an = and the default value
- b. Identifier followed by the default value within back-ticks
- c. Identifier followed by the default value within []
- d. Identifier followed by an #.

Mohammad Abdullah Wardak