

deployment.yaml

```
apiVersion: v1
kind: Pod
metadata:
  name: postgres-pod
  labels:
    app: postgres
spec:
  containers:
  - name: postgres
    image: docker.io/yahiaelalfy/db-non-root:1.0
    imagePullPolicy: Always
    ports:
    - containerPort: 5432
      protocol: TCP
    env:
    - name: POSTGRES_DB
      value: webclinic
    - name: POSTGRES_USER
      value: postgres
    - name: POSTGRES_PASSWORD
      value: asdyfe2rd
    - name: PGDATA
      value: /temp/data
    resources:
      limits:
        cpu: 60m
        memory: 512Mi
      requests:
        cpu: 30m
        memory: 128Mi
    restartPolicy: Always
```







General

Application

tools3-clinic ▼

Select an Application to group this component.

Name *

front-end

A unique name given to the component that will be used to name associated resources.

Resource type

DeploymentConfig

Resource type to generate. The default can be set in User Preferences.

Pipelines

Add pipeline

Advanced options

Git Git Repo URL * https://github.com/mohammaddashraff/tools3 Validated Hide advanced Git options **Git reference** Optional branch, tag, or commit. Context dir /frontEnd Optional subdirectory for the source code, used as a context directory for build. **Source Secret** Select Secret name Secret with credentials for pulling your source code. Multiple import strategies detected The Dockerfile at Dockerfile is recommended. Create Cancel



General

Application

tools3-clinic

Select an Application to group this component.

Name *

back-end-final

A unique name given to the component that will be used to name associated resources.

Resource type

DeploymentConfig


Resource type to generate. The default can be set in User Preferences.

Pipelines

Add pipeline


Advanced options

Git Repo URL * https://github.com/mohammaddashraff/tools3 Validated Hide advanced Git options Git reference Optional branch, tag, or commit. Context dir /backend Optional subdirectory for the source code, used as a context directory for build. **Source Secret** Select Secret name Secret with credentials for pulling your source code. Multiple import strategies detected The Dockerfile at Dockerfile is recommended.



Q Q

Single values (env) ③



+ Add more + Add from ConfigMap or Secret