Electricity Theft Detection In Smart Grids Based On Deep Neural Network

Asfiya Suzain, Ishani Bondade, Misba Kousar, Mohammadi Tabassum
Department of AI&ML Engineer

Abstract

Electricity theft poses a significant challenge for power distribution, leading to revenue losses and operational inefficiencies. This project employs a Deep Neural Network (DNN) to identify instances of electricity theft by examining various energy usage metrics, including mean, median, maximum, minimum, count, sum, and standard deviation. Following preprocessing, key features are extracted and input into the DNN model for both training and testing. The model effectively classifies energy consumption patterns as either normal usage or theft, facilitating the efficient detection of fraudulent activities.

By analyzing labeled historical data, the system can make precise predictions and spot irregularities in energy consumption. Utilizing advanced machine learning techniques ensures a high level of accuracy and reliability in identifying theft patterns. This project demonstrates an efficient and automated approach to monitoring electricity usage and minimizing theft, thus aiding the development of smart grid systems and fostering fair distribution of energy resources.

Key Words: Electricity Theft Detection, Fraud Detection in Power Systems, Energy Consumption Analysis, Smart Grid Security, Deep Neural Network (DNN)

Abbreviations:

DNN	Deep Neural Network
ANN	Artificial Neural Network
CNN	Convolutional Neural Network
RNN	Recurrent Neural Network
LSTM	Long Short-Term Memory
IoT	Internet of Things
NTL	Non-Technical Losses

1. INTRODUCTION

Electricity theft poses a major challenge for power distribution networks around the globe, resulting in substantial financial losses for utility companies and threatening the stability of electrical grids. As smart grid technology continues to evolve, conventional theft detection methods like manual inspections and rule-based anomaly detection are proving inadequate for addressing the increasing complexity of fraudulent activities. Smart meters, which are essential to modern smart grids, consistently gather large volumes of electricity consumption data, creating an opportunity for sophisticated analytical techniques to identify unusual consumption patterns.

In recent years, techniques based on machine learning have been widely explored for electricity theft detection. These techniques are based on data-driven insights that can identify fraudulent usage. Among these, deep learning approaches, particularly Deep Neural Networks (DNNs), have shown remarkable efficiency in processing large-scale datasets and extracting meaningful patterns without the need for manual feature selection. Unlike the classical approaches, most of which encounter high false-positive rates and adaptability issues, DNN-based models can auto-learn deep relationships in data on electricity usage, which really makes them much more effective when it comes to theft detection.

This study aims to create a strong framework for detecting electricity theft using a Deep Neural Network (DNN). The model is trained on past smart meter data to distinguish between regular and fraudulent electricity usage. By examining consumption trends and identifying anomalies, the proposed system seeks to improve the accuracy and reliability of theft detection while reducing false alarms. The use of deep learning techniques provides a scalable and flexible solution capable of managing the growing complexity of theft patterns in contemporary power grids.

This project design is aimed at the conceptualization of a data-driven electricity theft detection system that can aid utility providers in streamlining revenue loss and bettering grid reliability. It uses smart meter data and deep learning techniques to identify fraudulent activities based on historical consumption patterns. The next sections of this report detail the methodology, dataset preparation, model architecture, implementation, and performance evaluation.

The key objectives of the study include the following:

- Developing an advanced DNN model to analyze the energy consumption data and detect anomalies.
- Improving the accuracy of theft detection with reduced false positives and false negatives.
- Delivery of real-time monitoring system continuously evaluating electricity consumption behavior.
- Minimizing financial losses in utility companies and overall improvement of security in a grid.

This approach is useful in improving the effectiveness of a theft detection system in smart grids by utilizing methodologies of deep learning. It would improve the protection of revenues to energy providers, and contribute toward the reliability and sustainability of the modern power distribution network.

The use of Deep Neural Networks (DNNs) for detecting electricity theft in smart grids presents several

significant benefits. With high detection accuracy, these systems can accurately pinpoint fraudulent activities by analyzing intricate consumption patterns, which helps minimize both false positives and false negatives. The automatic extraction of features streamlines data processing, boosting efficiency and adaptability. Furthermore, the system is highly scalable, able to manage large amounts of smart meter data across vast power networks. Additionally, by reducing the need for human intervention, operational costs are lowered while detection reliability is enhanced. By effectively identifying instances of electricity theft, this model safeguards revenue and strengthens grid security, contributing to a stable and equitable power distribution system.

2. METHODOLOGY



The flow of operations in methodology for detecting theft includes-

Original Data: The process begins with the Original Data, usually uploaded as a CSV file that contains historical electricity usage information. This data features elements like energy_median, energy_mean, energy_max, energy_std, energy_sum, and more.

Data Analysis & Pre-Processing: The uploaded data goes through analysis and pre-processing to ensure its quality and consistency for further steps. This includes: - Addressing missing or invalid values. - Standardizing and scaling features (using methods like MinMaxScaler or StandardScaler)- Eliminating redundant or noisy data.

Feature Extraction: Following pre-processing, the Feature Extraction phase identifies the most relevant features from the dataset. These features are essential for recognizing patterns that may indicate electricity theft.

Train Data Features: The relevant features are divided into Train Data Features, which are utilized to train the Deep Neural Network (DNN)

Test Data Features: Another set of extracted features is designated as Test Data Features. These features will be utilized to validate and assess the trained model.

DNN Model Training: The Train Data Features are input into the DNN during the Model Training features to differentiate between normal and abnormal (potential theft) electricity usage.

Trained DNN Model: After the training process is finished, the model is referred to as the Trained DNN Model. This model is now equipped to detect potential theft patterns based on the input features.

Results: The Test Data Features are then processed by the Trained DNN Model. The model analyzes these features and produces Predictions. The predictions categorize electricity consumption as either: Faithful (normal usage) or Unfaithful (potential theft).

3. IMPLEMENTATION

Software tools used for Electricity Theft Detection project makes, use of a number of software tools and libraries.

Python is the main programming language used for data processing, machine learning, and backend logic.

The **purpose** of the Flask Framework is to serve HTML templates, develop applications, build routes, and manage user requests. Modules Used: send_file, jsonify, flash, redirect, request, and flask render template

Libraries for Deep Learning and Machine Learning Keras and TensorFlow The machine learning model (theft.h5), which is probably trained for theft detection, is loaded and run using this function. TensorFlow, keras.models.load_model, Dense, Dropout, Sequential, and other modules were utilized.

The following **modules** were used: SVC Pickle, DecisionTreeClassifier, StandardScaler, and Min Max Scaler. Their goal was to load the serialized scaler object (StandardScaler.pk) for preprocessing features.

Data Processing and Handling:

NumPy: Use For manipulating arrays and doing numerical calculations. Pandas is used to read and manipulate CSV files, such as the data set file in the preview route.

h5py: Objective: To manipulate the.h5 model file format as required (although it isn't utilized specifically in this sample).

Frontend and Web Development HTML Templates:

1. performance.html, preview.html, prediction.html, upload.html, chart.html, login.html, and index.html.
2. Flask renders these templates for user interaction. 22 Flask uses Jinja2 to incorporate Python logic into HTML templates.
3. File Handling Tool: Use: To handle files securely (secure filename, for example).
4. Execution Environment: Overall Software Tools Summary
5. Backend Development: Flask
6. Machine Learning/Deep Learning: TensorFlow/Keras , scikit-learn
7. Data Processing: Pandas, NumPy, Pickle
8. Frontend: HTML templates rendered via Flask
9. Execution: Python environment
10. File Handling: Werkzeug

Implementation Details:

Data Collection and Preprocessing:

1. **Smart Meter Data:** Retrieve voltage, current, power factor, and timestamp-based consumption data in real time or in the past from smart meters.
2. **Data cleaning**: Take care of outliers, missing values, and inconsistent data.
3. **Engineering Features**:
   Time-domain characteristics: Peak and off-peak usage trends, average power consumption, standard deviation of power consumption, and rate of change of power consumption
   Features in the frequency domain: Fourier Transform to extract frequency components Using spectral analysis to find anomalous patterns

Normalize or scale features so that they fall within the same range. This enhances the model from 0 to 1.5.

Data Split: Divide the data into subsets for testing, validation, and training.

Model Development and Training:

1. **Deep Neural Network (DNN):** Create a DNN that has several hidden layers and suitable activation functions. For managing spatial relationships in data, particularly in image-based characteristics, use a convolutional neural network (CNN). In time-series data, recurrent neural networks (RNNs) are used to capture temporal dependencies.
2. **Training of Models:** Loss Function: To quantify the discrepancy between expected and actual labels, use an appropriate loss function (such as cross-entropy loss). Optimizer: During training, use an optimizer (such as Adam or SGD) to modify the model's parameters. Hyperparameter tuning: To determine the ideal setup, experiment with various hyperparameters
3. **Model Assessment:** Measures: To evaluate model performance, use measures such as accuracy, precision, recall, F1-score, and AUC-ROC. Confusion Matrix: Show the classification choices made by the model.

Frontend Forms Design

1. **Design of User Interfaces (UI**): Clear and Simple Layout: Organize form components in a clear, uncluttered manner. Put relevant fields together. Coherent Branding: It is important to adhere to the utility company's overall branding rules. Use consistent fonts, colors, and spacing across the form. Responsive Design: The form must be useable and accessible across a range of platforms, including mobile, tablet, and desktop computers.
2. **Elements of Form:** Input Fields: For every field, use the proper input type (text, numeric, date, etc.). Give each input field a clear label. For particular forms (such as dates or phone numbers), think about utilizing input masks. Dropdown Menus: To choose from a small set of items, use dropdown menus. Sort the options alphabetically and rationally. Checkboxes and Radio Buttons: For options that are mutually exclusive, use radio buttons.

3. **Validation of Forms:** Client-Side Validation: Real-time input field validation is accomplished with JavaScript. If errors are found, give the user feedback right away. Server-Side Validation: To guarantee data integrity, revalidate input data on the server side. Put security measures in place to stop unauthorized input.

4. **Considerations for User Experience (UX):** Progress Indicators: To display the user's progress through the form, utilize step indicators or progress bars. Handling Errors: Give succinct, understandable error messages. Emphasize the field that has an error. Make corrective comments or offer useful advice.

5. **Safety:** Data Encryption: Prior to transmission, encrypt sensitive data (such as payment information and personal information). Secure Data Transmission: To guarantee secure client-server communication, use HTTPS. Input Validation: To stop injection attacks, clean and verify user input.

4. RESULTS

An electricity theft detection system that predicts and categorizes electricity usage patterns as either faithful (legitimate usage) or unfaithful (electricity theft)**.** By leveraging a Deep Neural Network (DNN), the system processes electricity consumption datasets to identify irregularities or fraudulent activities**.**



4.1 Home page



4.2 Login page for Admin

The dataset upload UI is designed to be intuitive and efficient, allowing users to easily upload their electricity consumption data in CSV format. It features a file selection button with clear instructions, ensuring a smooth and error-free data submission process.



4.3 Upload the Dataset

The Preview Dataset page provides a clear and organized display of the uploaded dataset, allowing users to verify its structure and contents before proceeding. It showcases the dataset's rows, columns, and sample values, ensuring data integrity and facilitating user confidence in the subsequent steps.



Id	day	energy_median	energy_mean	energy_max	energy_count	energy_std	energy_sum	energy_min
1	15-12-2011	0.4850	0.432045	0.868	22	0.239146	9.505000	0.072
2	16-12-2011	0.1415	0.296167	1.116	48	0.281471	14.216000	0.031
3	17-12-2011	0.1015	0.189812	0.685	48	0.188405	9.111000	0.064
4	18-12-2011	0.1140	0.218979	0.676	48	0.202919	10.511000	0.065
5	19-12-2011	0.1910	0.325979	0.788	48	0.259205	15.647000	0.066
6	20-12-2011	0.2180	0.357500	1.077	48	0.287597	17.160000	0.066

4.4 Preview of uploaded data

Once the dataset is uploaded, the interface displays a "Train/Test, enabling users to initiate the training or testing process seamlessly. This feature ensures user-friendly interaction for conducting model operations effectively.



12897	03-09-2013	0.3905	0.551250	2.191	48	0.371725	26.460000	0.250
12898	04-09-2013	0.3650	0.547104	1.584	48	0.373594	26.261000	0.200
12899	05-09-2013	0.7575	0.778458	1.991	48	0.497389	37.366000	0.201
12900	06-09-2013	0.3825	0.460208	1.219	48	0.226858	22.090000	0.233
12901	07-09-2013	0.3495	0.408938	1.007	48	0.194869	19.629000	0.213
12902	08-09-2013	0.3755	0.569604	1.842	48	0.412782	27.341000	0.204
12903	09-09-2013	0.2790	0.514583	1.776	48	0.449144	24.700000	0.166

4.5 Training & Testing of dataset

The Model Input Page provides fields for users to enter key parameters such as Energy Min, Energy Max, Count, and other relevant features before running the model. This ensures flexibility in defining input constraints, allowing for precise prediction and analysis of electricity consumption patterns.



4.6 Input values for the prediction



4.7 Prediction as "Faithful"

The Prediction page displays the results after processing the input data, categorizing electricity usage as **Faithful** (legitimate usage) or **Unfaithful** (potential theft). It provides a clear output with visual indicators, allowing users to easily interpret the results and take necessary actions.



4.8 Prediction as "Unfaithful"

The **Performance Analysis Page** presents key evaluation metrics such as accuracy, precision, recall, and F1-**score**, along with a **confusion matrix** to visualize the model's classification results. This helps users assess the model's effectiveness in detecting electricity theft by analyzing true positives, false positives, true negatives, and false negatives.



4.9 Performance analysis of theft detection

The **Prediction Chart Page** visually represents the proportion of **Faithful** and **Unfaithful** electricity usage using bar charts or pie charts. This graphical representation helps users quickly analyze the distribution of detected cases, making it easier to interpret system predictions and identify potential theft patterns.

4.10 Chart representing predictions

5. CONCLUSION

Electricity theft remains a significant challenge for power utilities, leading to financial losses and grid inefficiencies. The project presents an effective solution by leveraging a Deep Neural Network (DNN) to analyze smart meter data and detect fraudulent electricity consumption. By implementing data preprocessing, feature selection, and model training, the system efficiently classifies electricity usage as faithful or unfaithful, reducing reliance on manual inspections.

The system also incorporates performance analysis using confusion matrices and prediction charts**,** allowing utility providers to assess model accuracy and improve theft detection strategies. With a user-friendly interface for data upload, training, testing, and visualization**,** the project ensures seamless interaction and interpretation of results.

In the future, enhancements such as real-time monitoring, adaptive learning models, and integration with IoT-based smart grids can further improve efficiency and scalability. This project contributes to the development of intelligent, data-driven theft detection **systems**, helping utilities minimize revenue losses and ensure fair energy distribution.

REFERENCES

[1] R. Garcia & H. Lee. (2023). Smart Grids Using LSTM Networks

[2] T. Wang & N. Patel. (2023). Electricity Theft Detection via Hybrid Deep Learning Models.

[3] Ali, M. Hassan. (2022). Enhancing Theft Detection in Smart Grids with Convolutional Networks.

[4] GitHub. Referred from https://github.com/henryRDlab/ElectricityTheftDetection