DOS-Project Part 1

Name: Mohammad Mousa

Student No.:11743724

The Used Technologies

Server Frameworks: PHP-Laravel MVC(Model-View-Controller)

Database : SQLite

Virtualization Technology : Docker { Catalog Server => catalog:4000 Order Server => order : 4001 Front-end Server => Front:4002 }

three services

- 1- Catalog server
- 2 Order Server
- 2 Front-end Server

#### Two micro services:


the first one is the Catalog Server , this server hold the responsibility of all action related to book (Search,Add and info) and the second micro service is the Order Server which hold the responsibility of handling the ordering request like Purchase request Also the Front-end server to forward the requests to the Catalog and Order services

### the routes:

GET method to get info, PUT method to edit info such as count and cost, POST method to add new data such as purchase order localhost:4002/...

```
Route::post('/Books/{id}/buy', [OrderController::class,'store']);
Route::put('/Books/{id}/cost', [CatalogController::class,'update']);
Route::put('/Books/{id}/add', [CatalogController::class,'countI']);
Route::get('/Books/{id}', [CatalogController::class,'show']);
Route::get('/Books', [CatalogController::class,'index']);
Route::get('/search/{topic}', [CatalogController::class,'search']);
```

# EX: localhost:4002/Books response:



## Logs: terminal:

### logs file:

```
[2022-07-22 18:02:22] local.INFO: (Catalog server) book found. {"id":1}
[2022-07-22 18:02:22] local.INFO: (Front-end server) book was found {"id":"1"}
[2022-07-22 18:05:36] local.ERROR: (Front-end server) the book has been updated, the new cost is 20 {"id":"1"}
[2022-07-22 18:05:36] local.ERROR: (Front-end server) the book has been updated, the new cost is 20 {"id":"1"}
[2022-07-22 18:06:27] local.ERROR: (Front-end server) the book has been updated, the new cost is 20 {"id":"1"}
[2022-07-22 18:08:22] local.ERROR: (Catalog server) the book has been updated, the new cost is 20 {"id":1}
[2022-07-22 18:08:22] local.ERROR: (Front-end server) the book has been updated, the new cost is 20 {"id":"1"}
[2022-07-22 18:08:57] local.ERROR: (Catalog server) the book has been updated, the new cost is 20 {"id":1}
[2022-07-22 18:08:57] local.INFO: (Front-end server) the book has been updated, the new cost is 20 {"id":1}
[2022-07-22 18:09:23] local.INFO: (Catalog server) the book has been updated, the new cost is 20 {"id":1}
[2022-07-22 18:09:23] local.INFO: (Gatalog server) the book has been updated, the new cost is 20 {"id":1}
[2022-07-22 18:09:23] local.INFO: (Front-end server) the book has been updated, the new cost is 20 {"id":1"}
[2022-07-22 18:09:23] local.INFO: (Front-end server) -> getting all books -> [{"id":1,"topic":"distributed systems","title":"How to [2022-07-22 18:10:25] local.INFO: (Front-end Server) -> getting all books -> [{"id":1,"topic":"distributed systems","title":"How
```

## possible improvements:

PHP-Laravel has been used which is heavy framework to improve we could use lighter frameworks such as PHP-Lumen, Python-FLASK since we use microservices arch. also replication for the servers and load balancing in case of heave loading on the servers, also we could use cache server to make the system faster

to run the program: using the following command in the terminal to run the containers

`docker-compose up` or `docker compose up`