SR UNIVERSITY

AI ASSISSTED CODING

NAME:MD NASRIN
2503a51l23

TASK #1:

Prompt Used:

Write a comment: # Function to check if a string is a valid palindrome (ignoring spaces and case) and allow Copilot to complete it.

Code Generated:



Output:



Observations:

• It cleans the input by removing all non-alphanumeric characters and converting everything to lowercase, ensuring accurate results regardless of punctuation, spacing, or case.

• Checks for palindrome by comparing the cleaned string to its reverse (cleaned[::-1]). If both match, the string is a palindrome.

• Works for sentences and phrases (not just single words), as spaces, punctuation, and cases are ignored in the check.

TASK #2:

Prompt Used:

Generate a Python function that returns the Fibonacci sequence up to n terms. Prompt with only a function header and docstring.

Code Generated:

OUTPUT:



Observations:

• The code generates the Fibonacci sequence up to a user-specified number of terms using a simple iterative approach.

• The sequence is generated by initializing the first two terms (a = 0, b = 1) and iteratively updating them with a, b = b, a + b, ensuring each new term is the sum of its two immediate predecessors.

• Each generated term is stored in a list, which is then returned and printed.

TASK #3:

Prompt Used:

Write a comment like # Function to reverse a string and use Copilot to generate the function.

Code Generated:



Output:



Observations:

• The function uses Python's string slicing syntax s[::-1] to reverse the string.

• The slice step of -1 means characters are taken from end to start, effectively reversing the string.

• User input is taken and passed to the function, with the reversed result printed.

TASK #4:

Prompt Used:

Generate a program that simulates a basic calculator (add, subtract, multiply, divide). Write the comment: # Simple calculator with 4 operations and let AI complete it.

CODE GENERATED:

```
# Simple calculator with 4 operations

def calculator(a, b, operation):
    print('select operation:')
    print('1. Addition')
    print('2. Subtraction')
    print('3. Multiplication')
    print('4. Division')
choice = input('Enter choice (1/2/3/4): ')
num1=float(input("Enter first number: "))
num2=float(input("Enter second number: "))
if choice == '1':
    print("result:", num1 + num2)
elif choice == '2':
        print("result:", num1 - num2)
elif choice == '3':
        print("result:", num1 * num2)
elif choice == '4':
        if num2 != 0:
            print("result:", num1 / num2)
        else:
            print("Error: Division by zero")
else:
        print("Invalid input")
```

OUTPUT:

```
SyntaxError: '(' was never closed
PS C:\Users\HASINI\OneDrive\Desktop\ai code> & "C:/Users/HASINI/OneDrive/Desktop/ai code/venv/Scripts/
enter a string:HASINI
Reversed_string: INISAH
PS C:\Users\HASINI\OneDrive\Desktop\ai code> & "C:/Users/HASINI/OneDrive/Desktop/ai code/venv/Scripts/
Enter choice (1/2/3/4): 3
Enter first number: 3
Enter second number: 8
result: 24.0
PS C:\Users\HASINI\OneDrive\Desktop\ai code>
```

Observations:

• The function uses Python's string slicing syntax s[::-1] to reverse the string.

• The slice step of -1 means characters are taken from end to start, effectively reversing the string.

• User input is taken and passed to the function, with the reversed result printed.