

Second Unit Questions

1. Which of the following are invalid identifiers in Python?

- a. Total-sum
- b. Error**
- c. Error_count
- d. None of these

2. A _____ is a sequence of one or more characters used to provide a name for a given program element.

- a. Identifier**
- b. Variable
- c. String
- d. Character

3. Identify the invalid identifier below.

- a. _2017discount**
- b. Profit
- c. Total-discount
- d. Totaldiscount

4. _____ are not allowed as part of an identifier.

- a. Spaces
- b. Numbers**
- c. Underscore
- d. All of these

5. Identifiers may contain letters and digits, but cannot begin with a _____.

- a. Character
- b. Digit
- c. Underscore
- d. Special Symbols**

6. Which is not a reserved keyword in Python?

- a. insert**
- b. except
- c. import
- d. yield61

7. Identify the invalid keyword below.

- a. and
- b. as
- c. while
- d. until**

8. _____ is an identifier that has predefined meaning.

- a. variable
- b. identifier
- c. keyword**
- d. None of these

9. Bitwise _____ operator gives 1 if one of the bit is zero and the other is 1.

- a. or
- b. and
- c. xor**
- d. not

10. Guess the output of the following code.

$1 > 2$ and $9 > 6$

- a. True
- b. False**
- c. Machine Dependent
- d. Error

11. How many operands are there in the following arithmetic expression?

$6 * 35 + 8 - 25$

- a. 4**
- b. 3
- c. 5
- d. 8

12. How many binary operators are there in the following arithmetic expression?

$- 6 + 10 / (23 + 56)$

- a. 2
- b. 3**
- c. 4
- d. 5

13. Which operator returns the remainder of the operands?

- a. /
- b. //
- c. %**
- d. **62

14. A _____ is a name that is associated with a value.

- a. identifier
- b. keyword
- c. variable**
- d. None of these

15. Guess the output of the following expression.

$\text{float}(22//3+3/3)$

- a. 8
- b. 8.0**
- c. -8.3
- d. 8.333

16. What value does the following expression evaluate to?

$2 + 9 * ((3 * 12) - 8) / 10$

- a. 27
- b. 27.2**
- c. 30.8

d. None of these

17. _____ and _____ are two ways to comment in Python.

- a. Single and Multilevel comments
- b. Single line and Double line comments
- c. One and Many line comments

d. Single line and Multiline comments

18. Single-line comments start with the _____ symbol.

- a. *#
- b. #**
- c. *
- d. &

19. Multiline comments can be done by adding _____ on each end of the comment.

- a. """(triple quote)**
- b. # (Hash)
- c. \$ (dollar)
- d. % (modulus)

20. Python programs get structured through _____.

- a. Alignment
- b. Indentation**
- c. Justification
- d. None63

21. In Python, Indentation is a _____ and not a matter of style.

- a. Requirement**
- b. Refinement
- c. Not required
- d. Not Refined

22. Which of the following is correct about Python?

- a. Python is a high-level, interpreted, interactive and object-oriented language.
- b. Python is designed to be highly readable.
- c. It uses English keywords frequently and has fewer syntactical constructions.

d. All of the above.

23. Which of the following function is used to read data from the keyboard?

- a. function()
- b. str()
- c. input()**
- d. print()

24. The one's complement of 60 is given by _____.

- a. -61**
- b. -60
- c. -59

d. +59

25. The operators *is* and *is not* are _____.

a. Identity Operators

b. Comparison Operators

c. Membership Operators

d. Unary Operators

26. In Python an identifier is _____.

a. Machine Dependent

b. Keyword

c. Case Sensitive

d. Constant

27. Which of the following operator is truncation division operator?

a. /

b. %

c. |

d. //64

28. The expression that requires type conversion when evaluated is _____.

a. $4.7 * 6.3$

b. $1.7 \% 2$

c. $3.4 + 4.6$

d. $7.9 * 6.3$

29. The operator that has the highest precedence is _____.

a. << and >>

b. **

c. +

d. %

30. The expression that results in an error is _____.

a. `int('10.8')`

b. `float(10)`

c. `int(10)`

d. `float(10.8)`

31. Which of the following expression is an example of type conversion?

a. $4.0 + \text{float}(3)$

b. $5.3 + 6.3$

c. $5.0 + 3$

d. $3 + 7$

32. What is the output when the following statement is executed?

`>>>print('new' 'line')`

a. Error

b. Output equivalent to print 'new\nline'

c. new line

d. newline

33. What is the output when the following statement is executed?

```
print(0xD + 0xE + 0xF)
```

- a. Error
- b. 0XD0XE0XF
- c. 0X22
- d. 42

34. What is the output of print (0.1 + 0.2 == 0.3)?

- a. True
- b. False
- c. Error
- d. Machine dependent65

35. Which of the following is not a complex number?

- a. $l = 4 + 5j$
- b. $l = \text{complex}(4,5)$
- c. $l = 4 + 5i$
- d. $l = 4 + 5j$

36. Guess the output of the expression.

```
x = 15
```

```
y = 12
```

```
x & y
```

- a. 1101
- b. b1101
- c. 0b1101
- d. 12

37. Incorrect Indentation results in _____.

- a. IndentationError
- b. NameError
- c. TypeError
- d. SyntaxError

38. The function that converts an integer to a string of one character whose ASCII code is same as the integer is _____.

- a. chr(x)
- b. ord(x)
- c. eval(x)
- d. input(x)