

Setting Mail server in Ubuntu 22

Setup new domain for mail server

Buy a new Domain

Register a domain and update records.

Domain record setup

Required entries in the DNS record

Type	Name	Content	TTL value
A	mail	178.128.113.15	Auto
MX	@	dev.dsinnovators.com	Auto
TXT	@	v=spf1 a mx -all	Auto
TXT	dkim._domainkey	"v=DKIM1; h=sha256; k=rsa; p=Encrypted_key"	Auto
CNAME	autodiscover	dev.dsinnovators.com	Auto
CNAME	autoconfig	dev.dsinnovators.com	Auto
TXT	_dmarc	"v=DMARC1; p=quarantine"	Auto

Setup Mail server

Set server domain name

```
sudo apt -y update; sudo apt -y upgrade
sudo echo 'dev.dsinnovators.com' > /etc/hostname
sudo sed -i 's/\(127.0.0.1\).*$/1 dev.dsinnovators.com/' /etc/hosts
sudo reboot now
```

Firewall rule update

```
sudo apt install -y ufw
sudo ufw default deny incoming
sudo ufw default allow outgoing
sudo ufw allow 22,25,80,110,143,443,465,587,993,995,4190/tcp
sudo ufw enable
```

Setup Mail Transfer Agent

Install required packages

```
sudo apt install -y mailutils
sudo apt install -y postfix
```

Update Postfix configuration

```
sudo dpkg-reconfigure postfix
> Internet Site
> System mail name: dev.dsinnovators.com
> Recipient for root: <enter>
> Other destinations to accept mail: dev.dsinnovators.com, \
  localhost.dsinnovators.com, dsinnovators.com
> Force synchronous updates: <No>
> Local networks: 127.0.0.0/8 [::ffff:127.0.0.0]/104 [::1]/128
> Mailbox size limit: 0
> Local address extension character: +
> Internet protocols to use: all
```

Custom configuration

```
sudo vi /etc/postfix/main.cf

# Update
relayhost = smtp.gmail.com:587
smtp_tls_security_level=encrypt

home_mailbox = Maildir/
smtp_tls_note_starttls_offer = yes
smtpd_tls_loglevel = 1
smtpd_tls_received_header = yes
smtpd_tls_CAfile = /etc/ssl/certs/cacert.pem
smtpd_sasl_type = dovecot
smtpd_sasl_path = private/auth
smtpd_sasl_local_domain =
smtpd_sasl_security_options = noanonymous,noplaintext
smtpd_sasl_tls_security_options = noanonymous
broken_sasl_auth_clients = yes
smtpd_sasl_auth_enable = yes
smtpd_recipient_restrictions = permit_sasl_authenticated, \
  permit_mynetworks,reject_unauth_destination
```

Reload Postfix

```
sudo systemctl reload postfix
postconf -n
```

Setup Mail Delivery Agent

Install required packages

```
sudo apt install -y dovecot-imapd dovecot-pop3d dovecot-core
```

Update Dovecot configuration

```
sudo vi /etc/dovecot/conf.d/10-mail.conf
```

```
# Update
```

```
mail_location = maildir:~/Maildir
```

```
sudo vi /etc/dovecot/conf.d/10-master.conf
```

```
# Update
```

```
unix_listener /var/spool/postfix/private/auth {  
    mode = 0666  
    user = postfix  
    group = postfix  
}
```

```
sudo vi /etc/dovecot/dovecot.conf
```

```
# Update
```

```
listen = *, ::
```

Reload Dovecot

```
sudo systemctl reload dovecot
```

```
doveconf -n
```

Setup Maildir directory

```
cd /etc/skel
```

```
sudo mkdir -p Maildir/{cur,new,tmp}
```

```
sudo vi /etc/profile.d/mail.sh
```

```
# Add
```

```
export MAIL=$HOME/Maildir
```

Send Email

```
sendmail user2@dev.dsinnovators.com
```

```
Hello,
```

```
This is a test mail.
```

```
^D
```

```
Thank you.
```