

■■ Alloys API Documentation

Base URL

/api/v1/alloys

1. Get All Alloys

Endpoint: GET /api/v1/alloys

Description: Fetches all alloys from the database.

```
{'success': True, 'data': [{'ID': 1, 'name': 'CK45', 'code': '200', 'cutting_speed': '1.433', 'm
```

2. Get Alloy by ID

Endpoint: GET /api/v1/alloys/:id

Description: Fetches a single alloy by its ID.

```
{'success': True, 'data': {'ID': 1, 'name': 'CK45', 'code': '200', 'cutting_speed': '1.433', 'ma
```

3. Create Alloy

Endpoint: POST /api/v1/alloys

Request Body:

```
{'material_id': 1, 'name': 'CK45', 'code': '200', 'cutting_speed': '1.433'}
```

Response (201):

```
{'success': True, 'data': {'ID': 10, 'material_id': 1, 'name': 'CK45', 'code': '200', 'cutting_s
```

4. Update Alloy

Endpoint: PUT /api/v1/alloys/:id

Request Body:

```
{'material_id': 1, 'name': 'Updated Alloy', 'code': '201', 'cutting_speed': '2.000'}
```

Response (200):

```
{'success': True, 'data': {'ID': '5', 'material_id': 1, 'name': 'Updated Alloy', 'code': '201',
```

5. Delete Alloy

Endpoint: DELETE /api/v1/alloys/:id

Response (200):

```
{'success': True, 'data': '5', 'message': 'Alloy 5 deleted successfully'}
```