ITI – RedHat Admin 1 Lab4

Mohammad Tarek – Data Management

1) **List the user commands and redirect the output to /tmp/commands.list**

```
mohammadtarek@localhost:~
Mohammadls bin > /tmp/commands.list
ls: cannot access 'bin': No such file or directory
Mohammadls /bin > /tmp/commands.list
Mohammad
```

2) **Count the number of user commands**

```
Mohammadwc -l /tmp/commands.list
1505 /tmp/commands.list
Mohammad
```

3) **Get all the users names whose first character in their login is 'g'.**

```
Mohammadgrep "^g" /etc/passwd
games:x:12:100:games:/usr/games:/sbin/nologin
geoclue:x:996:996:User for geoclue:/var/lib/geoclue:/sbin/nologin
gdm:x:42:42:GNOME Display Manager:/var/lib/gdm:/usr/sbin/nologin
gnome-initial-setup:x:987:987::/run/gnome-initial-setup/:/sbin/nologin
Mohammad
```

4) **Get the logins name and full names (comment) of logins starts with "g".**

5) **Save the output of the last command sorted by their full names in a file.**

```
Mohammadcut -f1,5 -d: /etc/passwd |grep "^g" | sort -k2 -t:
gnome-initial-setup:
games:games
gdm:GNOME Display Manager
geoclue:User for geoclue
Mohammad
```

6) **Write two commands: first: to search for all files on the system that named .bash_profile. Second: sorts the output of ls command on / recursively, Saving their output and error in 2 different files and sending them to the background.**

```
Mohammadsudo find -name .bash_profile 2>/dev/null
./.bash_profile
```

```
Mohammadls -R / | sort > file1 2> file3
ls: cannot open directory '/boot/efi/EFI/centos': Permission denied
ls: cannot open directory '/boot/grub2': Permission denied
ls: cannot open directory '/boot/loader/entries': Permission denied
ls: cannot open directory '/etc/audit': Permission denied
ls: cannot open directory '/etc/cups/ssl': Permission denied
ls: cannot open directory '/etc/firewalld': Permission denied
ls: cannot open directory '/etc/grub.d': Permission denied
ls: cannot open directory '/etc/lvm/archive': Permission denied
ls: cannot open directory '/etc/lvm/backup': Permission denied
ls: cannot open directory '/etc/lvm/cache': Permission denied
ls: cannot open directory '/etc/lvm/devices': Permission denied
ls: cannot open directory '/etc/nftables': Permission denied
ls: cannot open directory '/etc/pki/rsyslog': Permission denied
ls: cannot open directory '/etc/polkit-1/localauthority': Permission denied
ls: cannot open directory '/etc/polkit-1/rules.d': Permission denied
ls: cannot open directory '/etc/sos/cleaner': Permission denied
ls: cannot open directory '/etc/ssh/sshd_config.d': Permission denied
ls: cannot open directory '/etc/sssd': Permission denied
ls: cannot open directory '/etc/sudoers.d': Permission denied
ls: cannot open directory '/home/islam': Permission denied
ls: cannot open directory '/home/mohammadtarek/dir1': Permission denied
ls: cannot open directory '/proc/1/fd': Permission denied
```

```
Mohammadls / | sort -r > file1 2> file3
Mohammadcat file1
var
usr
tmp
sys
srv
sbin
run
root
proc
opt
mnt
media
lib64
lib
home
etc
dev
boot
bin
afs
Mohammad
```

7) **Display the number of users who is logged now to the system. who | wc -l**

```
mohammadtarek@localhost:~
Mohammadwho
mohammadtarek seat0        2025-11-08 13:14 (login screen)
mohammadtarek tty2         2025-11-08 13:14 (tty2)
Mohammad
```

8) **Display lines 7 to line 10 of /etc/passwd file**

```
Mohammadcut -f 7,8,9,10 -d: /etc/passwd
/bin/bash
/sbin/nologin
/sbin/nologin
/sbin/nologin
/sbin/nologin
/bin/sync
/sbin/shutdown
/sbin/halt
/sbin/nologin
/sbin/nologin
/sbin/nologin
/sbin/nologin
/sbin/nologin
/usr/sbin/nologin
/sbin/nologin
/sbin/nologin
/sbin/nologin
/sbin/nologin
/sbin/nologin
/sbin/nologin
/sbin/nologin
/sbin/nologin
/usr/sbin/nologin
/usr/sbin/nologin
/usr/sbin/nologin
/usr/sbin/nologin
/usr/sbin/nologin
```

9)

```
mohammadta
Mohammadtouch file1
Mohammadtouch file2
Mohammadcat file1 | cat file2
cat: file2: Permission denied
```

```
Mohammadls | rm
rm: missing operand
Try 'rm --help' for more information.
```

```
Mohammadls /etc/passwd |wc -l
1
Mohammadls /etc/passwd
/etc/passwd
```

10) 11) 12)

```
mohammadtarek@localhost:~
Mohammadsleep 100
^C
Mohammadsleep 100
^Z
[1]+  Stopped                 sleep 100
Mohammadbg
[1]+ sleep 100 &
Mohammad
```

13) 14) 15)

```
Mohammadsleep 100
bg
^Z
[1]+  Stopped                 sleep 100
Mohammadbg
[1]+ sleep 100 &
Mohammadfg %1
sleep 100
kill %1
^C
MohammadS
```

16)

```
Mohammadps -u $mohammadtarek
USER         PID %CPU %MEM    VSZ   RSS TTY      STAT START   TIME COMMAND
mohamma+    8786  0.0  0.3 374176  5936 tty2     Ssl+ 17:46   0:00 /usr/libexec/
mohamma+    8793  0.0  0.9 513072 17380 tty2     Sl+  17:46   0:00 /usr/libexec/
mohamma+    9485  0.0  0.3 224124  5680 pts/0    Ss   17:47   0:00 bash
mohamma+    9938  0.0  0.2 225388  3600 pts/0    R+   18:20   0:00 ps -u
```

17) Display all processes except yours

```
Mohammadpgrep -u mohammadtarek -v
1
2
3
4
5
6
7
11
13
14
15
16
17
18
19
20
21
23
25
26
27
28
```

18) Use the pgrep command to list your processes only

```
Mohammadpgrep -u mohammadtarek
8761
8763
8780
8786
8788
8790
8793
8837
8838
8856
8864
8869
8871
8882
8883
8887
8891
8892
8893
8894
8904
8915
8921
```

19) Kill your processes only.

Killall