Instructor: Dr.Khalil-ur-Rehman

Muhammad Usman
2019-ag-9641

In [2]:

```
import pandas as pd
import seaborn as sns
from sklearn import preprocessing
from sklearn.model_selection import train_test_split
from sklearn.svm import SVC
from sklearn import metrics
```

In [4]:

```
data = pd.read_csv("D:\Project Phyton\iris.csv")

data.head()
```

Out[4]:

	sepal length in cm	sepal width in cm	petal length in cm	petal width in cm	variety
0	5.1	3.5	1.4	0.2	Iris-setosa
1	4.9	3.0	1.4	0.2	Iris-setosa
2	4.7	3.2	1.3	0.2	Iris-setosa
3	4.6	3.1	1.5	0.2	Iris-setosa
4	5.0	3.6	1.4	0.2	Iris-setosa

In [6]:

```
data.shape
```

Out[6]:

```
(150, 5)
```

In [8]:

```
 import warnings
warnings.filterwarnings("ignore")

sns.pairplot(data=data, hue='variety', palette = "Paired")
```

Out[8]:

```
<seaborn.axisgrid.PairGrid at 0x1bd40012700>
```



In [9]:

```
le = preprocessing.LabelEncoder()
le.fit(data.variety)

data['class_of_variety'] = le.transform(data.variety)

data.head()
```

Out[9]:

	sepal length in cm	sepal width in cm	petal length in cm	petal width in cm	variety	class_of_variety
0	5.1	3.5	1.4	0.2	Iris-setosa	0
1	4.9	3.0	1.4	0.2	Iris-setosa	0
2	4.7	3.2	1.3	0.2	Iris-setosa	0
3	4.6	3.1	1.5	0.2	Iris-setosa	0
4	5.0	3.6	1.4	0.2	Iris-setosa	0

In [10]:

```
le.inverse_transform(data['class_of_variety'])
```

Out[10]:

```
array(['Iris-setosa', 'Iris-setosa', 'Iris-setosa', 'Iris-setosa',
       'Iris-setosa', 'Iris-setosa', 'Iris-setosa', 'Iris-setosa',
       'Iris-setosa', 'Iris-setosa', 'Iris-setosa', 'Iris-setosa',
       'Iris-setosa', 'Iris-setosa', 'Iris-setosa', 'Iris-setosa',
       'Iris-setosa', 'Iris-setosa', 'Iris-setosa', 'Iris-setosa',
       'Iris-setosa', 'Iris-setosa', 'Iris-setosa', 'Iris-setosa',
       'Iris-setosa', 'Iris-setosa', 'Iris-setosa', 'Iris-setosa',
       'Iris-setosa', 'Iris-setosa', 'Iris-setosa', 'Iris-setosa',
       'Iris-setosa', 'Iris-setosa', 'Iris-setosa', 'Iris-setosa',
       'Iris-setosa', 'Iris-setosa', 'Iris-setosa', 'Iris-setosa',
       'Iris-setosa', 'Iris-setosa', 'Iris-setosa', 'Iris-setosa',
       'Iris-setosa', 'Iris-setosa', 'Iris-setosa', 'Iris-setosa',
       'Iris-setosa', 'Iris-setosa', 'Iris-versicolor', 'Iris-versicolor',
       'Iris-versicolor', 'Iris-versicolor', 'Iris-versicolor',
       'Iris-versicolor', 'Iris-versicolor', 'Iris-versicolor',
       'Iris-versicolor', 'Iris-versicolor', 'Iris-versicolor',
       'Iris-versicolor', 'Iris-versicolor', 'Iris-versicolor',
       'Iris-versicolor', 'Iris-versicolor', 'Iris-versicolor',
       'Iris-versicolor', 'Iris-versicolor', 'Iris-versicolor',
       'Iris-versicolor', 'Iris-versicolor', 'Iris-versicolor',
       'Iris-versicolor', 'Iris-versicolor', 'Iris-versicolor',
       'Iris-versicolor', 'Iris-versicolor', 'Iris-versicolor',
       'Iris-versicolor', 'Iris-versicolor', 'Iris-versicolor',
       'Iris-versicolor', 'Iris-versicolor', 'Iris-versicolor',
       'Iris-versicolor', 'Iris-versicolor', 'Iris-versicolor',
       'Iris-versicolor', 'Iris-versicolor', 'Iris-versicolor',
       'Iris-versicolor', 'Iris-versicolor', 'Iris-versicolor',
       'Iris-versicolor', 'Iris-versicolor', 'Iris-versicolor',
       'Iris-versicolor', 'Iris-versicolor', 'Iris-versicolor',
       'Iris-virginica', 'Iris-virginica', 'Iris-virginica',
       'Iris-virginica', 'Iris-virginica', 'Iris-virginica',
       'Iris-virginica', 'Iris-virginica', 'Iris-virginica',
       'Iris-virginica', 'Iris-virginica', 'Iris-virginica',
       'Iris-virginica', 'Iris-virginica', 'Iris-virginica',
       'Iris-virginica', 'Iris-virginica', 'Iris-virginica',
       'Iris-virginica', 'Iris-virginica', 'Iris-virginica',
       'Iris-virginica', 'Iris-virginica', 'Iris-virginica',
       'Iris-virginica', 'Iris-virginica', 'Iris-virginica',
       'Iris-virginica', 'Iris-virginica', 'Iris-virginica',
       'Iris-virginica', 'Iris-virginica', 'Iris-virginica',
       'Iris-virginica', 'Iris-virginica', 'Iris-virginica',
       'Iris-virginica', 'Iris-virginica', 'Iris-virginica',
       'Iris-virginica', 'Iris-virginica', 'Iris-virginica',
       'Iris-virginica', 'Iris-virginica', 'Iris-virginica',
       'Iris-virginica', 'Iris-virginica', 'Iris-virginica',
       'Iris-virginica', 'Iris-virginica'], dtype=object)
```

In [11]:

```
x = data.iloc[:,:-2]
y = data.iloc[:,5]

x.head()
```

Out[11]:

	sepal length in cm	sepal width in cm	petal length in cm	petal width in cm
0	5.1	3.5	1.4	0.2
1	4.9	3.0	1.4	0.2
2	4.7	3.2	1.3	0.2
3	4.6	3.1	1.5	0.2
4	5.0	3.6	1.4	0.2

In [12]:

```
y.head()
```

Out[12]:

```
0    0
1    0
2    0
3    0
4    0
Name: class_of_variety, dtype: int32
```

In [13]:

```
x_train, x_test, y_train, y_test = train_test_split(x, y, test_size = 0.30)
```

In [14]:

```
model = SVC(gamma='scale')

model.fit(x_train, y_train)
```

Out[14]:

```
SVC()
```

In [15]:

```
prediction = model.predict(x_test)
```

In [16]:

```
print("Accuracy in percentage:", round(metrics.accuracy_score(y_test, prediction),2)*100)
```

```
Accuracy in percentage: 98.0
```

In [ ]: