



IT Team Guide

User Training Guide
KSW HR & Payroll · 2026-08-30

IT Team Guides

For the **IT Team** — the people who receive, triage and resolve support tickets, and who own the IT asset register.

First time in the system? Read the **General guide (Getting Started)** first.

What you can do

I want to...	Guide
Triage the incoming queue, assign and prioritise tickets	Working the ticket queue
Work a ticket, close it, reopen it	Resolving and closing a ticket
Register laptops, phones and other equipment	The IT asset register
Hand a device to an employee and take it back	Assigning and returning assets
Send equipment for repair, write off losses, track warranties	Maintenance, loss and warranty
See what we solved, and how fast	Reporting and ticket history
Change the stages, categories and asset categories	Configuration

How the app is laid out

Menu	Who sees it
My Tickets	Everyone — your own tickets, like any employee
All Tickets	IT Team — the queue, as a kanban board
Ticket History	IT Team — every closed ticket
Reporting	IT Team — volume, mix and resolution time
Assets → Assets / Assignments / Maintenance	IT Team only
Configuration → Ticket Stages / Ticket Categories / Asset Categories	IT Team only

The golden rules

- **Two kinds of ticket, and the kind is permanent.** An **Incident** is something broken (INC...); a **Service Request** is something needed (REQ...). It sets the ticket number and cannot be changed afterwards.
- **The ticket is the record.** A phone call that isn't written on the ticket did not happen. Post with **External** to talk to the employee, **Note** for internal record-keeping.
- **Only the IT Team moves a ticket.** Stage, assignee and the blocked/ready marker are yours; employees can see them but never set them.
- **Assets are IT-only, and custody is a workflow.** Never type into **Assigned To** — hand over and take back through **Assign to Employee** and **Return**, so the history stays true.
- **Close tickets when the work ends.** Resolution time is measured from creation to closing, and every report is built on it.

Working the Ticket Queue

Who is this for: IT Team **How long it takes:** a few minutes per triage round

What this does


The queue is the IT team's single inbox. Everything employees report — from every department — lands here in the **New** stage, and triage is the act of turning that pile into work: what is it, how urgent is it, who owns it, and when is it due.

Before you start

- You need the **IT Team** role. It is the only helpdesk role besides the ordinary employee one, and it gives you everything: every ticket, the asset register, and the configuration menus.
- Employees see only their own tickets (and their direct reports'). You see all of them.

The board

Open **Helpdesk** → **All Tickets**. It opens as a kanban board, grouped by stage, already filtered to **Open** tickets.



The four stages are:

Stage	Meaning
New	Nobody has picked it up yet
In Progress	Being worked on
On Hold	Parked — waiting for a part, a vendor, a budget approval
Closed	Resolved. Folds away on the board

Each card carries everything you need to triage at a glance: the ticket number badged **red for an Incident** and **blue for a Service Request**, the short description, the stage and category, an **Overdue** badge if the deadline has passed, the priority stars, and the assignee's avatar.

Drag a card to another stage to move it — as IT Team you can; employees see the same board read-only.

Steps — triaging a new ticket

1. **Open the ticket** from the **New** column.

The screenshot displays the Odoo Helpdesk interface. On the left, a list of tickets is visible, with the selected ticket 'Laptop won't turn on' (INC00001) highlighted. The main panel shows the ticket details, including the subject 'Laptop won't turn on', the ticket number 'INC00001', and the assignee 'Train Employee'. The ticket is categorized as 'Incident' and 'Hardware'. The description states: 'The laptop does not power on at all since this morning. The charger LED is on, but pressing the power button .does nothing - no fan, no screen. I tried a different power socket and holding the power button for 30 seconds'. The interface also shows a sidebar with various navigation options and a top navigation bar.

2. **Read the Caller panel** on the left — job title, department, email, work phone and mobile, pulled live from the employee record. That is who you call.
3. **Check the kind and category.** Employees often file a service request as an incident. The category you can correct; the **kind is fixed** (it set the ticket number), so if it is badly wrong, close it with a note and ask for a new one.


4. **Set the Priority.** Stars on the form, or straight from the card.

Priority	Use it for
Urgent	Work is stopped for a person or a team right now
High	Significant impact, a workaround exists
Medium	Normal — the default
Low	Nice to have, no impact

5. **Take it — or give it.** Click **Assign to Me** in the header, or set **Assigned To** to another team member. Only IT Team members can be assigned; the field will not accept anyone else. The moment someone is assigned, they start following the ticket and are notified of every message on it.
6. **Set a Deadline** if the ticket has one. Once that date passes and the ticket is still open, it turns red in the list, gets an **Overdue** badge on the card and an **Overdue** ribbon on the form, and can be pulled up with the **Overdue** filter. Deadlines also show on the **Calendar** view of the queue.
7. **Move it to In Progress** — click the stage in the status bar at the top of the form, or drag the card.

Finding things fast

The search panel gives you the filters triage actually needs:



- **Assigned to Me** — your own workload
- **Unassigned** — the triage pile: what nobody owns yet
- **Incidents / Service Requests** — split the two kinds
- **Open / Closed / Overdue**
- **High Priority** — High and Urgent together
- Group by **Stage, Type, Category, Assigned To** or **Priority**

Typing in the search box matches the **ticket number, the title and the description** at once, so `INC00042`, `printer` and a phrase from the body all work.

The blocked / ready marker

Separately from the stage, each ticket carries a small three-state marker (**In Progress, Blocked, Ready**) — the coloured dot on the card, the radio buttons on the form. Use it to say *why* a ticket is sitting still:

- **Blocked** — you are waiting on someone: the employee, a vendor, a budget. Say who in a message so the ticket explains itself.
- **Ready** — the work is done and it is waiting only for confirmation or hand-over.

Employees see the marker but cannot set it.

Common issues

Symptom	Cause	Fix
"Tickets can only be assigned to an IT Helpdesk agent or manager"	The chosen user isn't in the IT Team group	Add them to IT Team first (Settings → Users), or pick someone else
A colleague can't drag cards	They are not in the IT Team group	Only IT Team may change stage, assignee and the blocked/ready marker
The board looks empty	The action opens filtered to Open	Remove the Open filter, or use Ticket History for closed ones
The category is wrong for the kind	Categories belong to one kind	Correct the category; the kind itself cannot be changed after creation
A ticket shows no caller details	The employee record has no contact details	Complete the employee record in HR

Related guides

- [Resolving and closing a ticket](#)
- [Reporting and ticket history](#)
- [Configuring stages and categories](#)

Resolving and Closing a Ticket

Who is this for: IT Team **How long it takes:** 1 minute to close, once the work is done

What this does

Takes a ticket from "assigned to me" to a clean, closed record: the conversation kept on the ticket, the fix documented, the closing stamped with the date and your name, and the employee invited to rate the result.

Before you start

- The ticket should be **assigned to you** (or you are closing on behalf of the team). Use **Assign to Me** if it is still unassigned.
- Anything you did outside the system — a phone call, a visit to the desk, a part ordered — belongs in the ticket as a message. The ticket is the record.

Steps


1. **Work the ticket in the message box at the bottom** (the chatter). Which button you use decides who hears about it:

Button	Who is notified	Use it for
External	Everyone following the ticket — whoever raised it, and the assigned agent	Questions to the employee, progress updates, "please try this and tell me"
Internal	The internal followers only	Handing over to a colleague, asking a teammate to look
Note	Nobody	Diagnostics, part numbers, serials, what you tried — the written record
Activity	The person you assign it to	Scheduling a follow-up: "call back Sunday", "chase the vendor"

Attach screenshots, photos or logs to any of them.

Who is actually following? The person who created the ticket and the assigned agent. If a supervisor raised the ticket for someone else, the employee themselves is **not** a follower — add them with the followers (person) icon at the top-right of the chatter before you expect them to see your messages.

2. **Park it honestly if you are waiting.** Move it to **On Hold** and set the marker to **Blocked**, with a message saying what you are waiting for. A ticket that sits in In Progress for a week with no note is the thing this system exists to prevent.
3. **Fix it, and write down what you did.** One message describing the actual resolution — the setting you changed, the part you replaced, the account you unlocked. This is what makes **Ticket History** worth searching next time.
4. **Update the asset if the fix involved one.** Replaced a laptop? Send the old one to maintenance or mark it lost, and assign the new one — see **Assigning and returning assets**. The ticket's **Related Asset** link is what ties the two records together.
5. **Click Close Ticket** in the header.



Closing does four things at once: moves the ticket to the **Closed** stage, stamps the **Closing Date**, records **Closed By** as you, and sets the marker to **Ready**.

What happens next

- The ticket leaves the open board (the **Closed** column is folded) and appears in **Ticket History** and in **Reporting**.
- **Resolution Time** is computed automatically — the hours between creation and closing. It is the measure the reports run on, which is why closing at the right moment matters more than it looks.
- A **Resolution Feedback** box appears on the ticket for the employee: **Great**, **Okay**, **Not Good**. Ask for it when you hand the work over — it is the only

satisfaction signal in the system.

The screenshot shows a helpdesk system interface for 'Kawther Sweet Water Cont. Co'. The top navigation bar includes links for 'الدعم الفني', 'تذاكري', 'جميع التذاكر', 'سجل التذاكر', 'التقارير', 'الأصول التقنية', and 'الإعدادات'. The main content area displays a ticket titled 'Outlook not sending emails' with ID 'INC000005'. The ticket is currently in the 'معلقة' (On Hold) status. The left sidebar shows a list of recent tickets, including 'Outlook not sending emails' and 'Helpdesk Ticket created'. The right sidebar contains a list of categories: 'المناقشة', 'التقويم', 'لوحات البيانات', 'Workshop', 'Loans', 'الدعم الفني', 'الموظفون', 'الإجازات', and 'التطبيقات'. The ticket details include the customer's name 'Train Employee', email 'train.employee@alkawthersw.com', and phone number '000 11 966+ 0000'. The ticket is assigned to 'Sales Representative' and is in the 'Train Department'. The ticket is marked as 'الأولوية' (Priority) and 'المكلف بالمعالجة' (Assigned to me). The ticket is also marked as 'متوقفة' (On Hold) and 'جاهزة' (Ready). The ticket is created on '٢٩ يوليو ٢٠٢٠' (29 July 2020) and is closed by 'Train It'.

Reopening

If the problem comes back, open the closed ticket and click **Reopen**. It returns to the **New** stage, the closing date and closer are cleared, and the marker goes back to In Progress. The whole conversation is preserved.

Reopen rather than raising a duplicate when it is genuinely the same problem — the history stays in one place. Raise a new ticket when it is a new problem that merely looks similar.

Common issues

Symptom	Cause	Fix
Close Ticket isn't in the header	The ticket is already closed	The Reopen button is there instead
Assign to Me isn't there	Someone is already assigned, or the ticket is closed	Change Assigned To directly
The employee says they weren't told	You used Note (notifies nobody) instead of External — or they are not a follower	Post with External , and add them as a follower if the ticket was raised on their behalf

Symptom	Cause	Fix
Closed the wrong ticket	—	Reopen it; nothing is lost
Resolution Time looks wrong	It measures creation → closing, wall-clock, not working hours	Close tickets when the work actually ends, not in a weekly clean-up sweep
No feedback ever arrives	Employees don't know to rate it	Mention it when you hand over the fix

Related guides

- [Working the ticket queue](#)
- [Reporting and ticket history](#)
- [Assigning and returning assets](#)

The IT Asset Register

Who is this for: IT Team (nobody else can see this menu) **How long it takes:** 2 minutes to register an asset

What this does

Keeps one authoritative list of every piece of IT equipment the company owns — laptops, desktops, monitors, phones, printers, networking gear, software licenses, accessories — with what it is, what it cost, whether it is still under warranty, and **who is holding it right now**.


It also feeds the helpdesk: the **Related Asset** field on a ticket offers an employee only the equipment currently registered to them, so a ticket about "my laptop" points at a specific serial number.

Before you start

- **Assets are IT Team only.** No other role — manager or not — has the menu, the list or the reports. The single exception: an employee can read the asset(s) currently in their own custody, purely so the ticket field works.
- Have the device in hand: brand, model, serial number (or IMEI), where it came from and when, and the warranty end date if there is one.

The register

Open **Helpdesk → Assets → Assets**. It opens as a kanban grouped by category, each card showing the photo, name, asset tag, category and current status.



An asset is always in exactly one status:

Status	Meaning
Available	In the store, ready to hand out
Assigned	In an employee's custody
In Maintenance	Out for repair
Retired	End of life. Archived — hidden unless you filter for it
Lost / Stolen	Unaccounted for

Steps — registering a new asset

1. Open Helpdesk → Assets → Assets and click **New**.
2. **Name it as a person would say it** — *"Dell Latitude 5420 Laptop"*, not *"asset 14"*.

The screenshot shows the Odoobot IT Asset Management interface. The main form is for a 'Dell Latitude 5420 Laptop' with asset tag 'IT/00001'. The form is divided into several sections: 'General Information' (Name, Model, Brand, Location), 'Purchase Information' (Vendor, Date, Value, Warranty), and 'Status' (Available, Assigned, etc.). The 'General Information' section includes fields for 'Train Employee', 'Train Department', 'المكثف بالمعالجة', 'القسم', 'الموزع', 'تاريخ الشراء', 'قيمة الشراء', and 'تاريخ انتهاء الضمان'. The 'Purchase Information' section includes fields for 'حاسب محمول', 'Dell', 'Latitude 5420', 'DL5420-KSW-0142', and 'HQ - 3rd Floor'. The 'Status' section includes fields for 'التصنيف', 'الماركة', 'الطراز', 'الرقم التسلسلي / IMEI', and 'الموقع'. The form is also labeled 'Dell Latitude 5420 Laptop [IT/00001]' and 'جديد' (New). The interface includes a sidebar with navigation options like 'الدعم الفني', 'تذاكري', 'جميع التذاكر', 'سجل التذاكر', 'التقارير', 'الاصول التقنية', 'الإعدادات', 'المناقشة', 'التقويم', 'لوحات البيانات', 'Workshop', 'Loans', 'الدعم الفني', 'الموظفون', 'الإجازات', and 'التطبيقات'. The top bar shows the company name 'Kawther Sweet Water Cont. Co' and the user 'Odoobot ٢٤ أغسطس ٢٠٢٣'.

3. **Pick the Category** (Laptop, Desktop, Monitor, Mobile Phone, Printer, Networking Equipment, Software License, Accessory). Required — it drives the grouping, the colour and every report.
4. **Fill in the identity:** Brand, Model, and the **Serial / IMEI**. The serial is what you will search by when someone reads a sticker over the phone, so type it carefully.
5. **Set the Location** — where it physically lives when nobody holds it, e.g. *"HQ - 3rd Floor Store"*.
6. **Record the purchase:** Vendor, Purchase Date, Purchase Value, and the **Warranty Expiry Date**. The warranty date is worth the ten seconds — see **Maintenance, loss and warranty**.
7. **Add a photo** (top-right image box) if it helps identify the unit, and any internal remarks on the **Notes** tab.
8. **Save**. The asset gets its permanent tag — `IT/00001` , `IT/00002` , ... — and starts as **Available**.

Finding an asset

The search box matches the **name, the asset tag and the serial number** at once. Beyond that:

- Filters for **Available, Assigned, In Maintenance, Lost / Stolen, Retired, Archived**

- **Warranty Expiring Soon** and **Warranty Expired**
- Group by **Category**, **Status**, **Assigned To** or **Department**
- **Calendar** view plots warranty expiry dates by month; **Graph** and **Pivot** break the fleet down by category and status

The two buttons at the top of an asset form — **Assignments** and **Maintenance** — open its full history: everyone who has held it, and every repair it has been through.

Common issues

Symptom	Cause	Fix
"This asset tag already exists"	Tags are unique and generated automatically	Don't type tags by hand; let the sequence assign one
An asset vanished from the list	It was retired, which archives it	Add the Archived or Retired filter
Assigned To won't let me type in it	It is set by the assign/return workflow, never by hand	Use Assign to Employee — see Assigning and returning assets
An employee can't pick their device on a ticket	The asset isn't assigned to them in the register	Assign it properly; the ticket field follows custody
A colleague says the Assets menu isn't there	They are not in the IT Team group	That is by design — assets are IT-only

Related guides

- [Assigning and returning assets](#)
- [Maintenance, loss and warranty](#)
- [Configuring stages and categories](#)

Assigning and Returning Assets

Who is this for: IT Team **How long it takes:** 1 minute each way

What this does

Records custody: which employee is holding which device, from when, in what condition — and closes that record when they hand it back. Every hand-over and return is kept as a dated line, so any asset can answer "who had this, and when?" years later, and any employee can be checked out on their last day.

Before you start

- The asset must be **Available** to be assigned. If it is already with someone, return it first; if it is out for repair, bring it back from maintenance first.
- Agree the **condition** with the employee at hand-over — that is the number that protects both sides on the way back.

Steps — assigning

1. **Open the asset (Helpdesk → Assets → Assets)** and click **Assign to Employee** in the header.

The screenshot shows a web application interface for IT Asset Management. The main header includes navigation links like 'الدعم الفني', 'تدكري', 'جميع التذاكر', 'سجل التذاكر', 'التقارير', 'الاصول التقنية', and 'الإعدادات'. The main content area displays details for a 'Dell P2422H 24" Monitor' with ID 'IT/00003'. A modal dialog box titled 'Assign Asset' is open, showing fields for 'الموظف' (Employee), 'تاريخ التسليم' (Delivery Date) set to '٣٠ أغسطس', and 'الحالة الفنية' (Technical Condition) set to 'جيدة' (Good). The dialog also has 'إلغاء' (Cancel) and 'تسليم' (Assign) buttons. The background interface includes a sidebar with various icons and a top navigation bar with tabs like 'النشاط', 'الملاحظات', 'Internal', and 'خارجي'.


2. **Pick the Employee**, check the **Date** (defaults to today), and set the **Condition** you are handing it over in — New, Good, Fair or Poor.

3. **Add Notes** if anything is worth recording — accessories included, a scratch on the lid, a temporary loan with a return date agreed.
4. **Click Assign.** The asset switches to **Assigned**, **Assigned To** shows the employee, their department is filled in, and a new line opens in the assignment history.

From that moment the employee can select this device as the **Related Asset** on their support tickets.

Steps — returning


1. **Open the asset** and click **Return** in the header.



2. **Check the Date**, and record the **Condition it came back in**. This is the whole point of the return step: comparing condition out against condition in is how damage gets noticed at the right moment.
3. **Add Notes** — missing charger, cracked screen, wiped and reimaged.
4. **Click Return.** The open assignment line is closed with the return date and condition, the asset goes back to **Available**, and **Assigned To** is cleared.

The custody history

Helpdesk → Assets → Assignments lists every hand-over ever recorded, across all assets — searchable by employee, by asset, by category, and by **Active** or **Returned**.



Two things it answers directly:

- **Off-boarding.** Filter by the employee and by **Active** — what is still in their custody, and therefore what must come back before their last day.
- **Device history.** From an asset's form, the **Assignments** button opens the same list for that one device: every holder, every date, condition out and in.

Common issues

Symptom	Cause	Fix
"Only an available asset can be assigned. Return or repair it first."	It is already assigned, in maintenance, retired or lost	Return it, or bring it back from maintenance, first
"This asset is not currently assigned."	You clicked Return on something nobody holds	Check the status bar
Assign to Employee isn't in the header	The asset isn't Available	Same as above
I assigned it to the wrong person	—	Return it (same day, same condition), then assign it correctly. Both lines stay in the history, which is honest and harmless
The employee left and the asset is still on	Nobody ran the return	Return it now with the real date; the history keeps the true dates

Symptom	Cause	Fix
them		
An employee still can't pick their device on a ticket	Assignment not saved, or the ticket's employee is someone else	Confirm Assigned To on the asset matches Reported By on the ticket

Related guides

- [The IT asset register](#)
- [Maintenance, loss and warranty](#)

Maintenance, Loss, Retirement and Warranty

Who is this for: IT Team **How long it takes:** 1 minute per action

What this does

Covers the rest of an asset's life after it has been bought and handed out: sending it for repair and bringing it back, writing off what is lost or stolen, retiring what has reached end of life, and staying ahead of warranty expiry so repairs are claimed rather than paid for.

Before you start

- All of these actions need the asset to be in the right status; the buttons appear and disappear accordingly. **An asset in an employee's custody must be returned first** — you cannot send it to maintenance while it is assigned.
- Know whether the device is still under warranty before you commit to a paid repair. The asset form tells you: a **Warranty Expiring** or **Warranty Expired** ribbon across the top, and a colour-coded status in the list.

Sending an asset for repair

1. **Return it from the employee first** if someone holds it — see [Assigning and returning assets](#).
2. **Click Send to Maintenance** in the header. The asset switches to **In Maintenance** and a maintenance record is opened for it.
3. **Fill in the maintenance record** — **Helpdesk** → **Assets** → **Maintenance**, or the **Maintenance** button on the asset itself. Describe the **Issue**, set **Repaired By** (the vendor), and enter the **Cost** when you know it.

The screenshot shows the Helpdesk application interface. On the left is a dark sidebar with navigation icons for Discuss, Calendar, Dashboards, Workshop, Loans, Helpdesk (highlighted), Employees, Time Off, and Apps. The top navigation bar includes links for My Tickets, All Tickets, Ticket History, Reporting, Assets, and Configuration. The main content area is titled 'New Maintenance' and contains a table with the following data:

Asset	Issue	Date Start	Date End	Cost	State
☐ [IT/00005] Lenovo ThinkPad T14 Laptop	Keyboard not responding - sent to vendor	Aug 18		450.00	In Progress

Below the table, there is a large empty space with the text '450.00' visible in the bottom right corner of the table area.

4. **When it comes back**, open the asset and click **Return from Maintenance**. The open maintenance record is marked **Done** with today's date, and the asset becomes **Available** again — ready to hand out.

The **Maintenance** button on any asset shows every repair it has ever had, with costs. Two or three expensive repairs on one machine is the argument for replacing it.

Lost or stolen

Click **Mark as Lost / Stolen** (you will be asked to confirm). Use it when a device genuinely cannot be accounted for — the status is visible in red across the register and in every report.

If the device was in someone's custody when it went missing, **return it from them first**, noting the circumstances in the return notes, then mark it lost. That way the custody record closes properly and the history reads correctly.

If it turns up, click **Retire** and then **Reactivate**, or simply reactivate it from the archived list — it returns as **Available**.

Retiring an asset

Retire is for end of life: written off, disposed of, sold, replaced. The asset must be **Available** or **Lost / Stolen** first, so nothing gets retired out from under an employee.

Retiring **archives** the asset: it keeps its full history but disappears from the normal list. Find it again with the **Archived** or **Retired** filter; the **Reactivate** button brings it back as Available if you retire one by mistake.

Prefer retiring to deleting. A deleted asset takes its custody and repair history with it.

Warranty tracking

Fill in **Warranty Expiry Date** when you register an asset, and the system watches it for you:

Warranty status	When
Valid	More than 30 days left
Expiring Soon	30 days or fewer — amber badge, amber ribbon on the form
Expired	The date has passed — red badge, red ribbon
No Warranty	No date recorded

- **Filters:** *Warranty Expiring Soon* and *Warranty Expired* on the asset list.
- **Calendar view:** every warranty expiry plotted by month — the quickest way to see what is about to run out.
- **Automatic reminder:** exactly **30 days before** an asset's warranty expires, the system schedules a to-do activity for **every member of the IT Team**. It shows up in your **Activities** (the clock icon in the top bar) and names the asset and the date.

That reminder is the point of filling the date in: it is the moment to raise any pending repair with the vendor while it is still free.

Common issues

Symptom	Cause	Fix
"Only an available asset can be sent to maintenance."	It is assigned, retired or already in maintenance	Return it from the employee first
"This asset is not in maintenance."	You clicked Return from Maintenance on something that isn't out for repair	Check the status bar
"Return or repair this asset before retiring it."	Retire only works from Available or Lost / Stolen	Return it, or bring it back from maintenance, first
A retired asset disappeared	Retiring archives it	Filter by Archived / Retired , then Reactivate

Symptom	Cause	Fix
No warranty reminders arrive	No expiry date on the asset, or the person isn't in the IT Team group	Fill in Warranty Expiry Date ; the reminder goes to IT Team members only
The reminder came too late to be useful	It fires 30 days ahead, once	Also use the Warranty Expiring Soon filter as part of your monthly routine

Related guides

- [The IT asset register](#)
- [Assigning and returning assets](#)

Reporting and Ticket History

Who is this for: IT Team **How long it takes:** 5 minutes


What this does

Turns the closed tickets into two things you can act on: a **searchable record** of what was solved and how (History), and **numbers** on volume, mix and speed (Reporting).

Both look only at **closed** tickets — the work that is actually finished.

Ticket History — "have we seen this before?"

Helpdesk → Ticket History is every closed ticket as a list.




Reference	Ticket Type	Short Description	Reported By	Stage	Assigned To	Priority	Is Overdue	Is Closed
REQ00003	Service Request	Password reset for the ERP account	Train Employee	Closed	Train It	★☆☆		
INC00005	Incident	Outlook not sending emails	Train Employee	Closed	Train It	★☆☆		
INC00006	Incident	Replace faulty keyboard	Train Employee	Closed	Train It	★☆☆		
REQ00004	Service Request	New employee laptop setup	Train Employee	Closed	Train It	★☆☆		

The search box matches the **ticket number, title and description** together, so searching **VPN** finds every VPN problem ever closed, including the message threads that solved them. Before you start diagnosing something unfamiliar, search the history first — the answer is often three months old.

Useful columns are hidden by default; add them from the ⚙️ / **optional columns** toggle at the right of the header row: **Category**, **Deadline**, **Created on**, **Closing Date**, **Closed By**, **Resolution (h)** and **Satisfaction**.

Reporting — the numbers

Helpdesk → Reporting opens the same closed tickets as a chart, with the **Pivot** and **List** views one click away.



Two measures are available: the **count** of tickets and **Resolution Time (h)** — the hours between a ticket's creation and its closing.

Questions it answers directly:

Question	How
What do we actually spend our time on?	Group rows by Category , measure Count
Incidents vs service requests	Group by Type
Who closes what	Group by Assigned To
Where are we slow?	Group by Category , measure Resolution Time (h) , switch to average
Is it getting better?	Pivot with Closing Date : Month as columns
Which department raises the most?	Group by the caller's department

In the **Pivot** view, use the **Measures** menu to switch between Count and Resolution Time (and to switch Resolution Time to an average rather than a sum — a sum of hours

across 200 tickets means nothing; the average is the service level). **Download to Excel** from the pivot's toolbar when you need it in a report.

Read resolution time honestly. It is wall-clock time, including nights and weekends, measured from creation to closing. A ticket raised on a Thursday evening and closed Sunday morning reads as ~40 hours of "slow service". Use it to compare categories and months against each other, not as a contractual SLA.

The open picture

Reporting covers finished work. For the live one, use the queue itself:

- **All Tickets → Overdue** — everything past its deadline
- **All Tickets → Unassigned** — nothing should sit here long
- **All Tickets** grouped by **Assigned To** — current workload per person
- The **Calendar** view — deadlines across the month

Common issues

Symptom	Cause	Fix
A ticket I closed isn't in the reports	It was reopened, so it is open again	Close it when it is genuinely done
Resolution times look far too high	Wall-clock, including weekends — and tickets closed in a late clean-up sweep	Close tickets when the work ends; compare relative, not absolute
The chart is empty	No closed tickets in the period you filtered	Widen the period
Satisfaction is blank almost everywhere	Employees rate only if asked	Ask for the rating when you hand over the fix
I need this in Excel	—	Use the Pivot view's download button

Related guides

- **Working the ticket queue**
- **Resolving and closing a ticket**

Configuring Stages, Categories and Asset Categories

Who is this for: IT Team **How long it takes:** 5 minutes


What this does

Three short configuration lists shape the whole app: the **stages** a ticket moves through, the **categories** employees choose from when raising one, and the **categories** the asset register is organised by. All three live under **Helpdesk → Configuration** and are IT Team only.

The system ships with all three already filled in sensibly. Change them when your process changes — not before.

Ticket stages

Helpdesk → Configuration → Ticket Stages — the columns of the kanban board.



Field	What it does
Name	The column header on the board
Sequence	Left-to-right order

Field	What it does
Fold	Folds the column on the board when empty — set on Closed
Is Closed	The important one. Tickets here count as resolved
Description	Shown as a tooltip on the board — use it to say what the stage means


Is Closed is what the rest of the app keys on: the **Close Ticket** button sends the ticket to the **first stage with Is Closed ticked**, and **Reopen** sends it back to the **first stage without it**. Reporting, Ticket History, the Open/Closed filters and the overdue calculation all read the same flag.

Two rules worth respecting:

- **Keep exactly one closed stage** unless you have a real reason for more. With two, "closed" stops being one number.
- **A stage that is in use cannot be deleted** — the system blocks it to protect the tickets sitting in it. Rename it, or move the tickets out first.

Ticket categories

Helpdesk → Configuration → Ticket Categories — what an employee picks on the form.



Every category belongs to **one kind**, and that is what makes the form behave: choosing **Incident** offers only incident categories, choosing **Service Request** only service-

request ones.

Kind	Shipped categories
Incident	Hardware · Software · Network & Internet · Email · Printer · Access & Permissions · Other
Service Request	New Hardware Request · New Software Installation · Access / Permission Request · Password Reset · Information / How-To · Other

- The same **name may exist once per kind** — which is why "Other" appears in both lists — but not twice within one kind.
- **Colour** tints the ticket cards on the board; **Sequence** orders the dropdown, so put the common ones first.
- To stop offering a category without losing the tickets filed under it, **archive** it rather than deleting it.

Categories are the axis every report is grouped by. Adding one splits your history; keep the list short and meaningful.

Asset categories

Helpdesk → Configuration → Asset Categories — how the register is organised.

Helpdesk

Discuss

Calendar

Dashboards

Workshop

Loans

Helpdesk

Employees

Time Off

Apps

My Tickets

All Tickets

Ticket History

Reporting

Assets

Configuration

3

0

Kawther Sweet Water Cont. Co.

T

New

Asset Categories

Q

Search...

1-8 / 8

☐	Name	Icon	Asset Co...
☐	Laptop	fa-laptop	2
☐	Desktop	fa-desktop	0
☐	Monitor	fa-television	1
☐	Mobile Phone	fa-mobile	1
☐	Printer	fa-print	1
☐	Networking Equipment	fa-wifi	1
☐	Software License	fa-key	0
☐	Accessory	fa-plug	0

Software License

Shipped with **Laptop, Desktop, Monitor, Mobile Phone, Printer, Networking Equipment, Software License** and **Accessory**. Each has a name, a sequence, a

colour (which tints the asset cards) and an icon, and shows how many assets are filed under it — click through to see them.

Names are unique per company. Archive rather than delete when a category falls out of use.

Who can do all this

There are only two roles in the whole app:

Role	Can
User (every employee, automatically)	Raise tickets for themselves or a direct report, follow them, comment, rate the resolution. No assets, no configuration
IT Team	Everything: every ticket, stage/assignee/marker changes, the asset register, and these configuration lists

Roles are granted in **Settings → Users & Companies → Users**, under the **Helpdesk** section of the user's form. Every internal user is a Helpdesk **User** already — you never need to grant that; you only add people to **IT Team**.

Common issues

Symptom	Cause	Fix
Closing a ticket sends it to the wrong stage	More than one stage has Is Closed ticked	Keep one; Close picks the first by sequence
Reopen lands the ticket in an odd stage	It goes to the first stage without Is Closed	Check the sequence of your open stages
A stage won't delete	Tickets still reference it	Move them out, or archive/rename the stage instead
"A category with this name already exists for this ticket type."	Names are unique per kind	Rename, or check whether it already exists under the other kind
An employee can't see the category I added	It belongs to the other kind	Categories follow the Incident / Service Request choice
A new IT colleague sees only their own tickets	They aren't in the IT Team group yet	Add them in Settings → Users

Related guides

- **Working the ticket queue**
- **The IT asset register**