



25+ Years  
of Experience

PROGRAMMING  
ADVICES

LEARN THE  
RIGHT WAY

Mohammed Abu-Hadhoud

MSA, PMOC, PMP®, PMP®, PMP-ACP®, CS, ITIL®, MCPD, MCD



لا تنسى الاشتراك في قناتنا على اليوتيوب ومشاركة القناة مع اصدقائك  
لتعم الفائدة للجميع وانقاذ الاف الناس من التشتت جزاكم الله خيرا

لا تنسونا من دعائكم وادعو لوالدي بالرحمة

[www.ProgrammingAdvices.com](http://www.ProgrammingAdvices.com)



## مهم جداً

هذا الملف للمراجعة السريعة واخذ الملاحظات عليه فقط ،لانه يحتوي على اقل من 20٪ مما يتم شرحه في الفيديوهات الاستعجال والاعتماد عليه فقط سوف يجعلك تخسر كميه معلومات وخبرات كثيره

**يجب عليك مشاهدة فيديو الدرس كاملا**

لاتنسى عمل لايك ومشاركة القناة لدعم الفائدة للجميع  
لا تنسونا من دعائكم

**ProgrammingAdvices.com**

Mohammed Abu-Hadhoud



# **Introduction to Restful-APIs**

---


## **Http Request Object**

**Dr. Mohammed Abu-Hadoud**


DBA, MBA, PMOC, PgMP®, PMP®, PMI-RMP®, CM, ITILF, MCPD, MCSD



**ProgrammingAdvices.com**




**PROGRAMMING  
ADVICES** LEARN THE  
RIGHT WAY






# Request/Response Objects

## Request Object



## Response Object



# Http Request Object:

- The request object in HTTP is a key component that represents the data sent by the client to the server.
- It contains various parts and pieces of information that help the server understand what the client is asking for and how to process the request.

Here's an overview breakdown of the components of an HTTP request object:

# Http Request Object:

Headers provide metadata about the request. They are key-value pairs and can include a wide range of information.

- Host: Specifies the domain name of the server.
- User-Agent: Contains information about the client software.
- Accept: Indicates the media types the client can process.
- Content-Type: Format, Specifies the media type of the request body.
- Authorization: Contains credentials for authenticating the client.
- Content Length.
- Cookie: Sends stored cookies from the client to the server.
- Cache-Control: Directives for caching mechanisms in both requests and responses.

## Request Object

Request Line

Header

Body  
(Content)

- Method: The HTTP method (e.g., GET, POST, PUT, DELETE) indicating the desired action.
- URL: The Uniform Resource Locator specifying the resource to be fetched or manipulated.
- HTTP Version: The version of the HTTP protocol being used (e.g., HTTP/1.1).

The body of the request contains the data being sent to the server. This is typically used with methods like POST, PUT, and PATCH.

The format of the body can vary (e.g., JSON, XML, form data).



programmingAdvices.com  
Thank You

**Mohammed Abu-Hadhoud**

26+ Years of Experience

MBA, PMOC, PgMP®, PMP®, PMI-RMP®, CM, ITILF, MCPD, MCSD



**PROGRAMMING  
ADVICES** LEARN THE  
RIGHT WAY