CS23336/GE23231/GE23233-IPP/PUP/PSPP

Status	Finished
Started	Wednesday, 7 October 2026, 11:41 PM
Completed	Thursday, 8 October 2026, 12:03 AM
Duration	21 mins 25 secs
Grade	**9.00** out of 10.00 (**90**%)

Question 1

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Assume that the given string has enough memory.

Don't use any extra space(IN-PLACE)

Sample Input 1

a2b4c6

Sample Output 1

aabbbbccccc
Answer:(penalty regime: 0 %)

```
s = input()
i = 0
result = ""

while i < len(s):
    ch = s[i]
    i += 1
    num = ""

    while i < len(s) and s[i].isdigit():
        num += s[i]
```

```
        num += s[i]
        i += 1

    result += ch * int(num)

print(result)
```

```
s = input()
i = 0
result = ""

while i < len(s):
    ch = s[i]
    i += 1
    num = ""

    while i < len(s) and s[i].isdigit():
        num += s[i]
        i += 1

    result += ch * int(num)

print(result)
```

Feedback

Input	Expected	Got
a2b4c6	aabbbbccccccc	aabbbbccccccc
a12b3d4	aaaaaaaaaaaabbbdddd	aaaaaaaaaaaabbbdddd

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 2

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Write a Python program to get one string and reverses a string. The input string is given as an array of characters `char[]`.

You may assume all the characters consist of printable ascii characters.

Example 1:

Input:
hello
Output:
olleh

Example 2:

Input:
Hannah
Output:
hannaH

Answer:(penalty regime: 0 %)

```
s = input()
print(s[::-1])
```


```
s = input()
print(s[::-1])
```

Feedback

Input	Expected	Got
hello	olleh	olleh
Hannah hannaH		hannaH

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 3

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Given a string, determine if it is a palindrome, considering only alphanumeric characters and ignoring cases.

Note: For the purpose of this problem, we define empty string as valid palindrome.

Example 1:

Input:
A man, a plan, a canal: Panama

Output:
1

Example 2:

Input:
race a car

Output:

```
0
```

Constraints:

- `s` consists only of printable ASCII characters.

Answer:(penalty regime: 0 %)

```
s = input()

t = ""

for ch in s:
    if ch.isalnum():
        t += ch.lower()

if t == t[::-1]:
    print(1)
else:
    print(0)
```


```
s = input()

t = ""

for ch in s:
    if ch.isalnum():
        t += ch.lower()

if t == t[::-1]:
    print(1)
else:
    print(0)
```


Feedback

Input	Expected	Got
A man, a plan, a canal: Panama	1	1
race a car	0	0

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 4

Correct
Mark 1.00 out of 1.00
Flag question

Question text

The program must accept **N** series of keystrokes as string values as the input. The character ^ represents undo action to clear the last entered keystroke. The program must print the string typed after applying the undo operations as the output. If there are no characters in the string then print **-1** as the output.

Boundary Condition(s):

1 <= N <= 100
1 <= Length of each string <= 100

Input Format:

The first line contains the integer N.
The next N lines contain a string on each line.

Output Format:

The first N lines contain the string after applying the undo operations.

Example Input/Output 1:

Input:

3
Hey ^ goooo^^glee^
lucke^y ^charr^ms
ora^^nge^^^^

Output:

Hey google
luckycharms
-1

Answer:(penalty regime: 0 %)

```
n = int(input())

for _ in range(n):
    s = input()
    result = []

    for ch in s:
        if ch == '^':
            if result:
                result.pop()
        else:
            result.append(ch)

    if result:
        print(''.join(result))
    else:
        print(-1)
```


```
n = int(input())

for _ in range(n):
    s = input()
    result = []

    for ch in s:
        if ch == '^':
            if result:
                result.pop()
        else:
            result.append(ch)

    if result:
        print(''.join(result))
    else:
        print(-1)
```

Feedback

Input	Expected	Got
3 Hey ^ goooo^^glee^ lucke^y ^charr^ms ora^^nge^^^^	Hey google luckycharms -1	Hey google luckycharms -1

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 5

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Given a string s containing just the characters '(', ')', '{', '}', '[' and ']', determine if the input string is valid.

An input string is valid if:

Open brackets must be closed by the same type of brackets.

Open brackets must be closed in the correct order.

Constraints:

1 <= s.length <= 10^4

s consists of parentheses only '()[]{}'.

For example:

Test	Result
`print(ValidParenthesis("()"))`	`true`
`print(ValidParenthesis("()[]{}"))`	`true`
`print(ValidParenthesis("("))`	`false`

Answer:(penalty regime: 0 %)
Reset answer

```
def ValidParenthesis(s):
    stack = []
    pairs = {')': '(', ']': '[', '}': '{'}

    for ch in s:
        if ch in '([{':
            stack.append(ch)
        elif not stack or stack.pop() != pairs[ch]:
            return "false"

    return "true" if not stack else "false"
```


```
def ValidParenthesis(s):
    stack = []
    pairs = {')': '(', ']': '[', '}': '{'}

    for ch in s:
        if ch in '([{':
            stack.append(ch)
        elif not stack or stack.pop() != pairs[ch]:
            return "false"

    return "true" if not stack else "false"
```


Feedback

Test	Expected	Got
`print(ValidParenthesis("()"))`	`true`	`true`
`print(ValidParenthesis("()[]{}"))`	`true`	`true`
`print(ValidParenthesis("("))`	`false`	`false`

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 6

Incorrect
Mark 0.00 out of 1.00
Flag question

Question text

Given a **non-empty** string s and an abbreviation abbr, return whether the string matches with the given abbreviation.

A string such as "word" contains only the following valid abbreviations:

["word", "1ord", "w1rd", "wo1d", "wor1", "2rd", "w2d", "wo2", "1o1d", "1or1", "w1r1", "1o2", "2r1", "3d", "w3", "4"]

Notice that only the above abbreviations are valid abbreviations of the string "word". Any other string is not a valid abbreviation of "word".

Note:

Assume s contains only lowercase letters and abbr contains only lowercase letters and digits.

Example 1:

Input

internationalization

i12iz4n

Output

true

Explanation

Given **s** = "internationalization", **abbr** = "i12iz4n":

Return true.

Example 2:

Input

apple

a2e

Output

false

Explanation

Given **s** = "apple", **abbr** = "a2e":

Return false.

Answer:(penalty regime: 0 %)

```
def ValidAbbreviation(s, abbr):
    i = 0
    j = 0

    while i < len(abbr):
```

```
    while j < len(abbr):
        if abbr[j].isalpha():
            if i >= len(s) or s[i] != abbr[j]:
                return "false"
            i += 1
            j += 1
        else:
            if abbr[j] == '0':
                return "false"

            n = 0
            while j < len(abbr) and abbr[j].isdigit():
                n = n * 10 + int(abbr[j])
                j += 1

            i += n

            if i > len(s):
                return "false"

    if i == len(s):
        return "true"
    return "false"
```

```
def ValidAbbreviation(s, abbr):
    i = 0
    j = 0

    while j < len(abbr):
        if abbr[j].isalpha():
            if i >= len(s) or s[i] != abbr[j]:
                return "false"
            i += 1
            j += 1
        else:
            if abbr[j] == '0':
                return "false"

            n = 0
            while j < len(abbr) and abbr[j].isdigit():
                n = n * 10 + int(abbr[j])
                j += 1

            i += n

            if i > len(s):
                return "false"

    if i == len(s):
        return "true"
    return "false"
```

Feedback

Input	Expected
`internationalization` `i12iz4n`	`true`
`apple` `a2e`	`false`

Some hidden test cases failed, too.
Your code must pass all tests to earn any marks. Try again.

Incorrect
Marks for this submission: 0.00/1.00.

Question 7

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Consider the below words as key words and check the given input is key word or not.

keywords: {break, case, continue, default, defer, else, for, func, goto, if, map, range, return, struct, type, var}

Input format:

Take string as an input from stdin.

Output format:

Print the word is key word or not.

Example Input:

break

Output:

break is a keyword

Example Input:

IF

Output:

IF is not a keyword

For example:

Input	Result
break	break is a keyword
IF	IF is not a keyword

Answer:(penalty regime: 0 %)

```
s = input()

keywords = ["break", "case", "continue", "default", "defer", "else",
            "for", "func", "goto", "if", "map", "range", "return",
            "struct", "type", "var"]

if s in keywords:
    print(s + " is a keyword")
else:
    print(s + " is not a keyword")
```


```
s = input()

keywords = ["break", "case", "continue", "default", "defer", "else",
            "for", "func", "goto", "if", "map", "range", "return",
            "struct", "type", "var"]

if s in keywords:
    print(s + " is a keyword")
else:
    print(s + " is not a keyword")
```


Feedback

Input	Expected	Got
break	break is a keyword	break is a keyword
IF	IF is not a keyword	IF is not a keyword

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 8

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Find if a String2 is substring of String1. If it is, return the index of the first occurrence. else return -1.

Sample Input 1

thistest123string

123

Sample Output 1

8

Answer:(penalty regime: 0 %)

```
s1 = input()
s2 = input()

print(s1.find(s2))
```

```
s1 = input()
s2 = input()
```

```
3
4  print(s1.find(s2))
```

Feedback

Input	Expected	Got
thistest123string 123	8	8

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 9

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Given a string S which is of the format USERNAME@DOMAIN.EXTENSION, the program must print the EXTENSION, DOMAIN, USERNAME in the reverse order.

Input Format:

The first line contains S.

Output Format:

The first line contains EXTENSION.
The second line contains DOMAIN.

The third line contains USERNAME.

Boundary Condition:

1 <= Length of S <= 100

Example Input/Output 1:

Input:

abcd@gmail.com

Output:

com
gmail
abcd

For example:

Input	Result
arvijayakumar@rajalakshmi.edu.in	edu.in rajalakshmi arvijayakumar

Answer:(penalty regime: 0 %)

```
s = input()

username, rest = s.split("@")
domain, extension = rest.split(".", 1)

print(extension)
print(domain)
print(username)
```

```
s = input()

username, rest = s.split("@")
domain, extension = rest.split(".", 1)
```

```
5
6  print(extension)
7  print(domain)
8  print(username)
```

Feedback

Input	Expected	Got
abcd@gmail.com	com gmail abcd	com gmail abcd
arvijayakumar@rajalakshmi.edu.in	edu.in rajalakshmi arvijayakumar	edu.in rajalakshmi arvijayakumar

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 10

Correct
Mark 1.00 out of 1.00
Flag question

Question text

A pangram is a sentence where every letter of the English alphabet appears at least once.

Given a string sentence containing only lowercase English letters, return true if sentence is a pangram, or false otherwise.

Example 1:

Input:

thequickbrownfoxjumpsoverthelazydog

Output:

true

Explanation: sentence contains at least one of every letter of the English alphabet.

Example 2:

Input:

arvijayakumar

Output: false

Constraints:

1 <= sentence.length <= 1000

sentence consists of lowercase English letters.

For example:

Test	Result
`print(checkPangram('thequickbrownfoxjumpsoverthelazydog'))`	`true`
`print(checkPangram('arvijayakumar'))`	`false`

Answer:(penalty regime: 0 %)

Reset answer

```
def checkPangram(sentence):
    if len(set(sentence)) == 26:
        return "true"
    return "false"
```

```
def checkPangram(sentence):
    if len(set(sentence)) == 26:
        return "true"
    return "false"
```

Feedback

Test	Expected	Got
`print(checkPangram('thequickbrownfoxjumpsoverthelazydog'))`	`true`	`true`
`print(checkPangram('arvijayakumar'))`	`false`	`false`

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.
Finish review

Blocks

Skip Quiz navigation

Quiz navigation

Question 1 This page Question 2 This page Question 3 This page Question 4 This page Question 5 This page
Question 6 This page Question 7 This page Question 8 This page Question 9 This page Question 10 This page
Show one page at a timeFinish review

Blocks

CS23336/GE23231/GE23233-IPP/PUP/PSPP

Status	Finished
Started	Wednesday, 7 October 2026, 11:29 PM
Completed	Wednesday, 7 October 2026, 11:40 PM
Duration	10 mins 18 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question 1

Correct
Mark 1.00 out of 1.00
Flag question

Question text

What is the output of the following?

```
my_string = 'arvijayakumar'
for i in range(len(my_string)):
        my_string[i].upper()
print (my_string)
```

Question 1 Answer

a.

ARVIJAYAKUMAR

b.

arvijayakumar

c.

Error

d.

None

Question 2

Correct
Mark 1.00 out of 1.00
Flag question

Question text

What is the output of the following code.

```
Line1 = "And Then There Were None"
Line2 = "Famous In Love"
Line3 = "Famous Were The Kol And Klaus"
Line4 = Line1 + Line2 + Line3
print("And" in Line4)
```

Question 2 Answer

a.

True 2

b.

True

c.

False 2

d.

False

Question 3

Correct
Mark 1.00 out of 1.00
Flag question

Question text

What is the output of the following code?

```
str1='vijayakumar'
str2='.'
str3='---'
print(str1[-1:])
```

Question 3 Answer

a.

ramukayajiv

b.

vijayakuma

c.

'r'

d.

None of the above

Question 4

Correct
Mark 1.00 out of 1.00
Flag question

Question text

What is the output of the following Code?

print(chr(70))

Answer: Question 4 F

Question 5

Correct
Mark 1.00 out of 1.00
Flag question

Question text

What will be the output of the following code?

a = 'ab'

```
b = 4

print(a*b)
```

Answer: Question 5 abababab

Question 6

Correct
Mark 1.00 out of 1.00
Flag question

Question text

What will the below Python code will return?

```
str1="save paper,save plants"
str1.find("save")
```

Question 6 Answer

a.

It returns the last index position of the last occurance of "save" in the given string str1.

b.

It returns the first index position of the last occurance of "save" in the given string str1.

c.

It returns the first index position of the first occurance of "save" in the given string str1.

d.

It returns the last index position of the first occurance of "save" in the given string str1.

Question 7

Correct
Mark 1.00 out of 1.00
Flag question

Question text

What arithmetic operators cannot be used with strings in Python?

Question 7 Answer

a.

-

b.

All of the mentioned

c.

+

d.

*

Question 8

Correct
Mark 1.00 out of 1.00
Flag question

Question text

What is the output of the following Code?

print(ord('C'))

Answer: Question 8 67

Question 9

Correct
Mark 1.00 out of 1.00
Flag question

Question text

What is the output of the following code ?

```
str = "Welcome"
str[2] = 'a'
print(str)
```

Question 9 Answer

a.

Welcomea

b.

aWelcome

c.

Weacome

d.

Error

Question 10

Correct
Mark 1.00 out of 1.00
Flag question

Question text

What will be the output of below Python code?

```
str1="poWer"
str1.upper()
print(str1)
```

Answer: Question 10

power

Question 11

Correct
Mark 1.00 out of 1.00
Flag question

Question text

What will be the output of below Python code?

```
str1="Application"
str2=str1.replace('a','A')
```

```
print(str2)
```

Answer: Question 11

ApplicAtion

Question 12

Correct
Mark 1.00 out of 1.00
Flag question

Question text

What is the output of the following Code?

print(chr(69))

Answer: Question 12

E

Question 13

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Strings are immutable?

Question 13 Select one:

- True
- False

Question 14

Correct
Mark 1.00 out of 1.00
Flag question

Question text

What is the output of the following Code?

str1="123456789"

print(str1[2:6:2])

Answer: Question 14

35

Question 15

Incorrect
Mark 0.00 out of 1.00
Flag question

Question text

What is the output of the following code?

```
my_string = "arvjayakumar"
i = "i"
while i in my_string:
    print(i, end =" ")
```

Question 15 Answer

a.

arvjayakumar

b.

a r v j a y a k u m a r

c.

None

d.

i i i i i i . . .

Finish review

Blocks

Skip Quiz navigation

Quiz navigation

Question 1 This page Question 2 This page Question 3 This page Question 4 This page Question 5 This page Question 6 This page Question 7 This page Question 8 This page Question 9 This page Question 10 This page Question 11 This page Question 12 This page Question 13 This page Question 14 This page Question 15 This page
Show one page at a timeFinish review

Blocks