CS23336/GE23231/GE23233-IPP/PUP/PSPP

Status	Finished
Started	Thursday, 27 August 2026, 2:09 PM
Completed	Thursday, 27 August 2026, 2:15 PM
Duration	5 mins 8 secs
Grade	**10.00** out of 10.00 (**100**%)

Question 1

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Write python program to print the following pattern based on input size.

Input:

3

Output:

```
  1
 2 3
4 5 6
```

For example:

Input	Result

4	`   1`
	`  2 3`
	` 4 5 6`
	`7 8 9 10`

Answer:(penalty regime: 0 %)

```
n = int(input())

num = 1

for i in range(1, n + 1):
    print(" " * (n - i), end="")

    for j in range(i):
        print(num, end=" ")
```

```
            num += 1

    print()
```

```
n = int(input())

num = 1

for i in range(1, n + 1):
    print(" " * (n - i), end="")

    for j in range(i):
        print(num, end=" ")
        num += 1

    print()
```

Feedback

Input	Expected	Got
3	1 2 3 4 5 6	1 2 3 4 5 6
4	1 2 3 4 5 6 7 8 9 10	1 2 3 4 5 6 7 8 9 10

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 2

Correct
Mark 1.00 out of 1.00
Flag question

Question text

A Number is said to be Disarium number when the sum of its digit raised to the power of their respective positions becomes equal to the number itself. Write a program to print number is Disarium or not.

Input Format:

Single Integer Input from stdin.

Output Format:

Yes or No.

Example Input:

175

Output:

Yes

Explanation

1^1 + 7^2 +5^3 = 175

Example Input:

123

Output:

No

For example:

Input	Result
175	Yes
123	No

Answer:(penalty regime: 0 %)

```
n = int(input())

digits = str(n)
total = 0

for i in range(len(digits)):
    total += int(digits[i]) ** (i + 1)

```

```
if total == n:
    print("Yes")
else:
    print("No")
```

```
n = int(input())

digits = str(n)
total = 0

for i in range(len(digits)):
    total += int(digits[i]) ** (i + 1)

if total == n:
    print("Yes")
else:
    print("No")
```

Feedback

Input	Expected	Got
175	Yes	Yes
123	No	No
89	Yes	Yes
90	No	No
518	Yes	Yes

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 3

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Write a program to find the count of non-repeated digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number >= 1 and <= 25000.

Some examples are as below.

If the given number is 292, the program should return 1 because there is only 1 non-repeated digit '9' in this number

If the given number is 1015, the program should return 2 because there are 2 non-repeated digits in this number, '0', and '5'.

If the given number is 108, the program should return 3 because there are 3 non-repeated digits in this number, '1', '0', and '8'.

If the given number is 22, the function should return 0 because there are NO non-repeated digits in this number.

For example:

Input	Result
292	1
1015	2
108	3
22	0

Answer:(penalty regime: 0 %)

```
n = input()

count = 0

for digit in n:
    if n.count(digit) == 1:
        count += 1

print(count)

```

```
n = input()

count = 0

for digit in n:
    if n.count(digit) == 1:
        count += 1

print(count)

```

Feedback

Input	Expected	Got
292	1	1
1015	2	2
108	3	3
22	0	0

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 4

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Write a program that given an integer ‘n’, prints the number of integers that are less than or equal to ‘n’ and co-prime to ‘n’

Two integers a and b are said to be relatively prime or co-prime if the only positive integer that evenly divides both of them is 1. That is, the only common positive factor of the two numbers is 1. This is equivalent to their greatest common divisor being 1.

Input Format:

One line containing the value of 'n', where 1<=n<=10,000

Output Format:

One line containing the number of integers that are co-prime to n and less than or equal to 'n'

Sample Test Cases

Test Case 1

Input

10

Output

4

Test Case 2

Input

23

Output

22

Test Case 3

Input

11

Output

10

Answer:(penalty regime: 0 %)

```
import math

n = int(input())

count = 0

for i in range(1, n + 1):
    if math.gcd(i, n) == 1:
        count += 1

print(count)
```

```python
import math

n = int(input())

count = 0

for i in range(1, n + 1):
    if math.gcd(i, n) == 1:
        count += 1

print(count)
```

Feedback

Input	Expected	Got
10	4	4
23	22	22
11	10	10

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 5

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Let’s print a chessboard!

Write a program that takes input:

Integer N(represents the rows and columns of a chessboard) and also the starting character of the chessboard

Output Format

Print the chessboard as per the given examples

Sample Input / Output

Input:

2

W

Output:

WB

BW

Answer:(penalty regime: 0 %)

```
n = int(input())
start = input()

for i in range(n):
    for j in range(n):
        if (i + j) % 2 == 0:
            print(start, end="")
        else:
            print("B" if start == "W" else "W", end="")
    print()
```


```
n = int(input())
start = input()

for i in range(n):
    for j in range(n):
        if (i + j) % 2 == 0:
            print(start, end="")
        else:
            print("B" if start == "W" else "W", end="")
    print()
```

Feedback

Input	Expected	Got
2 W	WB BW	WB BW
3 B	BWB WBW BWB	BWB WBW BWB

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 6

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Write a program to find the count of the number of prime numbers in a specified range.

The starting and ending number of the range will be provided as input to the program.

Assumption: 2 <=starting number of the range<= ending number of the range<=7919

Example1: If the starting and ending number or the range is given as 2 and 20, the program must return 8, because there are 8 prime numbers in the specified range from 2 to 20. namely (2. 3. 5, 7, 11, 13, 17, 19)

Example2: If the starting and ending number of the range is given as 700 and 725, the program must return 3, because there are 3 prime numbers in the specified range from 700 to 725, namely (701, 709, 719)

For example:

Input Result

```
2
20
```

```
8
```

```
700
725
```

```
3
```

Answer:(penalty regime: 0 %)

```
start = int(input())
end = int(input())

count = 0

for n in range(start, end + 1):
    is_prime = True

    if n < 2:
        is_prime = False
    else:
        for i in range(2, int(n ** 0.5) + 1):
            if n % i == 0:
                is_prime = False
                break

    if is_prime:
        count += 1

print(count)
```


```
start = int(input())
end = int(input())

count = 0

for n in range(start, end + 1):
    is_prime = True

    if n < 2:
        is_prime = False
    else:
        for i in range(2, int(n ** 0.5) + 1):
            if n % i == 0:
                is_prime = False
                break

    if is_prime:
        count += 1

print(count)
```

Feedback

Input	Expected	Got
2 20	8	8
700 725	3	3

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 7

Correct
Mark 1.00 out of 1.00
Flag question

Question text

You are choreographing a circus show with various animals. For one act, you are given two kangaroos on a number line ready to jump in the positive direction.
•The first kangaroo starts at position x1 and moves at a speed v1 meters per jump.
•The second kangaroo starts at position x2 and moves at a speed of v2 meters per jump and x2 > x1
•You have to figure out to get both kangaroos at the same position at the same time as part of the show before k jumps. If it is possible, return YES, otherwise return NO.

Input Format:
x1-position of kangaroo1
v1-Speed of kangaroo1
x2-position of kangaroo2
v2-Speed of kangaroo2
k-jumps

Output Format:
Both kangaroos are at the same position within k jumps, YES, otherwise NO.

For example:

Input Result

```
0
3
4
2
6
```

YES

Answer:(penalty regime: 0 %)

```
x1 = int(input())
v1 = int(input())
x2 = int(input())
v2 = int(input())
k = int(input())

found = False

for jumps in range(k + 1):
    pos1 = x1 + v1 * jumps
    pos2 = x2 + v2 * jumps

    if pos1 == pos2:
        found = True
        break

if found:
    print("YES")
else:
    print("NO")
```


```
x1 = int(input())
v1 = int(input())
x2 = int(input())
v2 = int(input())
k = int(input())

found = False

for jumps in range(k + 1):
    pos1 = x1 + v1 * jumps
    pos2 = x2 + v2 * jumps

    if pos1 == pos2:
        found = True
        break

if found:
    print("YES")
else:
    print("NO")
```

Feedback

Input	Expected	Got
0 3 4 2 6	YES	YES
0 3 2 4 8	NO	NO

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 8

Correct
Mark 1.00 out of 1.00
Flag question

Question text

An automorphic number is a number whose square ends with the number itself.

For example, 5 is an automorphic number because 5*5 =25. The last digit is 5 which same as

the given number.

If it is an automorphic number display “Automorphic” else display “Not Automorphic”.

Input Format:

Take a Integer from Keyboard

Output Format:

Print Automorphic if given number is Automorphic number, otherwise Not Automorphic

Example input:

5

Output:

Automorphic

Example input:

25

Output:

Automorphic

Example input:

7

Output:

Not Automorphic

Answer:(penalty regime: 0 %)

```
n = int(input())

square = n * n

if str(square).endswith(str(n)):
    print("Automorphic")
else:
    print("Not Automorphic")
```


```
n = int(input())

square = n * n

if str(square).endswith(str(n)):
    print("Automorphic")
else:
    print("Not Automorphic")
```

Feedback

Input	Expected	Got
5	Automorphic	Automorphic
625	Automorphic	Automorphic
7	Not Automorphic	Not Automorphic

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 9

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Given a number N, find the next perfect square greater than N.

Input Format:

Integer input from stdin.

Output Format:

Perfect square greater than N.

Example Input:

10

Output:

16

For example:

Input Result

```
10    16


20    25
```

Answer:(penalty regime: 0 %)

```
n = int(input())

i = 1

while i * i <= n:
    i += 1

print(i * i)

```


```
n = int(input())

i = 1

while i * i <= n:
    i += 1

print(i * i)

```


Feedback

Input	Expected	Got
10	16	16
20	25	25

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 10

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Given a positive integer a, find the smallest positive integer b whose multiplication of each digit equals to a.

If there is no answer or the answer is not fit in 32-bit signed integer, then return 0.

Example 1

Input:

48

Output:

68

Example 2

Input:

15

Output:

35

For example:

Input	Result
48	68
15	35

Answer:(penalty regime: 0 %)

```
a = int(input())

result = []

# Factor using digits 9 to 2
for digit in range(9, 1, -1):
    while a % digit == 0:
        result.append(digit)
        a //= digit

if a != 1:
    print(0)
else:
    result.sort()
    print("".join(map(str, result)))
```


```
a = int(input())

result = []

# Factor using digits 9 to 2
for digit in range(9, 1, -1):
    while a % digit == 0:
        result.append(digit)
        a //= digit

if a != 1:
    print(0)
else:
    result.sort()
    print("".join(map(str, result)))
```

Feedback

Input	Expected	Got
48	68	68
15	35	35

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.
Finish review

Blocks

Skip Quiz navigation

Quiz navigation

Question 1 This page Question 2 This page Question 3 This page Question 4 This page Question 5 This page
Question 6 This page Question 7 This page Question 8 This page Question 9 This page Question 10 This page
Show one page at a timeFinish review

Blocks

Skip to main content
REC-CIS

CS23336/GE23231/GE23233-IPP/PUP/PSPP

Status	Finished
Started	Wednesday, 19 August 2026, 4:18 PM
Completed	Wednesday, 19 August 2026, 4:28 PM
Duration	10 mins 28 secs
Grade	**12.00** out of 15.00 (**80**%)

Question 1

Incorrect
Mark 0.00 out of 1.00
Flag question

Question text

What is the output of the code given below?

```
a = -10
b = -200
c = 2000
d = 4000
if( a*b >=d):
    if(d>c):
        if(d%c!=0):
            print(11)
        else:
            print(22)
else:
    if(b/a >0):
        if(a<b or d%c!=0):
          print(33)
        else:
          print(44)
```

Question 1 Answer

a.

22

b.

33

c.

11

d.

44

Question 2

Correct
Mark 1.00 out of 1.00
Flag question

Question text

What is the output of the following code snippet?

```
a = "Hi"
b = "Arjuna"
c = "Bhimaa"
print("Hi", a, b, c)
```

Question 2 Answer

a.

Hi Arjuna Bhimaa

b.

Hi Arjuna Bhimaa Hi

c.

Hi Hi Arjuna Bhimaa

d.

Hi Arjuna Hi Bhimaa

Question 3

Incorrect
Mark 0.00 out of 1.00
Flag question

Question text

What should be the value of num1 and num2 to get the output as "1"?

```
if((num1/num2==5) and (num1+num2)>5):
    print("1")
elif((num1-num2)<=1 or (num1%num2)==0):
    print("2")
else:
    print("3")
```

Question 3 Answer

a.

num1=-10,num2=2

b.

num1=11, num2=2

c.

num1=5, num2=1

d.

num1=0, num2=5

Question 4

Correct
Mark 1.00 out of 1.00
Flag question

Question text

What will be the output?

a=11

b=5

if (a%b==0):

```
    print ( "hello")
if (a//b==0):
    print ( "hi")
else:
    print ("python")
```

Question 4 Answer

a.

python

b.

hello

c.

hi

Question 5

Correct
Mark 1.00 out of 1.00
Flag question

Question text

What is the output of the following code

```
x=3
if x>2 or x<5 and x==6:
    print("ok")
else:
    print("no output")
```

Question 5 Answer

a.

no output

b.

ok

c.

error

d.

None of the given option

Question 6

Correct
Mark 1.00 out of 1.00
Flag question

Question text

What is the output of the given below program?

```
a = 25
if a > 15:
   print("Hi")
if a <= 30:
   print("Hello")
else:
   print("Know Program")
```

Question 6 Answer

a.

Hello
Know Program

b.

b.

Hi
  Hello

c.

Hi
Know Program

d.

Hello

Question 7

Correct
Mark 1.00 out of 1.00
Flag question

Question text

What will be output for the following code?

```
if 3 == 3:
    print("Python is easy!")
```

Question 7 Answer

a.

NO OUTPUT

b.

Python is easy!

c.

Error

Question 8

Correct
Mark 1.00 out of 1.00

Flag question

Question text

Write the output of the following code :

```
x="Joy"
if(x=="John"):
    print("Aero")
elif(x=="Joy"):
    pass
else:
    print("REC")
print("REC-AERO")
```

Question 8 Answer

a.

REC

REC-AERO

b.

All the Above

c.

REC-AERO

d.

Aero

REC

REC-Aero

Question 9

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Given the nested `if-else` below, what will be the value `x` when the code executed successfully

```
x = 0
a = 5
b = 5
if a > 0:
    if b < 0:
        x = x + 5
    elif a > 5:
        x = x + 4
    else:
        x = x + 3
else:
    x = x + 2
print(x)
```

Question 9 Answer

a.

4

b.

3

c.

2

d.

0

Question 10

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Leading whitespace (spaces and tabs) at the beginning of a statement is called _____.

Question 10 Answer

a.

Iteration

b.

orientation

c.

None of the above

d.

indentation

Question 11

Incorrect
Mark 0.00 out of 1.00
Flag question

Question text

What will be the output for the following code?

```
if  1-1:
   print("python")
else:
   print("0 is false")
```

Question 11 Answer

a.

Error

b.

0 is false

c.

python

Question 12

Correct
Mark 1.00 out of 1.00
Flag question

Question text

What is the output of the following code :

```
x=True
y=False
z=False
if x or y and z:
    print("YES")
```

```
elif x and y or z:
    print("yes")
else:
    print("no")
```

Question 12 Answer

a.

YES

b.

Error

c.

no

d.

yes

Question 13

Correct
Mark 1.00 out of 1.00
Flag question

Question text

What is the output of the given below program?

```
if 1 + 3 == 7:
    print("Hello")
else:
    print("Know Program")
```

Question 13 Answer

a.

Hello

b.

Know Program

c.

Error

d.

Compiled Successfully, No Output

Question 14

Correct
Mark 1.00 out of 1.00
Flag question

Question text

x,y=1,2

if(x or y):

print("1")

else:

print("0")

Question 14 Answer

a.

1

b.

Compile time error

c.

Runtime error

d.

0

Question 15

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Which of the following statements correctly represents taking input from user in python?

Question 15 Answer

a.

a=get("Enter the value")

b.

a=input("Enter the value")

c.

None of the mentioned

d.

a=inp("Enter the value")

Finish review

Blocks

Skip Quiz navigation

Quiz navigation

Question 1 This page Question 2 This page Question 3 This page Question 4 This page Question 5 This page Question 6 This page Question 7 This page Question 8 This page Question 9 This page Question 10 This page Question 11 This page Question 12 This page Question 13 This page Question 14 This page Question 15 This page
Show one page at a timeFinish review

Blocks