Poisson Distribution

Section 1: Poisson Probability Formula & Conditions

1 Which of the following is NOT an essential assumption for modeling a random variable with a Poisson distribution $\text{Po}(\lambda)$?

a. Events occur at a variable rate over time

b. Events occur singly and independently

c. The average rate of occurrence λ is constant

d. Two events cannot occur at the exact same instant

2 The random variable $X \sim \text{Po}(3.2)$. Find $P(X = 2)$ correct to 4 decimal places.

a. 0.2087

b. 0.2226

c. 0.1782

d. 0.1450

3 If $X \sim \text{Po}(\lambda)$ and $P(X = 0) = 0.05$, find the value of λ.

a. $\lambda = -\ln(0.05) \approx 2.996$

b. $\lambda = 0.05$

c. $\lambda = e^{0.05} \approx 1.051$

d. $\lambda = 20$

Section 2: Mean, Variance & Linear Combinations

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

4 What is the theoretical relationship between the mean and variance of a Poisson distribution $X \sim \text{Po}(\lambda)$?

a. Mean $= \text{Variance} = \lambda$

b. Mean $= \lambda, \text{Variance} = \lambda^2$

c. Mean $= \lambda, \text{Variance} = \sqrt{\lambda}$

d. Mean $= \lambda, \text{Variance} = \lambda(1 - p)$

5 Independent random variables $X \sim \text{Po}(2)$ and $Y \sim \text{Po}(3)$ represent customer arrivals. What distribution does $X + Y$ follow?

a. $\text{Po}(5)$

b. $\text{Po}(6)$

c. $\text{Po}(2.5)$

d. $N(5, 5)$

6 Faults on a fiber optic cable occur at an average rate of 0.4 per kilometer. What is the probability of finding exactly 1 fault in a 5-kilometer section?

a. 0.2707

b. 0.4000

c. 0.1353

d. 0.3250

Section 3: Poisson Approximation to the Binomial

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

7 Under which conditions can a binomial distribution $B(n, p)$ be well approximated by a Poisson distribution?

a. $n > 50$ and $np < 5$

b. $n > 30$ and $p = 0.5$

c. $np > 5$ and $n(1 - p) > 5$

d. $n < 20$ and $p > 0.1$

8 A book of 400 pages contains 200 typographical errors distributed at random. Use a Poisson approximation to find the probability that a randomly chosen page contains no errors.

a. $e^{-0.5} \approx 0.6065$

b. 0.5000

c. 0.3679

d. 0.7500

9 A factory produces screws, of which 1% are defective. In a random sample of 250 screws, what is the Poisson parameter λ to model defective screws?

a. $\lambda = 2.5$

b. $\lambda = 0.01$

c. $\lambda = 25$

d. $\lambda = 5$

Section 4: Normal Approximation to the Poisson Distribution

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

10 Under what condition can a Poisson distribution $X \sim \text{Po}(\lambda)$ be approximated by a normal distribution?

a. $\lambda > 15$

b. $\lambda < 5$

c. λ is an integer

d. $\lambda > 100$ only

11 If $X \sim \text{Po}(36)$, which normal distribution provides the best approximation?

a. $N(36, 36)$ with mean 36 and variance 36

b. $N(36, 6)$

c. $N(0, 1)$

d. $N(36, 18)$

12 For $X \sim \text{Po}(36)$, use the normal approximation with continuity correction to state the calculation for $P(X \leq 40)$.

a. $P(Y < 40.5)$ where $Y \sim N(36, 36)$

b. $P(Y < 40)$ where $Y \sim N(36, 36)$

c. $P(Y < 39.5)$ where $Y \sim N(36, 36)$

d. $P(Y < 41)$ where $Y \sim N(36, 6)$

© ClipSAT: By Mr. Mohamed Abdallah +966597688647