The Pythagorean theorem and its converse

1 X

2 $c = 5$

3

a $(5, 12, 13)$ **b** 39 units

4 Yes

5

a $c = 50$ **b** $c = 17$ **c** $c = 9.49$

6

a $b = 24$ **b** $b = 21$ **c** $b = 11.53$ **d** $b = 14.39$

7 $a = 6$

8 $h = 15$

9 $x = 10.30$

10 $b = 3.00$ mm

11

a $c = 24.04$ cm

b 58.04 cm

12

a $x = 4.90$ **b** $y = 8.66$ **c** 13.56

13

a $a = 6$ **b** $b = 6$ **c** $x = 8.49$ **d** 36.49 cm

14

a $x = 5.39$ **b** $y = 5.39$ **c** 21 m **d** \$777

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

15

a s **b** $x^2 + h^2 = s^2$ **c** Yes

16

a Yes **b** No

17

a 15

b

i Obtuse **ii** Acute

18

a No, because $19 > 6 + 8$.

b Decrease the side to have a length between 2 and 14.

19

a

i Yes

ii Acute because $12^2 + 9^2 > 13^2$

b

i Yes

ii Obtuse because $8^2 + 6^2 < 11^2$

c

i Yes

ii Right because $8^2 + 15^2 = 17^2$

d

i Yes

ii Acute because $6^2 + 4^2 > 7^2$

e

i Yes

ii Obtuse because $9^2 + 15^2 < \left(3\sqrt{34} + 5\right)^2$

f

i Yes

ii Acute because $7^2 + 5.1^2 > 8^2$

g

i Yes

ii Obtuse because $4.9^2 + 13.2^2 < 16.1^2$

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

h

i Yes

ii Acute because $4^2 + \left(\sqrt{20}\right)^2 > 5^2$

i

i Yes

ii Obtuse because $\left(\sqrt{131}\right)^2 + \left(\sqrt{337}\right)^2 < 25^2$

j

i Yes

ii Right because $\left(\sqrt{13}\right)^2 + \left(\sqrt{19}\right)^2 = \left(\sqrt{32}\right)^2$

20 $\frac{\sqrt{15}}{2} < x < \sqrt{15}$

21

a $\frac{3\sqrt{2}}{2} < x < \frac{12}{5}$ **b** $6 < x < 2\sqrt{13}$

Additional questions

22

a $c = 19.24$ **b** $b = 21.82$ **c** $b = 9.38$

23 9

24 20.25 ft

25

a $b = 2.24$ ft **b** $b = 10.25$ in

26

a

i $c = 23.46$ in

ii 56.56 in

b

i $c = 24.04$ in

ii 58.04 in

27 Chenzi incorrectly assumed that the side with length 24 was the hypotenuse when he substituted the values in to the Pythagorean theorem. We can see that $676 - 100 = 576$ as required, so the hypotenuse is the side with length 26 inches.

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

28 Side length: $s = \dfrac{15\sqrt{2}}{2}$.

Using the side length to find the perimeter: $P = 30\sqrt{2}$

29

a $x = 20$

b $y = 19.77$

30 $l = 19.72 \text{ m}$

31

a $x = 197.26 \text{ cm}$

b $h = 265.90 \text{ cm}$

32 $h = 5.2$

33 4.93 m

34

a 1083.07 ft


b 1437.92 ft

c Sample Answer: Angelia extends her journey by walking 400 ft south to get dinner. Find the shortest distance between where Angelia started at the beginning of the day and where she ended for dinner. Round your answer to two decimal places.
1799.00 ft

35 Given:

- $ABCD$ is a rectangle
- $\overline{EF} \parallel \overline{AD}$
- $\overline{GH} \parallel \overline{DC}$

Prove: $w^2 + x^2 = y^2 + z^2$



By the Pythagogrean theorem we get the following relationships:

- $w^2 = AE^2 + EV^2$
- $x^2 = VF^2 + FC^2$
- $y^2 = DF^2 + VF^2$
- $z^2 = EV^2 + EB^2$

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

As $AEFD$ and $EBCF$ are both rectangles we know that $\overline{AE} \cong \overline{DF}$ and $\overline{EB} \cong \overline{FC}$. Using substitution, we get the following relationships:

- $w^2 = AE^2 + EV^2$
- $x^2 = VF^2 + FC^2$
- $y^2 = AE^2 + VF^2$
- $z^2 = EV^2 + FC^2$

Using the above relationships:
$w^2 + x^2 = AE^2 + EV^2 + VF^2 + FC^2$ and $y^2 + z^2 = AE^2 + VF^2 + EV^2 + FC^2$
Using the commutative property of addition:
$y^2 + z^2 = AE^2 + EV^2 + VF^2 + FC^2$
Therefore, $y^2 + z^2 = w^2 + x^2$ by substitution.

36 Notice that $65 = 5 \times 13$ and 5 and 13 are both the largest number of a Pythagorean triple: $\{3, 4, 5\}$ and $\{5, 12, 13\}$.
So this right triangle will either be similar to $\{3, 4, 5\}$ scaled by a factor of 13 or similar to $\{5, 12, 13\}$ scaled by a factor of 5.
Therefore, the other two legs will either be 39 and 52 or 25 and 60.

© ClipSAT: By Mr. Mohamed Abdallah +966597688647