# Verifying trig identities

**ANSWER KEY**

## Core Concepts: Verifying trig identities

**1** For the model $f(x) = 5x + 8$ in verifying trig identities, evaluate $f(2)$.

**a.** $18$ ✓

**b.** $23$

**c.** $10$

**d.** $22$

Substitute $x = 2$: $f(2) = 5(2) + 8 = 18$.

**2** Find the positive solutions to the quadratic equation $x^2 - 4x + 3 = 0$.

**a.** $x = 1$ and $x = 4$

**b.** $x = 1$ **and** $x = 3$ ✓

**c.** $x = -1$ and $x = -3$

**d.** $x = 4$ and $x = 3$

Factoring $(x - 1)(x - 3) = 0$ yields the roots $x = 1$ and $x = 3$.

**3** A data set recorded for verifying trig identities consists of the four values $\{15, 19, 23, 29\}$. What is the arithmetic mean?

**a.** $19.5$

**b.** $20.5$

**c.** $21.5$ ✓

**d.** $23.5$

The sum is $15 + 19 + 23 + 29 = 86$, and dividing by $4$ gives $21.5$.

---

## Procedural Fluency & Algebraic Manipulation

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

**4** For the model $f(x) = 5x + 8$ in verifying trig identities, evaluate $f(3)$.

**a.** $23$ ✓

**b.** $28$

**c.** $15$

**d.** $27$

Substitute $x = 3$: $f(3) = 5(3) + 8 = 23$.

**5** Find the positive solutions to the quadratic equation $x^2 - 6x + 8 = 0$.

**a.** $x = 2$ and $x = 5$

**b.** $x = 2$ **and** $x = 4$ ✓

**c.** $x = -2$ and $x = -4$

**d.** $x = 6$ and $x = 8$

Factoring $(x - 2)(x - 4) = 0$ yields the roots $x = 2$ and $x = 4$.

**6** A data set recorded for verifying trig identities consists of the four values $\{15, 19, 23, 29\}$. What is the arithmetic mean?

**a.** $19.5$

**b.** $20.5$

**c.** $21.5$ ✓

**d.** $23.5$

The sum is $15 + 19 + 23 + 29 = 86$, and dividing by $4$ gives $21.5$.

---

## Graphical & Geometric Interpretation

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

**7** For the model $f(x) = 5x + 8$ in verifying trig identities, evaluate $f(4)$.

**a.** $28$ ✓

**b.** $33$

**c.** $20$

**d.** $32$

Substitute $x = 4$: $f(4) = 5(4) + 8 = 28$.

**8** Find the positive solutions to the quadratic equation $x^2 - 8x + 15 = 0$.

**a.** $x = 3$ and $x = 6$

**b.** $x = 3$ **and** $x = 5$ ✓

**c.** $x = -3$ and $x = -5$

**d.** $x = 8$ and $x = 15$

Factoring $(x - 3)(x - 5) = 0$ yields the roots $x = 3$ and $x = 5$.

**9** A data set recorded for verifying trig identities consists of the four values $\{15, 19, 23, 29\}$. What is the arithmetic mean?

**a.** $19.5$

**b.** $20.5$

**c.** $21.5$ ✓

**d.** $23.5$

The sum is $15 + 19 + 23 + 29 = 86$, and dividing by $4$ gives $21.5$.

---

## Exam-Style Problem Solving & Modeling

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

**10** For the model $f(x) = 5x + 8$ in verifying trig identities, evaluate $f(5)$.

**a.** $33$ ✓

**b.** $38$

**c.** $25$

**d.** $37$

Substitute $x = 5$: $f(5) = 5(5) + 8 = 33$.

**11** Find the positive solutions to the quadratic equation $x^2 - 10x + 24 = 0$.

**a.** $x = 4$ and $x = 7$

**b.** $x = 4$ **and** $x = 6$ ✓

**c.** $x = -4$ and $x = -6$

**d.** $x = 10$ and $x = 24$

Factoring $(x - 4)(x - 6) = 0$ yields the roots $x = 4$ and $x = 6$.

**12** A data set recorded for verifying trig identities consists of the four values $\{15, 19, 23, 29\}$. What is the arithmetic mean?

**a.** $19.5$

**b.** $20.5$

**c.** $21.5$ ✓

**d.** $23.5$

The sum is $15 + 19 + 23 + 29 = 86$, and dividing by $4$ gives $21.5$.

© ClipSAT: By Mr. Mohamed Abdallah +966597688647