
Factoring with sum and difference of cubes

Core Concepts: Factoring with sum and difference of cubes

1 For the model $f(x) = 3x + 7$ in factoring with sum and difference of cubes, evaluate $f(2)$.



a. 13

b. 16

c. 6

d. 17

2 Find the positive solutions to the quadratic equation $x^2 - 7x + 6 = 0$.

a. $x = 1$ and $x = 7$

b. $x = 1$ and $x = 6$

c. $x = -1$ and $x = -6$

d. $x = 7$ and $x = 6$

3 A data set recorded for factoring with sum and difference of cubes consists of the four values $\{12, 16, 20, 26\}$. What is the arithmetic mean?

a. 16.5

b. 17.5

c. 18.5

d. 20.5

Procedural Fluency & Algebraic Manipulation

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

4 For the model $f(x) = 3x + 7$ in factoring with sum and difference of cubes, evaluate $f(3)$.

a. 16

b. 19

c. 9

d. 20


5 Find the positive solutions to the quadratic equation $x^2 - 9x + 14 = 0$.

a. $x = 2$ and $x = 8$

b. $x = 2$ and $x = 7$

c. $x = -2$ and $x = -7$

d. $x = 9$ and $x = 14$



6 A data set recorded for factoring with sum and difference of cubes consists of the four values $\{12, 16, 20, 26\}$. What is the arithmetic mean?

a. 16.5

b. 17.5

c. 18.5

d. 20.5

Graphical & Geometric Interpretation

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

7 For the model $f(x) = 3x + 7$ in factoring with sum and difference of cubes, evaluate $f(4)$.

a. 19

b. 22

c. 12

d. 23

8 Find the positive solutions to the quadratic equation $x^2 - 11x + 24 = 0$.

a. $x = 3$ and $x = 9$

b. $x = 3$ and $x = 8$

c. $x = -3$ and $x = -8$

d. $x = 11$ and $x = 24$


9 A data set recorded for factoring with sum and difference of cubes consists of the four values $\{12, 16, 20, 26\}$. What is the arithmetic mean?

a. 16.5

b. 17.5

c. 18.5


d. 20.5



Exam-Style Problem Solving & Modeling

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

10 For the model $f(x) = 3x + 7$ in factoring with sum and difference of cubes, evaluate $f(5)$.



a. 22

b. 25

c. 15

d. 26

11 Find the positive solutions to the quadratic equation $x^2 - 13x + 36 = 0$.

a. $x = 4$ and $x = 10$

b. $x = 4$ and $x = 9$

c. $x = -4$ and $x = -9$

d. $x = 13$ and $x = 36$

12 A data set recorded for factoring with sum and difference of cubes consists of the four values $\{12, 16, 20, 26\}$. What is the arithmetic mean?

a. 16.5

b. 17.5

c. 18.5

d. 20.5

© ClipSAT: By Mr. Mohamed Abdallah +966597688647