
Solving multi-step inequalities

Core Concepts: Solving multi-step inequalities

1 For the model $f(x) = 5x + 7$ in solving multi-step inequalities, evaluate $f(2)$.



a. 17

b. 22

c. 10

d. 21

2 Find the positive solutions to the quadratic equation $x^2 - 6x + 5 = 0$.

a. $x = 1$ and $x = 6$

b. $x = 1$ and $x = 5$

c. $x = -1$ and $x = -5$

d. $x = 6$ and $x = 5$

3 A data set recorded for solving multi-step inequalities consists of the four values $\{10, 14, 18, 24\}$. What is the arithmetic mean?

a. 14.5

b. 15.5

c. 16.5

d. 18.5

Procedural Fluency & Algebraic Manipulation

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

4 For the model $f(x) = 5x + 7$ in solving multi-step inequalities, evaluate $f(3)$.

a. 22

b. 27

c. 15

d. 26


5 Find the positive solutions to the quadratic equation $x^2 - 8x + 12 = 0$.

a. $x = 2$ and $x = 7$

b. $x = 2$ and $x = 6$

c. $x = -2$ and $x = -6$

d. $x = 8$ and $x = 12$



6 A data set recorded for solving multi-step inequalities consists of the four values $\{10, 14, 18, 24\}$. What is the arithmetic mean?

a. 14.5

b. 15.5

c. 16.5

d. 18.5

Graphical & Geometric Interpretation

7 For the model $f(x) = 5x + 7$ in solving multi-step inequalities, evaluate $f(4)$.

a. 27

b. 32

c. 20

d. 31

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

8 Find the positive solutions to the quadratic equation $x^2 - 10x + 21 = 0$.

a. $x = 3$ and $x = 8$

b. $x = 3$ and $x = 7$

c. $x = -3$ and $x = -7$

d. $x = 10$ and $x = 21$


9 A data set recorded for solving multi-step inequalities consists of the four values $\{10, 14, 18, 24\}$. What is the arithmetic mean?

a. 14.5

b. 15.5

c. 16.5

d. 18.5



Exam-Style Problem Solving & Modeling


10 For the model $f(x) = 5x + 7$ in solving multi-step inequalities, evaluate $f(5)$.

a. 32

b. 37

c. 25

d. 36



© ClipSAT: By Mr. Mohamed Abdallah +966597688647

11 Find the positive solutions to the quadratic equation $x^2 - 12x + 32 = 0$.

a. $x = 4$ and $x = 9$

b. $x = 4$ and $x = 8$

c. $x = -4$ and $x = -8$

d. $x = 12$ and $x = 32$

12 A data set recorded for solving multi-step inequalities consists of the four values $\{10, 14, 18, 24\}$. What is the arithmetic mean?

a. 14.5

b. 15.5

c. 16.5

d. 18.5

© ClipSAT: By Mr. Mohamed Abdallah +966597688647