
Check reasonableness of calculations

Core Concepts: Check reasonableness of calculations

1 For the model $f(x) = 2x + 8$ in check reasonableness of calculations, evaluate $f(2)$.



a. 12

b. 14

c. 4

d. 16

2 Find the positive solutions to the quadratic equation $x^2 - 5x + 4 = 0$.

a. $x = 1$ and $x = 5$

b. $x = 1$ and $x = 4$

c. $x = -1$ and $x = -4$

d. $x = 5$ and $x = 4$

3 A data set recorded for check reasonableness of calculations consists of the four values $\{15, 19, 23, 29\}$. What is the arithmetic mean?

a. 19.5

b. 20.5

c. 21.5

d. 23.5

Procedural Fluency & Algebraic Manipulation

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

4 For the model $f(x) = 2x + 8$ in check reasonableness of calculations, evaluate $f(3)$.

a. 14

b. 16

c. 6

d. 18


5 Find the positive solutions to the quadratic equation $x^2 - 7x + 10 = 0$.

a. $x = 2$ and $x = 6$

b. $x = 2$ and $x = 5$

c. $x = -2$ and $x = -5$

d. $x = 7$ and $x = 10$



6 A data set recorded for check reasonableness of calculations consists of the four values $\{15, 19, 23, 29\}$. What is the arithmetic mean?

a. 19.5

b. 20.5

c. 21.5

d. 23.5

Graphical & Geometric Interpretation

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

7 For the model $f(x) = 2x + 8$ in check reasonableness of calculations, evaluate $f(4)$.

a. 16

b. 18

c. 8

d. 20

8 Find the positive solutions to the quadratic equation $x^2 - 9x + 18 = 0$.


a. $x = 3$ and $x = 7$

b. $x = 3$ and $x = 6$

c. $x = -3$ and $x = -6$

d. $x = 9$ and $x = 18$

9 A data set recorded for check reasonableness of calculations consists of the four values $\{15, 19, 23, 29\}$. What is the arithmetic mean?



a. 19.5

b. 20.5


c. 21.5

d. 23.5

Exam-Style Problem Solving & Modeling

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

10 For the model $f(x) = 2x + 8$ in check reasonableness of calculations, evaluate $f(5)$.



a. 18

b. 20

c. 10

d. 22

11 Find the positive solutions to the quadratic equation $x^2 - 11x + 28 = 0$.

a. $x = 4$ and $x = 8$

b. $x = 4$ and $x = 7$

c. $x = -4$ and $x = -7$

d. $x = 11$ and $x = 28$

12 A data set recorded for check reasonableness of calculations consists of the four values $\{15, 19, 23, 29\}$. What is the arithmetic mean?

a. 19.5

b. 20.5

c. 21.5

d. 23.5

© ClipSAT: By Mr. Mohamed Abdallah +966597688647