# Cumulative frequency tables and graphs (Extended)

## Core Concepts: Cumulative frequency tables and graphs (Extended)


**1** For the model $f(x) = 3x + 7$ in cumulative frequency tables and graphs (extended), evaluate $f(2)$.

**a.** 13

**b.** 16

**c.** 6

**d.** 17




**2** Find the positive solutions to the quadratic equation $x^2 - 6x + 5 = 0$.

**a.** $x = 1$ and $x = 6$

**b.** $x = 1$ and $x = 5$

**c.** $x = -1$ and $x = -5$

**d.** $x = 6$ and $x = 5$

**3** A data set recorded for cumulative frequency tables and graphs (extended) consists of the four values $\{16, 20, 24, 30\}$. What is the arithmetic mean?

**a.** 20.5

**b.** 21.5

**c.** 22.5

**d.** 24.5

---

## Procedural Fluency & Algebraic Manipulation

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

**4** For the model $f(x) = 3x + 7$ in cumulative frequency tables and graphs (extended), evaluate $f(3)$.

**a.** 16

**b.** 19

**c.** 9

**d.** 20


**5** Find the positive solutions to the quadratic equation $x^2 - 8x + 12 = 0$.

**a.** $x = 2$ and $x = 7$

**b.** $x = 2$ and $x = 6$

**c.** $x = -2$ and $x = -6$

**d.** $x = 8$ and $x = 12$




**6** A data set recorded for cumulative frequency tables and graphs (extended) consists of the four values $\{16, 20, 24, 30\}$. What is the arithmetic mean?

**a.** 20.5

**b.** 21.5

**c.** 22.5

**d.** 24.5

## Graphical & Geometric Interpretation

**7** For the model $f(x) = 3x + 7$ in cumulative frequency tables and graphs (extended), evaluate $f(4)$.

**a.** 19

**b.** 22

**c.** 12

**d.** 23

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

**8** Find the positive solutions to the quadratic equation $x^2 - 10x + 21 = 0$.

**a.** $x = 3$ and $x = 8$

**b.** $x = 3$ and $x = 7$

**c.** $x = -3$ and $x = -7$

**d.** $x = 10$ and $x = 21$


**9** A data set recorded for cumulative frequency tables and graphs (extended) consists of the four values $\{16, 20, 24, 30\}$. What is the arithmetic mean?

**a.** 20.5

**b.** 21.5

**c.** 22.5

**d.** 24.5




## Exam-Style Problem Solving & Modeling


**10** For the model $f(x) = 3x + 7$ in cumulative frequency tables and graphs (extended), evaluate $f(5)$.

**a.** 22

**b.** 25

**c.** 15

**d.** 26




**11** Find the positive solutions to the quadratic equation $x^2 - 12x + 32 = 0$.

**a.** $x = 4$ and $x = 9$

**b.** $x = 4$ and $x = 8$

**c.** $x = -4$ and $x = -8$

**d.** $x = 12$ and $x = 32$

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

**12** A data set recorded for cumulative frequency tables and graphs (extended) consists of the four values $\{16, 20, 24, 30\}$. What is the arithmetic mean?

**a.** 20.5

**b.** 21.5

**c.** 22.5

**d.** 24.5

© ClipSAT: By Mr. Mohamed Abdallah +966597688647