Constraints and objective functions (Extended)

ANSWER KEY

Core Concepts: Constraints and objective functions (Extended)

1 For the model $f(x) = 3x + 8$ in constraints and objective functions (extended), evaluate $f(2)$.

a. 14 ✓

b. 17

c. 6

d. 18

Substitute $x = 2$: $f(2) = 3(2) + 8 = 14$.

2 Find the positive solutions to the quadratic equation $x^2 - 5x + 4 = 0$.

a. $x = 1$ and $x = 5$

b. $x = 1$ **and** $x = 4$ ✓

c. $x = -1$ and $x = -4$

d. $x = 5$ and $x = 4$

Factoring $(x - 1)(x - 4) = 0$ yields the roots $x = 1$ and $x = 4$.

3 A data set recorded for constraints and objective functions (extended) consists of the four values $\{13, 17, 21, 27\}$. What is the arithmetic mean?

a. 17.5

b. 18.5

c. 19.5 ✓

d. 21.5

The sum is $13 + 17 + 21 + 27 = 78$, and dividing by 4 gives 19.5.

Procedural Fluency & Algebraic Manipulation

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

4 For the model $f(x) = 3x + 8$ in constraints and objective functions (extended), evaluate $f(3)$.

a. 17 ✓

b. 20

c. 9

d. 21

Substitute $x = 3$: $f(3) = 3(3) + 8 = 17$.

5 Find the positive solutions to the quadratic equation $x^2 - 7x + 10 = 0$.

a. $x = 2$ and $x = 6$

b. $x = 2$ **and** $x = 5$ ✓

c. $x = -2$ and $x = -5$

d. $x = 7$ and $x = 10$

Factoring $(x - 2)(x - 5) = 0$ yields the roots $x = 2$ and $x = 5$.

6 A data set recorded for constraints and objective functions (extended) consists of the four values $\{13, 17, 21, 27\}$. What is the arithmetic mean?

a. 17.5

b. 18.5

c. 19.5 ✓

d. 21.5

The sum is $13 + 17 + 21 + 27 = 78$, and dividing by 4 gives 19.5.

Graphical & Geometric Interpretation

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

7 For the model $f(x) = 3x + 8$ in constraints and objective functions (extended), evaluate $f(4)$.

a. 20 ✓

b. 23

c. 12

d. 24

Substitute $x = 4$: $f(4) = 3(4) + 8 = 20$.

8 Find the positive solutions to the quadratic equation $x^2 - 9x + 18 = 0$.

a. $x = 3$ and $x = 7$

b. $x = 3$ **and** $x = 6$ ✓

c. $x = -3$ and $x = -6$

d. $x = 9$ and $x = 18$

Factoring $(x - 3)(x - 6) = 0$ yields the roots $x = 3$ and $x = 6$.

9 A data set recorded for constraints and objective functions (extended) consists of the four values $\{13, 17, 21, 27\}$. What is the arithmetic mean?

a. 17.5

b. 18.5

c. 19.5 ✓

d. 21.5

The sum is $13 + 17 + 21 + 27 = 78$, and dividing by 4 gives 19.5.

Exam-Style Problem Solving & Modeling

© ClipSAT: By Mr. Mohamed Abdallah +966597688647

10 For the model $f(x) = 3x + 8$ in constraints and objective functions (extended), evaluate $f(5)$.

a. 23 ✓

b. 26

c. 15

d. 27

Substitute $x = 5$: $f(5) = 3(5) + 8 = 23$.

11 Find the positive solutions to the quadratic equation $x^2 - 11x + 28 = 0$.

a. $x = 4$ and $x = 8$

b. $x = 4$ **and** $x = 7$ ✓

c. $x = -4$ and $x = -7$

d. $x = 11$ and $x = 28$

Factoring $(x - 4)(x - 7) = 0$ yields the roots $x = 4$ and $x = 7$.

12 A data set recorded for constraints and objective functions (extended) consists of the four values $\{13, 17, 21, 27\}$. What is the arithmetic mean?

a. 17.5

b. 18.5

c. 19.5 ✓

d. 21.5

The sum is $13 + 17 + 21 + 27 = 78$, and dividing by 4 gives 19.5.

© ClipSAT: By Mr. Mohamed Abdallah +966597688647