

Approximating Euler's number



- 1 Use a calculator or other technology to approximate the following values correct to four decimal places:

a e^4

b e^{-1}

c $e^{\frac{1}{5}}$

d $5\sqrt{e}$

e $\frac{4}{e}$

f $\frac{8}{9e^4}$

- 2 The natural base e , Euler's number, is defined as:

$$e = \lim_{n \rightarrow \infty} \left(1 + \frac{1}{n}\right)^n$$

The table shows the values of $\left(1 + \frac{1}{n}\right)^n$ for certain values of n :

n	$\left(1 + \frac{1}{n}\right)^n$
1	2
100	$1.01^{100} = 2.704\,813\dots$
1000	$1.001^{1000} = 2.716\,923\dots$
10 000	$1.0001^{10000} = 2.718\,145\dots$
100 000	$1.00001^{100000} = 2.718\,268\dots$

- a Evaluate $\left(1 + \frac{1}{n}\right)^n$ for $n = 1\,000\,000$, correct to six decimal places.
- b Find a decimal approximation of e correct to nine decimal places.
- 3 It is possible to approximate e^x using the following formula:

$$e^x = 1 + x + \frac{x^2}{2!} + \frac{x^3}{3!} + \frac{x^4}{4!} + \dots + \frac{x^n}{n!} + \dots$$

The more terms we use from the formula, the closer our approximation becomes.

- a Use the first five terms of the formula to estimate the value of $e^{0.7}$. Round your answer to six decimal places.
- b Use the e^x key on your calculator to find the value of $e^{0.7}$. Round your answer to six decimal places.
- c What is the difference between these two results?



Exponential expressions

4 Simplify the following expressions:

a $3e^x + 4e^x$

c $5e^x - 2e^x$

e $12e^{2x} - 5e^x + 7e^x$

g $e^x \times e^2$

i $e^{3x} \times (e^x)^2$

k $\frac{4e^{2x} - 6e^x}{2e^x}$

b $2e^x + 7e^x$

d $-3e^x + 4e^x$

f $2e^{2x} - 8e^x - 7e^{2x}$

h $e^x \times e^{4x}$

j $\frac{(e^{3x})^4}{e^{5x}}$

l $\frac{e^{2x} + 7e^x}{6e^{-x}}$

5 Expand and simplify the following expressions:

a $e^x(e^x + 3)$

b $e^{2x}(e^x - 9)$

c $(e^x + 2)(e^x + 5)$

d $(e^x + 2)(e^x - 5)$

e $2e^{3x}(e^{-2x} + 1)$

f $3e^x(e^{-x} + e^x)$

g $(e^x + e^{-x})^2$

h $(e^x - e^{-2x})^2$

6 Fully factorise the following expressions:

a $8e^x + 12$

b $8e^{2x} + 12e^x$

c $8e^{4x} - 12e^{3x}$

d $8e^{4x} - e^{7x}$

e $e^{2x} - 5e^x + 6$

f $e^{2x} + 6e^x + 9$


g $e^{3x} + 6e^{2x} + 8e^x$

h $e^{4x} - 7e^{2x} - 10$



Exponential graphs

7 The functions $y = 2^x$, $y = e^x$ and $y = 3^x$ have been sketched on the same axes:



- a For what values of x does the inequality $3^x > e^x$ hold?
- b For what values of x does the inequality $2^x > e^x$ hold?

8 Consider the function $f(x) = e^x$.

- a Complete the following table of values. Round each value to two decimal places.

x	-5	-3	-1	0	1	3	5
$f(x)$							

- b Sketch the graph of $f(x) = e^x$ for $-5 \leq x \leq 5$.

9 Consider the function $f(x) = e^{-x}$.



- a Can the function ever have a negative value?
- b
 - i As the value of x gets larger and larger, what value does $f(x)$ approach?
 - ii As the value of x gets smaller and smaller, what value does $f(x)$ approach?
- c Can the value of $f(x)$ ever be equal to 0?
- d Find the value of $f(x)$ when $x = 0$.
- e How many x -intercepts does the function have?
- f Sketch the graph of $f(x) = e^{-x}$.

10 Sketch both $y = e^x$ and $y = e^{-x}$ on the same set of axes. What are the coordinates of their intersection point?

11 Consider the function $f(x) = -e^x$.

- a Complete the following table of values. Round each value to three decimal places.

x	-9	-6	-3	0	3	6	9
$f(x)$							

- b Are there any values of x where $f(x)$ is positive?
- c Are there any values of x where $f(x)$ is equal to 0?
- d Is the function increasing or decreasing?
- e How would you describe the rate of increase or decrease of the function?

Transformations of exponential graphs

12 Using a graphing calculator, plot each set of three graphs below on the same screen and determine whether or not they share the same:

i y -intercept

ii Asymptote

iii Range

a $y = e^x$, $y = e^x + 2$, and $y = e^x - 3$

b $y = e^x$, $y = e^{x-2}$, and $y = e^{x+3}$

c $y = e^x$, $y = e^{2x}$, and $y = e^{3x}$

d $y = e^x$, $y = 4e^x$, and $y = -4e^x$

13 For each of the following functions, state whether they are increasing or decreasing:

a $f_1(x) = e^x$

b $f_2(x) = e^{-x}$

c $f_3(x) = -e^x$

d $f_4(x) = -e^{-x}$

14 Describe a sequence of transformations to get  to the graph of $f(x) = e^x$ to achieve the graphs of the following:

a $y = e^{4x} + 1$

b $y = 5e^{x-4}$

c $y = 5e^{-x}$

15 Find the equation corresponding to the graph of $y = e^x$ after it has undergone the following transformations:

- a Translated three units upward and four units to the left.
- b Translated five units downward and two units to the left.
- c Dilated by a factor of two vertically and then translated five units downward.
- d Reflected across the x -axis, translated three units upward and then two units to the right.
- e Dilated by a factor of seven horizontally and then translated two units downward.
- f Dilated by a factor of one third horizontally and then translated two units downward.

16 For each of the following transformations on $y = e^x$ find:

- i The equation of the resulting function.
 - ii The equation of the resulting horizontal asymptote.
 - iii The value of the resulting y -intercept.
 - iv The graph of the resulting function.
- a y is first dilated by a factor of 3 vertically and then translated 2 units upwards.
 - b y is first dilated by a factor of 3 vertically and then translated 1 unit to the right.
 - c y is first translated 2 units upwards and then dilated by a factor of 3.
 - d y is first translated 1 unit to the right and then dilated by a factor of 3 vertically.
 - e y is first reflected across the y -axis and then translated 3 units upwards.
 - f y is first reflected about the x -axis and then translated 2 units to the right.

17

a State the equation of the asymptote of:

i $f(x) = -e^x$

ii $g(x) = 4 - e^x$

iii $h(x) = 2 + e^{2x}$

b Sketch all three graphs on the same set of axes.

18 Sketch $f(x) = e^x$, $g(x) = 2e^x + 1$, and $h(x) = e^{2x} - 1$ on the same set of axes.

19 Sketch the curves $y = e^x$, $y = e^x + 3$, and $y = e^x - 4$ on the same number plane.

20 Sketch the graph of $y = 5 - e^{2-3x}$.