Functions & Transformations

ClipSAT Printable Practice Suite (clipsat.org) • Topic 4.01

ANSWER KEY — COMPLETE WORKED SOLUTIONS

Part I — Free-Response Questions (FRQs): Foundational Fluency (1–7)

1 **[Foundational]** • **Target: Transformations of y=x**

For the model $f(x) = 2x + 5$ in transformations of y=x, evaluate $f(5)$.

Final Answer: 15. Substitute $x = 5$: $f(5) = 2(5) + 5 = 15$.

2 **[Foundational]** • **Target: Transformations of y=x**

Find the positive solutions to the quadratic equation $x^2 - 12x + 32 = 0$.

Final Answer: $x = 4$ and $x = 8$. Factoring $(x - 4)(x - 8) = 0$ yields the roots $x = 4$ and $x = 8$.

3 **[Foundational]** • **Target: Slope-intercept form**

For the model $f(x) = 3x + 6$ in slope-intercept form, evaluate $f(2)$.

Final Answer: 12. Substitute $x = 2$: $f(2) = 3(2) + 6 = 12$.

4 **[Foundational]** • **Target: Slope-intercept form**

Find the positive solutions to the quadratic equation $x^2 - 7x + 6 = 0$.

Final Answer: $x = 1$ and $x = 6$. Factoring $(x - 1)(x - 6) = 0$ yields the roots $x = 1$ and $x = 6$.

5 **[Foundational]** • **Target: Slope-intercept form**

A data set recorded for slope-intercept form consists of the four values $\{14, 18, 22, 28\}$. What is the arithmetic mean? Show your complete algebraic work.

Final Answer: 20.5. The sum is $14 + 18 + 22 + 28 = 82$, and dividing by 4 gives 20.5.

6 **[Foundational]** • **Target: Slope-intercept form**

For the model $f(x) = 3x + 6$ in slope-intercept form, evaluate $f(3)$.

Final Answer: 15. Substitute $x = 3$: $f(3) = 3(3) + 6 = 15$.

7 **[Foundational]** • **Target: Slope-intercept form**

Find the positive solutions to the quadratic equation $x^2 - 9x + 14 = 0$.

Final Answer: $x = 2$ and $x = 7$. Factoring $(x - 2)(x - 7) = 0$ yields the roots $x = 2$ and $x = 7$.

Part II — Free-Response Questions (FRQs): Intermediate Multi-Step Application (8–14)

© ClipSAT — clipsat.org | All Rights Reserved

8 [Intermediate] • Target: Slope-intercept form

For the model $f(x) = 3x + 6$ in slope-intercept form, evaluate $f(4)$.

Final Answer: 18. Substitute $x = 4$: $f(4) = 3(4) + 6 = 18$.

9 [Intermediate] • Target: Slope-intercept form

Find the positive solutions to the quadratic equation $x^2 - 11x + 24 = 0$.

Final Answer: $x = 3$ and $x = 8$. Factoring $(x - 3)(x - 8) = 0$ yields the roots $x = 3$ and $x = 8$.

10 [Intermediate] • Target: Slope-intercept form

For the model $f(x) = 3x + 6$ in slope-intercept form, evaluate $f(5)$.

Final Answer: 21. Substitute $x = 5$: $f(5) = 3(5) + 6 = 21$.

11 [Intermediate] • Target: Slope-intercept form

Find the positive solutions to the quadratic equation $x^2 - 13x + 36 = 0$.

Final Answer: $x = 4$ and $x = 9$. Factoring $(x - 4)(x - 9) = 0$ yields the roots $x = 4$ and $x = 9$.

12 [Intermediate] • Target: Standard form

For the model $f(x) = 4x + 7$ in standard form, evaluate $f(2)$.

Final Answer: 15. Substitute $x = 2$: $f(2) = 4(2) + 7 = 15$.

13 [Intermediate] • Target: Standard form

A data set recorded for standard form consists of the four values $\{15, 19, 23, 29\}$. What is the arithmetic mean? Show your complete algebraic work.

Final Answer: 21.5. The sum is $15 + 19 + 23 + 29 = 86$, and dividing by 4 gives 21.5.

14 [Intermediate] • Target: Standard form

For the model $f(x) = 4x + 7$ in standard form, evaluate $f(3)$.

Final Answer: 19. Substitute $x = 3$: $f(3) = 4(3) + 7 = 19$.

Part III — Free-Response Questions (FRQs): Challenging & Cross-Lesson Synthesis (15–20)

15 [Challenging] • Target: Standard form • Cross-Lesson: 9.01 Radicals & Exponents

For the model $f(x) = 4x + 7$ in standard form, evaluate $f(4)$.

Final Answer: 23. Substitute $x = 4$: $f(4) = 4(4) + 7 = 23$.

© ClipSAT — clipsat.org | All Rights Reserved

16 [Challenging] • Target: Standard form • Cross-Lesson: 1.01 Linear Equations & Lines

For the model $f(x) = 4x + 7$ in standard form, evaluate $f(5)$.

Final Answer: 27. Substitute $x = 5$: $f(5) = 4(5) + 7 = 27$.

17 [Challenging] • Target: Point-slope form • Cross-Lesson: 10.01 Rational Expressions

For the model $f(x) = 5x + 8$ in point-slope form, evaluate $f(2)$.

Final Answer: 18. Substitute $x = 2$: $f(2) = 5(2) + 8 = 18$.

18 [Challenging] • Target: Point-slope form • Cross-Lesson: 11.01 Statistics & Data Analysis

A data set recorded for point-slope form consists of the four values $\{16, 20, 24, 30\}$. What is the arithmetic mean? Show your complete algebraic work.

Final Answer: 22.5. The sum is $16 + 20 + 24 + 30 = 90$, and dividing by 4 gives 22.5.

19 [Challenging] • Target: Point-slope form • Cross-Lesson: 2.01 Quadratic Functions

For the model $f(x) = 5x + 8$ in point-slope form, evaluate $f(3)$.

Final Answer: 23. Substitute $x = 3$: $f(3) = 5(3) + 8 = 23$.

20 [Challenging] • Target: Point-slope form • Cross-Lesson: 3.01 Exponents & Polynomials

For the model $f(x) = 5x + 8$ in point-slope form, evaluate $f(4)$.

Final Answer: 28. Substitute $x = 4$: $f(4) = 5(4) + 8 = 28$.

Part IV — Multiple-Choice Questions (MCQs): Foundational Concept Mastery (21–28)

21 [Foundational] • Target: Review: Slope as rate of change

For the model $f(x) = 5x + 3$ in review: slope as rate of change, evaluate $f(2)$.

a. 13 ✓

b. 18

c. 10

d. 17

Substitute $x = 2$: $f(2) = 5(2) + 3 = 13$.

© ClipSAT — clipsat.org | All Rights Reserved

22 [Foundational] • Target: Review: Slope as rate of change

Find the positive solutions to the quadratic equation $x^2 - 6x + 8 = 0$.

a. $x = 2$ and $x = 5$

b. $x = 2$ **and** $x = 4$ ✓

c. $x = -2$ and $x = -4$

d. $x = 6$ and $x = 8$

Factoring $(x - 2)(x - 4) = 0$ yields the roots $x = 2$ and $x = 4$.

23 [Foundational] • Target: Review: Slope as rate of change

For the model $f(x) = 5x + 3$ in review: slope as rate of change, evaluate $f(5)$.

a. 28 ✓

b. 33

c. 25

d. 32

Substitute $x = 5$: $f(5) = 5(5) + 3 = 28$.

24 [Foundational] • Target: The slope formula

For the model $f(x) = 6x + 4$ in the slope formula, evaluate $f(2)$.

a. 16 ✓

b. 22

c. 12

d. 20

Substitute $x = 2$: $f(2) = 6(2) + 4 = 16$.

25 [Foundational] • Target: The slope formula

Find the positive solutions to the quadratic equation $x^2 - 7x + 10 = 0$.

a. $x = 2$ and $x = 6$

b. $x = 2$ **and** $x = 5$ ✓

c. $x = -2$ and $x = -5$

d. $x = 7$ and $x = 10$

Factoring $(x - 2)(x - 5) = 0$ yields the roots $x = 2$ and $x = 5$.

26 [Foundational] • Target: The slope formula

For the model $f(x) = 6x + 4$ in the slope formula, evaluate $f(5)$.

a. 34 ✓

b. 40

c. 30

d. 38

Substitute $x = 5$: $f(5) = 6(5) + 4 = 34$.

© ClipSAT — clipsat.org | All Rights Reserved

27 [Foundational] • Target: Transformations of y=x

For the model $f(x) = 2x + 5$ in transformations of y=x, evaluate $f(2)$.

a. 9 ✓

b. 11

c. 4

d. 13

Substitute $x = 2$: $f(2) = 2(2) + 5 = 9$.

28 [Foundational] • Target: Transformations of y=x

Find the positive solutions to the quadratic equation $x^2 - 8x + 12 = 0$.

a. $x = 2$ and $x = 7$

b. $x = 2$ **and** $x = 6$ ✓

c. $x = -2$ and $x = -6$

d. $x = 8$ and $x = 12$

Factoring $(x - 2)(x - 6) = 0$ yields the roots $x = 2$ and $x = 6$.

Part V — Multiple-Choice Questions (MCQs): Intermediate Exam Application (29–37)

29 [Intermediate] • Target: Review: Slope as rate of change

Find the positive solutions to the quadratic equation $x^2 - 4x + 3 = 0$.

a. $x = 1$ and $x = 4$

b. $x = 1$ **and** $x = 3$ ✓

c. $x = -1$ and $x = -3$

d. $x = 4$ and $x = 3$

Factoring $(x - 1)(x - 3) = 0$ yields the roots $x = 1$ and $x = 3$.

30 [Intermediate] • Target: Review: Slope as rate of change

A data set recorded for review: slope as rate of change consists of the four values $\{11, 15, 19, 25\}$. What is the arithmetic mean?

a. 15.5

b. 16.5

c. 17.5 ✓

d. 19.5

The sum is $11 + 15 + 19 + 25 = 70$, and dividing by 4 gives 17.5.

© ClipSAT — clipsat.org | All Rights Reserved

31 [Intermediate] • Target: Review: Slope as rate of change

For the model $f(x) = 5x + 3$ in review: slope as rate of change, evaluate $f(3)$.

a. 18 ✓

b. 23

c. 15

d. 22

Substitute $x = 3$: $f(3) = 5(3) + 3 = 18$.

32 [Intermediate] • Target: Review: Slope as rate of change

For the model $f(x) = 5x + 3$ in review: slope as rate of change, evaluate $f(4)$.

a. 23 ✓

b. 28

c. 20

d. 27

Substitute $x = 4$: $f(4) = 5(4) + 3 = 23$.

33 [Intermediate] • Target: Review: Slope as rate of change

Find the positive solutions to the quadratic equation $x^2 - 8x + 15 = 0$.

a. $x = 3$ and $x = 6$

b. $x = 3$ **and** $x = 5$ ✓

c. $x = -3$ and $x = -5$

d. $x = 8$ and $x = 15$

Factoring $(x - 3)(x - 5) = 0$ yields the roots $x = 3$ and $x = 5$.

34 [Intermediate] • Target: Review: Slope as rate of change

Find the positive solutions to the quadratic equation $x^2 - 10x + 24 = 0$.

a. $x = 4$ and $x = 7$

b. $x = 4$ **and** $x = 6$ ✓

c. $x = -4$ and $x = -6$

d. $x = 10$ and $x = 24$

Factoring $(x - 4)(x - 6) = 0$ yields the roots $x = 4$ and $x = 6$.

© ClipSAT — clipsat.org | All Rights Reserved

35 [Intermediate] • Target: The slope formula

A data set recorded for the slope formula consists of the four values $\{12, 16, 20, 26\}$. What is the arithmetic mean?

a. 16.5

b. 17.5

c. 18.5 ✓

d. 20.5

The sum is $12 + 16 + 20 + 26 = 74$, and dividing by 4 gives 18.5.

36 [Intermediate] • Target: The slope formula

For the model $f(x) = 6x + 4$ in the slope formula, evaluate $f(3)$.

a. 22 ✓

b. 28

c. 18

d. 26

Substitute $x = 3$: $f(3) = 6(3) + 4 = 22$.

37 [Intermediate] • Target: The slope formula

For the model $f(x) = 6x + 4$ in the slope formula, evaluate $f(4)$.

a. 28 ✓

b. 34

c. 24

d. 32

Substitute $x = 4$: $f(4) = 6(4) + 4 = 28$.

Part VI — Multiple-Choice Questions (MCQs): Challenging & Cross-Lesson Synthesis (38–45)

38 [Challenging] • Target: The slope formula • Cross-Lesson: 11.01 Statistics & Data Analysis

Find the positive solutions to the quadratic equation $x^2 - 9x + 18 = 0$.

a. $x = 3$ and $x = 7$

b. $x = 3$ **and** $x = 6$ ✓

c. $x = -3$ and $x = -6$

d. $x = 9$ and $x = 18$

Factoring $(x - 3)(x - 6) = 0$ yields the roots $x = 3$ and $x = 6$.

© ClipSAT — clipsat.org | All Rights Reserved

39 [Challenging] • Target: The slope formula • Cross-Lesson: 2.01 Quadratic Functions

Find the positive solutions to the quadratic equation $x^2 - 11x + 28 = 0$.

a. $x = 4$ and $x = 8$

b. $x = 4$ **and** $x = 7$ ✓

c. $x = -4$ and $x = -7$

d. $x = 11$ and $x = 28$

Factoring $(x - 4)(x - 7) = 0$ yields the roots $x = 4$ and $x = 7$.

40 [Challenging] • Target: Transformations of y=x • Cross-Lesson: 3.01 Exponents & Polynomials

Find the positive solutions to the quadratic equation $x^2 - 6x + 5 = 0$.

a. $x = 1$ and $x = 6$

b. $x = 1$ **and** $x = 5$ ✓

c. $x = -1$ and $x = -5$

d. $x = 6$ and $x = 5$

Factoring $(x - 1)(x - 5) = 0$ yields the roots $x = 1$ and $x = 5$.

41 [Challenging] • Target: Transformations of y=x • Cross-Lesson: 5.01 Exponential & Logarithmic Functions

For the model $f(x) = 2x + 5$ in transformations of y=x, evaluate $f(3)$.

a. 11 ✓

b. 13

c. 6

d. 15

Substitute $x = 3$: $f(3) = 2(3) + 5 = 11$.

42 [Challenging] • Target: Transformations of y=x • Cross-Lesson: 6.01 Systems & Inequalities

For the model $f(x) = 2x + 5$ in transformations of y=x, evaluate $f(4)$.

a. 13 ✓

b. 15

c. 8

d. 17

Substitute $x = 4$: $f(4) = 2(4) + 5 = 13$.

43 [Challenging] • Target: Transformations of y=x • Cross-Lesson: 7.01 Sequences & Series

Find the positive solutions to the quadratic equation $x^2 - 10x + 21 = 0$.

a. $x = 3$ and $x = 8$

b. $x = 3$ **and** $x = 7$ ✓

c. $x = -3$ and $x = -7$

d. $x = 10$ and $x = 21$

Factoring $(x - 3)(x - 7) = 0$ yields the roots $x = 3$ and $x = 7$.

© ClipSAT — clipsat.org | All Rights Reserved

44 [Challenging] • Target: Slope-intercept form • Cross-Lesson: 8.01 Factoring Polynomials

A data set recorded for slope-intercept form consists of the four values $\{14, 18, 22, 28\}$. What is the arithmetic mean?

a. 18.5

b. 19.5

c. 20.5 ✓

d. 22.5

The sum is $14 + 18 + 22 + 28 = 82$, and dividing by 4 gives 20.5.

45 [Challenging] • Target: Standard form • Cross-Lesson: 9.01 Radicals & Exponents

A data set recorded for standard form consists of the four values $\{15, 19, 23, 29\}$. What is the arithmetic mean?

a. 19.5

b. 20.5

c. 21.5 ✓

d. 23.5

The sum is $15 + 19 + 23 + 29 = 86$, and dividing by 4 gives 21.5.

© ClipSAT — clipsat.org | All Rights Reserved