
Quantitative Comparisons

ClipSAT Printable Practice Suite (clipsat.org) • Topic 5.01

Part I — Free-Response Questions (FRQs): Foundational Fluency (1–7)


1 [Foundational] • Target: Free-Response Questions (FRQs): Foundational Fluency (1–7)

Column A: $\frac{7}{12}$. Column B: 0.58. Compare the two columns.



2 [Foundational] • Target: Numeric comparisons

Column A: 7×8. Column B: $6 \times 9 + 2$. Compare the two columns: which is greater, are they equal, or is it impossible to determine?



© ClipSAT — clipsat.org | All Rights Reserved

3 [Foundational] • Target: Numeric comparisons

Column A: $123 + 456$. Column B: $700 - 120$. Compare the two columns.

4 [Foundational] • Target: Numeric comparisons


Column A: 9^2. Column B: $8^2 + 15$. Compare the two columns.

5 [Foundational] • Target: Numeric comparisons

Column A: $(-3)^2$. Column B: -3^2. Compare the two columns.

6 [Foundational] • Target: Fraction and decimal comparisons

Column A: $\frac{3}{7}$. Column B: 0.43. Compare the two columns.



7 [Foundational] • Target: Fraction and decimal comparisons

Column A: $\frac{7}{12}$. Column B: 0.58. Compare the two columns.

Part II — Free-Response Questions (FRQs): Intermediate Multi-Step Application (8–14)

8 [Intermediate] • Target: Fraction and decimal comparisons

Column A: $2\frac{3}{8}$. Column B: $\frac{19}{8}$. Compare the two columns.


9 [Intermediate] • Target: Fraction and decimal comparisons

Column A: 0.6. Column B: $\frac{5}{9}$. Compare the two columns.

© ClipSAT — clipsat.org | All Rights Reserved

10 [Intermediate] • Target: Percent comparisons

Column A: 25% of 160. Column B: 20% of 200. Compare the two columns.



11 [Intermediate] • Target: Percent comparisons

Column A: 30% of 90. Column B: 40% of 60. Compare the two columns.

12 [Intermediate] • Target: Percent comparisons

Column A: the result of increasing 100 by 10% twice in a row. Column B: the result of increasing 100 by 20% once. Compare the two columns.

13 [Intermediate] • Target: Percent comparisons

Column A: 15% of 80. Column B: 12% of 100. Compare the two columns.

14 [Intermediate] • Target: Exponent and root comparisons

Column A: $\sqrt{50}$. Column B: 7.1. Compare the two columns.

Part III — Free-Response Questions (FRQs): Challenging & Cross-Lesson Synthesis (15–20)


15 [Challenging] • Target: Exponent and root comparisons • Cross-Lesson: 3.01 Algebra Essentials

Column A: 2^{10}. Column B: 10^{3}. Compare the two columns.

© ClipSAT — clipsat.org | All Rights Reserved

16 [Challenging] • Target: Exponent and root comparisons • Cross-Lesson: 4.01 Geometry & Measurement

Column A: $\sqrt{0.09}$. Column B: 0.3. Compare the two columns.



17 [Challenging] • Target: Exponent and root comparisons • Cross-Lesson: 6.01 Sequences & Patterns

Column A: 3^4. Column B: 4^3. Compare the two columns.

18 [Challenging] • Target: Algebraic comparisons at a fixed value • Cross-Lesson: 7.01 Data Analysis & Probability

Given $x = 5$. Column A: $2x + 3$. Column B: $x + 8$. Compare the two columns.

19 [Challenging] • Target: Algebraic comparisons at a fixed value • Cross-Lesson: 8.01 Word Problems & Reasoning

Given $x = 4$. Column A: $(x + 2)^2$. Column B: $x^2 + 4x + 4$. Compare the two columns.

20 [Challenging] • Target: Algebraic comparisons at a fixed value • Cross-Lesson: 1.01 Arithmetic & Number Sense


Given $n = -2$. Column A: n^2. Column B: n^3. Compare the two columns.

Part IV — Multiple-Choice Questions (MCQs): Foundational Concept Mastery (21–28)

© ClipSAT — clipsat.org | All Rights Reserved

21 [Foundational] • Target: MCQ — Geometry comparisons

Column A: the circumference of the circle shown (use $\pi \approx 3.14$). Column B: 32.



a. The relationship cannot be determined from the given information

b. Column A is greater

c. The two columns are equal

d. Column B is greater

22 [Foundational] • Target: MCQ — Geometry comparisons

Column A: the area of the rectangle shown. Column B: the perimeter of a square with side 7.

a. The relationship cannot be determined from the given information

b. The two columns are equal


c. Column B is greater

d. Column A is greater

© ClipSAT — clipsat.org | All Rights Reserved

23 [Foundational] • Target: MCQ — Geometry comparisons

Column A: the hypotenuse of the right triangle shown. Column B: 16.



a. The relationship cannot be determined from the given information

b. Column B is greater


c. The two columns are equal

d. Column A is greater

© ClipSAT — clipsat.org | All Rights Reserved

24 [Foundational] • Target: MCQ — More geometry comparisons

Column A: the volume of the cube shown. Column B: the volume of a rectangular box $4 \times 5 \times 7$.



a. The relationship cannot be determined from the given information

b. Column A is greater


c. Column B is greater

d. The two columns are equal

© ClipSAT — clipsat.org | All Rights Reserved

25 [Foundational] • Target: MCQ — More geometry comparisons

Column A: the sum of the interior angles of the octagon shown. Column B: four times the sum of the interior angles of a triangle.



a. Column B is greater

b. The two columns are equal

c. Column A is greater

d. The relationship cannot be determined from the given information

26 [Foundational] • Target: MCQ — Numeric comparisons

Column A: 6×7. Column B: $5 \times 9 - 3$. Compare the two columns.

a. The two columns are equal

b. Column B is greater

c. The relationship cannot be determined from the given information

d. Column A is greater

© ClipSAT — clipsat.org | All Rights Reserved

27 [Foundational] • Target: MCQ — Fraction and decimal comparisons

Column A: $\frac{5}{8}$. Column B: 0.62. Compare the two columns.

a. The relationship cannot be determined from the given information

b. Column B is greater

c. The two columns are equal

d. Column A is greater

28 [Foundational] • Target: MCQ — Percent comparisons

Column A: 45% of 80. Column B: 40% of 100. Compare the two columns.

a. The relationship cannot be determined from the given information

b. The two columns are equal

c. Column A is greater

d. Column B is greater

Part V — Multiple-Choice Questions (MCQs): Intermediate Exam Application (29–37)

29 [Intermediate] • Target: MCQ — Exponent and root comparisons

Column A: 3^5. Column B: 5^3. Compare the two columns.

a. Column A is greater

b. The two columns are equal

c. Column B is greater

d. The relationship cannot be determined from the given information

© ClipSAT — clipsat.org | All Rights Reserved

30 **[Intermediate]** • **Target: MCQ — Algebraic comparisons at a fixed value**

Given $n = -3$. Column A: n^2. Column B: n^3. Compare the two columns.

a. The relationship cannot be determined from the given information

b. Column B is greater

c. The two columns are equal

d. Column A is greater

31 **[Intermediate]** • **Target: MCQ — Comparisons requiring testing values**

For any real number x: Column A: $(x + 2)^2$. Column B: $x^2 + 4x + 4$. Compare the two columns.

a. The two columns are equal

b. Column A is greater

c. The relationship cannot be determined from the given information

d. Column B is greater

32 **[Intermediate]** • **Target: MCQ — Geometry comparisons**

Column A: the volume of a cylinder with radius 3 and height 7 (use $\pi \approx 3.14$). Column B: 200.

a. The relationship cannot be determined from the given information

b. Column A is greater

c. The two columns are equal

d. Column B is greater

© ClipSAT — clipsat.org | All Rights Reserved

33 **[Intermediate]** • **Target: MCQ — Data and probability comparisons**

A data set is $5, 8, 8, 10, 14$. Column A: the mean. Column B: the median.

a. The two columns are equal

b. Column B is greater

c. Column A is greater

d. The relationship cannot be determined from the given information

34 **[Intermediate]** • **Target: MCQ — Word-problem comparisons**

Layla's age is 4 years less than three times Huda's age. Huda is 9. Column A: Layla's age. Column B: 25.

a. Column A is greater

b. The two columns are equal

c. Column B is greater

d. The relationship cannot be determined from the given information

35 **[Intermediate]** • **Target: MCQ — Comparisons with inequalities and ranges**

Given that $x < -4$. Column A: x. Column B: -4.

a. Column A is greater

b. Column B is greater

c. The two columns are equal

d. The relationship cannot be determined from the given information

© ClipSAT — clipsat.org | All Rights Reserved

36 [Intermediate] • Target: MCQ — Exponent and root comparisons

Column A: 8×5. Column B: $7 \times 8 - 15$. Compare the two columns.

a. Column A is greater

b. The two columns are equal

c. The relationship cannot be determined from the given information

d. Column B is greater

37 [Intermediate] • Target: MCQ — Algebraic comparisons at a fixed value

Column A: 7×11. Column B: $11 \times 8 + 9$. Compare the two columns.

a. The two columns are equal

b. The relationship cannot be determined from the given information

c. Column A is greater

d. Column B is greater

Part VI — Multiple-Choice Questions (MCQs): Challenging & Cross-Lesson Synthesis (38–45)

38 [Challenging] • Target: MCQ — Comparisons requiring testing values • Cross-Lesson: 7.01 Data Analysis & Probability

Column A: 7×6. Column B: $4 \times 3 + 8$. Compare the two columns.

a. The relationship cannot be determined from the given information

b. Column A is greater

c. The two columns are equal

d. Column B is greater

© ClipSAT — clipsat.org | All Rights Reserved

39 [Challenging] • Target: MCQ — Geometry comparisons • Cross-Lesson: 8.01 Word Problems & Reasoning

Column A: 10% of 160. Column B: 20% of 40. Compare the two columns.

a. The two columns are equal

b. Column A is greater

c. The relationship cannot be determined from the given information

d. Column B is greater

40 [Challenging] • Target: MCQ — Ratio and proportion comparisons • Cross-Lesson: 1.01 Arithmetic & Number Sense

Column A: 15% of 80. Column B: 20% of 290. Compare the two columns.

a. Column A is greater

b. The two columns are equal

c. Column B is greater

d. The relationship cannot be determined from the given information

41 [Challenging] • Target: MCQ — Data and probability comparisons • Cross-Lesson: 2.01 Ratios, Proportions & Percentages

Column A: 50% of 190. Column B: 30% of 70. Compare the two columns.

a. The relationship cannot be determined from the given information

b. Column A is greater

c. The two columns are equal

d. Column B is greater

© ClipSAT — clipsat.org | All Rights Reserved

42 [Challenging] • Target: MCQ — Word-problem comparisons • Cross-Lesson: 3.01 Algebra Essentials

Column A: 30% of 210. Column B: 30% of 270. Compare the two columns.

a. Column A is greater

b. The two columns are equal

c. Column B is greater

d. The relationship cannot be determined from the given information

43 [Challenging] • Target: MCQ — Comparisons with inequalities and ranges • Cross-Lesson: 4.01 Geometry & Measurement

Given $x = 8$. Column A: $2x + 5$. Column B: $2x + 9$. Compare the two columns.

a. The relationship cannot be determined from the given information

b. Column A is greater

c. Column B is greater

d. The two columns are equal

44 [Challenging] • Target: MCQ — More geometry comparisons • Cross-Lesson: 6.01 Sequences & Patterns

For any real m. Column A: $|m|$. Column B: m. Compare the two columns.

a. Column B is greater

b. The two columns are equal

c. The relationship cannot be determined from the given information

d. Column A is greater

© ClipSAT — clipsat.org | All Rights Reserved

45 [Challenging] • Target: Free-Response Questions (FRQs): Foundational Fluency (1–7) • Cross-Lesson: 7.01 Data Analysis & Probability

Column A: the perimeter of a rectangle with length 4 cm and width 3 cm. Column B: the perimeter of a square with side 14 cm.

a. Column B is greater

b. The two columns are equal

c. Column A is greater

d. The relationship cannot be determined from the given information

© ClipSAT — clipsat.org | All Rights Reserved