

Double Integrals



Iterated integrals over rectangles

- 1 Evaluate $\int_0^2 \int_0^3 (x^2 + y) dy dx$.
 - 2 Evaluate $\int_1^2 \int_0^1 6xy^2 dx dy$.
-

Double integrals over general regions

- 3 Evaluate $\int_0^1 \int_0^x (x + y) dy dx$, integrating over the triangular region $0 \leq y \leq x \leq 1$.
 - 4 Use a double integral to find the volume under $f(x, y) = 4 - x - y$ over the rectangle $0 \leq x \leq 1, 0 \leq y \leq 1$.
-

Reversing the order of integration

- 5 Evaluate $\int_0^1 \int_y^1 e^{x^2} dx dy$ by first reversing the order of integration (the region is $0 \leq y \leq x \leq 1$).
-

Double integrals in polar coordinates

- 6 Evaluate $\iint_D (x^2 + y^2) dA$ where D is the disk $x^2 + y^2 \leq 4$, by converting to polar coordinates ($dA = r dr d\theta$).
 - 7 Find the area of the region enclosed by $r = 2\cos \theta$ using a double integral in polar coordinates.
-

Average value over a region

- 8 Find the average value of $f(x, y) = xy$ over the rectangle $0 \leq x \leq 2, 0 \leq y \leq 3$ (average value $= \frac{1}{A} \iint_D f dA$, where A is the region's area).
-

Mass and center of a region

- 9 A lamina occupies the rectangle $0 \leq x \leq 2, 0 \leq y \leq 1$ with density $\rho(x, y) = x + y$. Find its total mass, $M = \iint_D \rho dA$.

- 10 For a lamina occupying $0 \leq x \leq 1$, $0 \leq y \leq 1$ with constant density $\rho = 1$, find the x -coordinate of the center of mass, $\bar{x} = \frac{1}{M} \iint_D x \, dA$ (where M is the total mass).
-

Triple integral setup (a first look)

- 11 Set up (do not evaluate) the triple integral for the volume of the solid bounded by $0 \leq x \leq 1$, $0 \leq y \leq 2$, $0 \leq z \leq 3$.