

Normal distributions



1

a Yes

e No

b Yes

f No

c No

g Yes

d No

h Yes

2

a No

b No

c Yes

3

a No

e No

b Yes

f Yes

c No

d No

4

a No

b No

c Yes

5

a 50%

b 50%

6

a 200

b 200

c 200

7

a 35

e 59

b 83

f $\frac{121}{3}$

c 99

d 19

8 89

9

a 34%

b 6 cm

10

a 47

b 74

11

a 50%

b 10 kg

12

a 203 cm

b 161 cm

13

a 229 cm



b 184 cm

The empirical rule

14

a 81.5%

b 97.5%

c 13.5%

d 16%

e 81.5%

f 97.5%

g 13.5%

15

a 68%

b 95%

c 99.7%

16

a 34%

b 47.5%

c 49.85%

17

a 81.5%

b 83.85%

c 97.35%

18

a $x = 1$

b $x = 2$

c $x = 3$

19

a $x = 1$

b $x = 2$

c $x = 3$

20

a 58,62

b 56,64

c 54,66

21

a 408

b 570

c 598

d 204

e 81

22

a 272

b 380

c 399

d 136

e 54

23 3360

24 683

25 699



26

a 68%

b 95%

c 99.7%

d 34%

e 13.5%

27

a 68%

b 95%

c 99.7%

d 34%

e 13.5%

28

a 50%

b 84%

c 16%

d 2.5%

e 99.85%

f 49.85%

g 13.5%

29 95%

30

a 97.35%

b 83.85%

c 2925

31

a 97.35%

b 449

32

a 97.35%

b 81.5%

c 50 924

33

a 1

b 24 biscuits to 33 biscuits

34

a 3

b 138 kg – 162 kg

35

a 2

b 8.3 s – 17.8 s