

Reverse of differentiation



1 Consider the function x^4 .

a Calculate $\frac{d}{dx}(x^4)$.

b Hence find $\int 4x^3 dx$.

2 Consider the function x^6 .

a Calculate $\frac{d}{dx}(x^6)$.

b Hence find $\int 24x^5 dx$.

3 Consider the function $x^5 + x^4$.

a Calculate $\frac{d}{dx}(x^5 + x^4)$.

b Find $\int (35x^4 + 28x^3) dx$.

4 Consider the function x^{-4} .

a Calculate $\frac{d}{dx}(x^{-4})$.

b Hence find $\int 16x^{-5} dx$.

5 Consider the function $x^8 + x^6$.

a Calculate $\frac{d}{dx}(x^8 + x^6)$.

b Find $\int (4x^7 + 3x^5) dx$.

6 Consider the function $\sqrt[5]{x^6}$.

a Calculate $\frac{d}{dx}(\sqrt[5]{x^6})$.

b Hence find $\int 6\sqrt[5]{x} dx$.



Anti-differentiation

7 Consider the gradient function $f'(x) = 2$.

- a Write the general form of the antiderivative function, $f(x)$.
- b The gradient function $f'(x)$, is a constant function. What type of function is the antiderivative function, $f(x)$.
- c If the form of a constant gradient function is $f'(x) = m$, write the general form of the antiderivative function.

8 Consider the gradient function $f'(x) = -8x$.

- a Write the general form of the antiderivative function, $f(x)$.
- b The gradient function $f'(x)$, is a linear function. What type of function is the antiderivative function, $f(x)$.
- c If the form of a linear gradient function is $f'(x) = ax$, write the general form of the antiderivative function.

9 Consider the gradient function $f'(x) = 4x + 3$.

- a Write the general form of the antiderivative function, $f(x)$.
- b The gradient function $f'(x)$, is a linear function. What type of function is the antiderivative function, $f(x)$.
- c If the form of a linear gradient function is $f'(x) = ax + b$, write the general form of the antiderivative function.

10 Consider the gradient function $f'(x) = 7x^2$.

- a Write the general form of the antiderivative function, $f(x)$.
- b The gradient function $f'(x)$, is a quadratic function. What type of function is the antiderivative function, $f(x)$.
- c If the form of a quadratic gradient function is $f'(x) = ax^2$, write the general form of the antiderivative function.

11 Find the primitive function of the following



a $\frac{dy}{dx} = 9$

c $\frac{dy}{dx} = 10x + 7$

e $\frac{dy}{dx} = 9x^2 + 4x - 6$

g $\frac{dy}{dx} = 15x^4 + 16x^3$

i $\frac{dy}{dx} = x^{-6}$

k $\frac{dy}{dx} = \frac{10}{x^6} - \frac{9}{x^4}$

m $\frac{dy}{dx} = x^{-\frac{3}{7}} + x^{-\frac{2}{5}}$

o $\frac{dy}{dx} = \frac{x^3 + 4}{x^3}$

q $\frac{dy}{dx} = (5x - 2)(3x - 4)$

s $\frac{dy}{dx} = \sqrt{x}$

u $\frac{dy}{dx} = x\sqrt{x}$

b $\frac{dy}{dx} = 8x$

d $\frac{dy}{dx} = 9x^2$

f $\frac{dy}{dx} = x^5$

h $\frac{dy}{dx} = \frac{x^6}{4} + \frac{x^2}{3}$

j $\frac{dy}{dx} = \frac{15}{x^6}$

l $\frac{dy}{dx} = 4x^{\frac{2}{5}} + 3x^{\frac{4}{7}}$

n $\frac{dy}{dx} = 8x^3 + 3x^{\frac{5}{3}} - 3$

p $\frac{dy}{dx} = x^2(10x^2 - 9x)$

r $\frac{dy}{dx} = (x + 4)(x + 6)$

t $\frac{dy}{dx} = 18\sqrt{x}$

v $\frac{dy}{dx} = \frac{6}{\sqrt{x}}$



Indefinite integrals

12 Find the following indefinite integrals:

a $\int 4 \, dx$

c $\int 4x^3 \, dx$

e $\int x^5 \, dx$

g $\int (5 - 3t - 4t^2) \, dt$

i $\int (3x^2 + 6x + 3) \, dx$

k $\int \left(\frac{x^2}{5} + \frac{x^3}{4} + 3 \right) \, dx$

m $\int (3x^{-2} - 8x) \, dx$

o $\int x^{\frac{1}{4}} \, dx$

q $\int 5x^{\frac{3}{4}} \, dx$

s $\int \left(x^{\frac{4}{5}} + 5x^{\frac{2}{3}} \right) \, dx$

u $\int \left(5x^{\frac{2}{3}} + 3\sqrt{x} + 6 \right) \, dx$

w $\int (3x - 2)(x + 6) \, dx$

y $\int x^2 (7x^4 + 9) \, dx$

b $\int x^3 \, dx$

d $\int \frac{1}{4}x^2 \, dx$

f $\int (x^2 + 4x) \, dx$

h $\int (4x^3 + 3x^2) \, dx$

j $\int (3x + 3x^2 + x^3) \, dx$

l $\int x^{-5} \, dx$

n $\int \frac{5}{x^2} \, dx$

p $\int x^{\frac{4}{5}} \, dx$

r $\int \sqrt{x} \, dx$

t $\int \left(5x^{\frac{7}{3}} + \frac{9}{15}x^{\frac{5}{4}} \right) \, dx$

v $\int \frac{1}{\sqrt{x}} \, dx$

x $\int x(4x + 7)(7x + 2) \, dx$

z $\int 7x(x - 1)^2 \, dx$

13 Simplify and hence find the following indefinite integrals:

a $\int x(7x^3 + 3)^2 \, dx$

c $\int \left(\sqrt{x} + \frac{5}{x} \right)^2 \, dx$

e $\int \left(\frac{x^3}{3} - \frac{3}{x^3} \right) \, dx$

g $\int \frac{8x^6 + 9x}{x^5} \, dx$

i $\int y\sqrt{y} \, dy$

k $\int ay^3 \, dy$, a is a constant

b $\int (\sqrt{x} - 2)^2 \, dx$

d $\int \sqrt{x}(7x^2 + 5x) \, dx$

f $\int \frac{5x^5 - 2x}{x} \, dx$

h $\int \frac{x^3 + 5}{\sqrt{x}} \, dx$

j $\int \frac{1}{y\sqrt{y}} \, dy$

l $\int \frac{1}{n}\sqrt{t} \, dt$, n is a non-zero constant



Applications

14 For each of the following gradient functions:

i State what type of function the antiderivative, $f(x)$, is.

ii Find $f(x)$.

iii Sketch a possible graph for the antiderivative $f(x)$.

a $f'(x) = 6$

b $f'(x) = 8x + 8$

c $f'(x) = 7x^2$

d $f'(x) = -5x(x + 2)$

15 Consider the gradient function $f'(x) = \frac{3}{x^2}$.

a Find $f(x)$.

b Sketch a possible graph of the antiderivative $f(x)$.

16 The gradient function, $f'(x)$, has only one x -intercept at $(-4, 0)$, a y -intercept at $(0, -3)$ and a constant gradient.

a Find $f'(x)$.

b Find $f(x)$.

c Sketch a possible graph of the antiderivative $f(x)$.

Find value of C

17 Consider the equation $\frac{dy}{dx} = 4x + 7$.

a Find a general equation for y .

b Find the equation of y , if the curve passes through the point $(3, 41)$.

18 Consider the equation $\frac{dy}{dx} = 9x^2 - 10x + 2$.

a Find a general equation for y .

b Find the equation of y , if the curve passes through the point $(2, 13)$.

19 A family of curves has a gradient function  $15x^2 + 7$.

- a Find the equation of y for the family of curves.
- b Find the equation of the curve that passes through the point $(2, 59)$.

20 Consider the gradient function $\frac{dy}{dx} = 10x^4 + 20x^3 + 6x^2 + 6x + 9$.

- a Find an equation for y .
- b Find the equation of y , if the curve passes through the point $(-3, -133)$.

21 Consider the gradient function $\frac{dy}{dx} = 9x^{\frac{2}{3}}$.

- a Find an equation for y .
- b Find the equation of y , if the curve passes through the point $\left(8, \frac{889}{5}\right)$.

22 Find the equation of a curve p in terms of t , given the following:

- $\frac{dp}{dt} = 6t - 5$
- when $t = 3$, $\frac{dp}{dt} = 13$ and $p = 15$

23 Find the equation of a curve y in terms of x , given the following:

- $y'' = 0$.
- y contains the points $(-1, -1)$ and $(0, 2)$.