

One percentage from another



1

a 2000

b 400

c 50

d 50

e 52

f 28

g 60

h 120

2

a
i 8

ii 800

b
i 7

ii 700

c
i 8

ii 800

d
i 4

ii 400

e
i 59

ii 5900

f
i 500

ii 50 000

g
i 48

ii 4800

h
i 28.75

ii 2875

3

a
i \$64

ii \$6400

b
i \$1.50

ii \$150

c
i 90 mL

ii 9000 mL

d
i 115 mL

ii 11500 mL

e
i 520 g

ii 52 000 g

f
i 4000 g

ii 400 000 g

g
i 27 L

ii 2700 L

h
i 140.5 cm

ii 14 050 cm

4

a
i 9

ii 90

b
i 61

ii 610

c
i \$20

ii \$200

d
i \$415

ii \$4150

5

a
i 6

ii 24

b
i 42.5

ii 170

c
i 12 500

ii 50 000

d
i 150

ii 600

6

a 4550

b 40 000

c \$32 000

d \$72.75

e 1050 mL

f 8160 g



g \$16 250

h 5150 m

7

a 67

b 5561

8

a 6

b 216

9

a 18

b 1278

10 80

11 40.8

Applications

12 896 grams

13 924

14 3 780 000 megalitres

15 41 kg

16 80

17 \$800

18 \$216.36

19 400 000

20 3 days

21

a 30 hours

b 33 hours

22 \$70



23 \$183