

Rates of Change and Rectilinear Motion



Position, velocity, and acceleration

- 1 A particle moves along a line with position $s(t) = t^3 - 6t^2 + 9t$ (metres, seconds).
 - a Find the velocity function $v(t)$.
 - b Find the acceleration function $a(t)$.
 - c Find $v(2)$ and $a(2)$.
 - 2 For the particle above, find all times $t \geq 0$ when the particle is at rest ($v(t) = 0$).
-

Speeding up and slowing down

- 3 Using the particle from above, determine whether the particle is speeding up or slowing down at $t = 2$ (compare the signs of $v(2)$ and $a(2)$).
 - 4 Determine whether the particle is speeding up or slowing down at $t = 0$.
-

Total distance vs. displacement

- 5 For the particle above, find its displacement over $[0, 3]$.
 - 6 Using the fact that the particle changes direction at $t = 1$ (found earlier), find the total distance traveled over $[0, 3]$.
-

Related rates

- 7 A spherical balloon is inflated so its radius grows at 2 cm/s. Find the rate of change of its volume when $r = 6$ cm, using $V = \frac{4}{3}\pi r^3$.
 - 8 A 13 m ladder leans against a wall. The base slides away from the wall at 3 m/s. Find how fast the top of the ladder is sliding down when the base is 5 m from the wall.
-

Motion from a velocity graph

- 9 A particle's velocity is $v(t) = t^2 - 4t$ (m/s) for $t \geq 0$. Find the times when the particle changes direction.

- 10** For the same particle, find the acceleration at $t = 1$ and state whether the particle is speeding up or slowing down at that instant.