Geometry & Coordinate Geometry

ClipSAT Printable Practice Suite (clipsat.org) • Topic 5.01

ANSWER KEY — COMPLETE WORKED SOLUTIONS

Part I — Free-Response Questions (FRQs): Foundational Fluency (1–7)

1 **[Foundational]** • **Target: Distance and midpoint**

Find the distance between $(1, 2)$ and $(4, 6)$.

$d = \sqrt{(4-1)^2 + (6-2)^2} = \sqrt{9+16} = \sqrt{25} = 5$.

2 **[Foundational]** • **Target: Distance and midpoint**

Find the midpoint of $(2, -3)$ and $(8, 5)$.

Midpoint $= \left(\frac{2+8}{2}, \frac{-3+5}{2}\right) = (5, 1)$.

3 **[Foundational]** • **Target: Gradient (slope)**

Find the gradient of the line through $(1, 2)$ and $(5, 10)$.

$m = \frac{10-2}{5-1} = \frac{8}{4} = 2$.

4 **[Foundational]** • **Target: Gradient (slope)**

State whether the line through $(1, 1)$ and $(4, 1)$ is horizontal, vertical, or neither.

Both points have $y = 1$, so the line is horizontal (gradient $= 0$).

5 **[Foundational]** • **Target: Equations of lines**

Find the equation of the line with gradient 2 passing through $(3, 5)$, in the form $y = mx + c$.

$y - 5 = 2(x - 3) \Rightarrow y = 2x - 1$.

6 **[Foundational]** • **Target: Equations of lines**

Find the equation of the line through $(0, 4)$ and $(2, 10)$.

$m = \frac{10-4}{2-0} = 3$. Using the y-intercept 4: $y = 3x + 4$.

7 **[Foundational]** • **Target: Equations of lines**

Find the x- and y-intercepts of the line $2x + 3y = 12$.

x-intercept ($y = 0$): $x = 6$. y-intercept ($x = 0$): $y = 4$.

Part II — Free-Response Questions (FRQs): Intermediate Multi-Step Application (8–14)

© ClipSAT — clipsat.org | All Rights Reserved

8 [Intermediate] • Target: Equations of lines

Write the equation of the line parallel to $y = 4x - 1$ passing through $(2, 9)$.

Same gradient 4: $y - 9 = 4(x - 2) \Rightarrow y = 4x + 1$.

9 [Intermediate] • Target: Parallel and perpendicular lines

State the gradient of a line perpendicular to a line with gradient 5.

$m = -\frac{1}{5}$.

10 [Intermediate] • Target: Parallel and perpendicular lines

Determine whether the lines $y = 2x + 3$ and $y = 2x - 7$ are parallel, perpendicular, or neither.

Parallel — both have gradient 2.

11 [Intermediate] • Target: Parallel and perpendicular lines

Find the equation of the line perpendicular to $y = -\frac{1}{3}x + 2$, passing through $(3, 4)$.

The perpendicular gradient is 3. $y - 4 = 3(x - 3) \Rightarrow y = 3x - 5$.

12 [Intermediate] • Target: The equation of a circle

Write the equation of a circle centered at the origin with radius 6.

$x^2 + y^2 = 36$.

13 [Intermediate] • Target: The equation of a circle

Write the equation of a circle centered at $(2, -3)$ with radius 5.

$(x - 2)^2 + (y + 3)^2 = 25$.

14 [Intermediate] • Target: The equation of a circle

Find the radius and center of the circle $(x - 1)^2 + (y + 4)^2 = 49$.

Center: $(1, -4)$. Radius: 7.

Part III — Free-Response Questions (FRQs): Challenging & Cross-Lesson Synthesis (15–20)

15 [Challenging] • Target: The equation of a circle • Cross-Lesson: 9.01 Statistics & Probability

Find the equation of the circle centered at the origin that passes through $(3, 4)$.

Radius $= \sqrt{3^2 + 4^2} = 5$. Equation: $x^2 + y^2 = 25$.

© ClipSAT — clipsat.org | All Rights Reserved

16 [Challenging] • Target: Circles: chords and arcs • Cross-Lesson: 1.01 Algebra & Equations

Points A and B lie on a circle of radius 5 centered at O, with central angle $\angle AOB = 90^\circ$. Find the length of chord AB, using $AB = 2r\sin\left(\frac{\theta}{2}\right)$.

$AB = 2(5)\sin(45^\circ) = 10(0.7071) \approx 7.07$.

17 [Challenging] • Target: Circles: chords and arcs • Cross-Lesson: 2.01 Functions & Transformations

A chord of a circle with radius 10 cm is 12 cm long. Find the distance from the center to the chord.

Half the chord is 6 cm. Distance $= \sqrt{10^2 - 6^2} = \sqrt{100 - 36} = \sqrt{64} = 8$ cm.

18 [Challenging] • Target: Circles: chords and arcs • Cross-Lesson: 3.01 Sequences & Series

Find the circumference of a circle with radius 9 cm, in terms of π.

$C = 2\pi r = 18\pi$ cm.

19 [Challenging] • Target: Polygon angle sums • Cross-Lesson: 4.01 Trigonometry

Find the sum of the interior angles of a hexagon (6 sides).

$(n-2)180^\circ = (6-2)180^\circ = 720^\circ$.

20 [Challenging] • Target: Polygon angle sums • Cross-Lesson: 6.01 Limits & Derivatives

Find the measure of each interior angle of a regular pentagon.

Sum $= (5-2)180^\circ = 540^\circ$. Each angle $= \frac{540^\circ}{5} = 108^\circ$.

Part IV — Multiple-Choice Questions (MCQs): Foundational Concept Mastery (21–28)

21 [Foundational] • Target: MCQ — Distance and midpoint

Find the distance between the two points shown.

a. $\sqrt{5}$

b. 4

c. 3

d. 5 ✓

$\sqrt{(5-1)^2 + (5-2)^2} = \sqrt{16+9} = 5$.

© ClipSAT — clipsat.org | All Rights Reserved

22 [Foundational] • Target: MCQ — Distance and midpoint

Find the midpoint of the segment joining the two points shown.

a. $(4, 3)$

b. $(2, 6)$

c. $(2, 3)$ ✓

d. $(8, 6)$

$\left(\frac{-2+6}{2}, \frac{3+3}{2}\right) = (2, 3)$.

23 [Foundational] • Target: MCQ — Equations of lines

The graph shows a line. Find its equation in the form $y = mx + c$ by reading the graph.

a. $y = \frac{1}{2}x + 1$

b. $y = 2x + 1$ ✓

c. $y = x + 1$

d. $y = 2x - 1$

The line crosses the y-axis at 1 and rises 2 for every 1 across: $y = 2x + 1$.

24 [Foundational] • Target: MCQ — The equation of a circle

Write the equation of the circle shown, centered at the origin.

a. $x^2 + y^2 = 10$

b. $x^2 + y^2 = 5$

c. $x^2 + y^2 = 20$

d. $x^2 + y^2 = 25$ ✓

$r = 5$; $r^2 = 25$.

25 [Foundational] • Target: MCQ — The equation of a circle

The circle shown is centered at $(1, 2)$ with the radius marked. Write its equation.

a. $(x - 1)^2 + (y - 2)^2 = 8$

b. $(x + 1)^2 + (y + 2)^2 = 16$

c. $(x - 1)^2 + (y - 2)^2 = 16$ ✓

d. $(x - 1)^2 + (y - 2)^2 = 4$

$(x - 1)^2 + (y - 2)^2 = 4^2$.

© ClipSAT — clipsat.org | All Rights Reserved

26 [Foundational] • Target: MCQ — Circles: chords and arcs

Points A and B lie on a circle of radius 8 centered at O, with central angle $\angle AOB = 60^\circ$. Find the arc length AB, in terms of π.

a. $\frac{16\pi}{3}$

b. $\frac{4\pi}{3}$

c. 16π

d. $\frac{8\pi}{3}$ ✓

Arc $= \frac{60}{360} \times 2\pi(8) = \frac{8\pi}{3}$.

27 [Foundational] • Target: MCQ — Circles: chords and arcs

Find the arc length of the 90° sector shown, in terms of π.

a. 12π

b. 3π ✓

c. 1.5π

d. 6π

Arc $= \frac{90}{360} \times 2\pi(6) = 3\pi$.

28 [Foundational] • Target: MCQ — Polygon angle sums

Find the sum of the interior angles of an octagon (8 sides).

a. 720°

b. $1{,}440^\circ$

c. 900°

d. $1{,}080^\circ$ ✓

$(8 - 2) \times 180 = 1{,}080^\circ$.

Part V — Multiple-Choice Questions (MCQs): Intermediate Exam Application (29–37)

29 [Intermediate] • Target: MCQ — Polygon angle sums

Find the measure of each interior angle of a regular hexagon.

a. 140°

b. 135°

c. 108°

d. 120° ✓

Sum $= 720^\circ$; each $= 720 \div 6 = 120^\circ$.

© ClipSAT — clipsat.org | All Rights Reserved

30 [Intermediate] • Target: MCQ — Polygon angle sums

Find the sum of the interior angles of a decagon (10 sides).

a. $1{,}800^\circ$

b. $1{,}260^\circ$

c. $1{,}080^\circ$

d. $1{,}440^\circ$ ✓

$(10-2)\times 180 = 1{,}440^\circ$.

31 [Intermediate] • Target: MCQ — Perimeter and area

A rectangle has length 15 and width 9, as shown. Find its perimeter and area.

a. $P = 135, A = 48$

b. $P = 48, A = 135$ ✓

c. $P = 24, A = 135$

d. $P = 48, A = 24$

$P = 2(15+9) = 48$; $A = 15\times 9 = 135$.

32 [Intermediate] • Target: MCQ — Perimeter and area

A right triangle has legs 5 and 12, as shown. Find its area and hypotenuse.

a. $A = 60$, hyp $= 13$

b. $A = 30$, hyp $= 17$

c. $A = 30$, **hyp** $= 13$ ✓

d. $A = 30$, hyp $= 12$

$A = \frac{1}{2}(5)(12) = 30$; hyp $= \sqrt{5^2+12^2} = 13$.

33 [Intermediate] • Target: MCQ — Perimeter and area

A regular pentagon has side length 8, with area $A \approx 1.72s^2$. Find its area to the nearest whole number.

a. 110 ✓

b. 124

c. 96

d. 14

$A \approx 1.72(64) \approx 110$.

34 [Intermediate] • Target: MCQ — Coordinate geometry: identifying shapes

Is the triangle with vertices $A(0,0)$, $B(6,0)$, $C(6,4)$ a right triangle?

a. No

b. Cannot be determined

c. **Yes** ✓

d. Only if it is also isosceles

AB is horizontal and BC is vertical, so they meet at a right angle at B: yes.

© ClipSAT — clipsat.org | All Rights Reserved

35 [Intermediate] • Target: MCQ — Coordinate geometry: identifying shapes

Determine whether the points $A(-3, 2)$, $B(1, 5)$, $C(4, 1)$ form a right triangle, using squared distances.

a. Only if it is also equilateral

b. No

c. Cannot be determined

d. **Yes ✓**

$AB^2 = 25$, $BC^2 = 25$, $AC^2 = 50$. Since $AB^2 + BC^2 = AC^2$, it's a right triangle at B: yes.

36 [Intermediate] • Target: MCQ — Coordinate geometry: identifying shapes

Is the triangle shown a right triangle?

a. Only if it is also isosceles

b. Cannot be determined

c. No

d. **Yes ✓**

The two legs meet at a right angle, as shown.

37 [Intermediate] • Target: MCQ — Coordinate geometry: identifying shapes

Is the triangle shown isosceles, scalene, or equilateral?

a. **Isosceles ✓**

b. Cannot be determined

c. Equilateral

d. Scalene

Two of the three sides shown are equal in length: isosceles.

Part VI — Multiple-Choice Questions (MCQs): Challenging & Cross-Lesson Synthesis (38–45)

38 [Challenging] • Target: MCQ — Word problems: geometry on a coordinate grid • Cross-Lesson: 3.01 Sequences & Series

A city park is designed on a coordinate grid (in meters). Two gates are located at $(10, 20)$ and $(50, 60)$. Find the distance between the gates, to the nearest meter.

a. 113

b. 40

c. 57 ✓

d. 80

$\sqrt{40^2 + 40^2} = 40\sqrt{2} \approx 57$ m.

© ClipSAT — clipsat.org | All Rights Reserved

39 [Challenging] • Target: MCQ — Word problems: geometry on a coordinate grid • Cross-Lesson: 4.01 Trigonometry

A circular irrigation sprinkler is centered at $(8, 8)$ on a farm's coordinate grid (in meters) and has a radius of 15 meters. Write the equation of the circle it waters.

a. $(x+8)^2+(y+8)^2=225$

b. $(x-8)^2+(y-8)^2=15$

c. $(x-8)^2+(y-8)^2=225$ ✓

d. $(x-8)^2+(y-8)^2=30$

$(x-8)^2+(y-8)^2=15^2$.

40 [Challenging] • Target: MCQ — Word problems: geometry on a coordinate grid • Cross-Lesson: 6.01 Limits & Derivatives

A surveyor marks two points on a coordinate map (in km): a base camp at $(3, 4)$ and a summit at $(15, 4)$. Find the midpoint, to be used as a resupply station.

a. $(6, 4)$

b. $(9, 8)$

c. $(9, 4)$ ✓

d. $(18, 8)$

$\left(\frac{3+15}{2}, \frac{4+4}{2}\right)=(9, 4)$.

41 [Challenging] • Target: MCQ — The perpendicular bisector of a segment • Cross-Lesson: 7.01 Integration & Applications

Find the sum of the interior angles of a nonagon (9 sides).

a. 1440°

b. 1620°

c. 1260° ✓

d. 1080°

$(n-2)180^\circ=(9-2)180^\circ=1260^\circ$.

42 [Challenging] • Target: MCQ — Word problems: geometry on a coordinate grid • Cross-Lesson: 8.01 Exponentials & Logarithms

Find the measure of each interior angle of a regular dodecagon.

a. 30°

b. 155°

c. 150° ✓

d. 145°

Sum $=(12-2)180^\circ=1800^\circ$. Each angle $=\frac{1800^\circ}{12}=150^\circ$.

© ClipSAT — clipsat.org | All Rights Reserved

43 [Challenging] • Target: Distance and midpoint • Cross-Lesson: 9.01 Statistics & Probability

Find the measure of each interior angle of a regular nonagon.

a. 145°

b. 140° ✓

c. 135°

d. 40°

Sum $= (9-2)180^\circ = 1260^\circ$. Each angle $= \frac{1260^\circ}{9} = 140^\circ$.

44 [Challenging] • Target: Gradient (slope) • Cross-Lesson: 1.01 Algebra & Equations

[illegible] L [illegible] M [illegible] N. [illegible] α [illegible] $(3x+10)^\circ$ [illegible] β [illegible] $(5x-30)^\circ$ [illegible] x. In the given figure, transversal line L intersects parallel lines M and N. If the measure of angle α is $(3x+10)^\circ$ and the measure of angle β is $(5x-30)^\circ$, find the value of x.

a. 20

b. **25** ✓

c. 30

d. 35

[illegible] α [illegible] β [illegible] M [illegible] N. $\alpha = \beta$ $3x + 10 = 5x - 30$ [illegible] $3x$ [illegible]: $10 = 2x - 30$ [illegible] 30 [illegible]: $40 = 2x$ [illegible] [illegible] 2: $x = 20$ [illegible] [illegible] [illegible]

45 [Challenging] • Target: Equations of lines • Cross-Lesson: 2.01 Functions & Transformations

[illegible] [illegible] [illegible] L_1 [illegible] [illegible] L_2. [illegible] [illegible] [illegible] [illegible] L_1 [illegible] $y = 2x + 3$ [illegible] [illegible] L_2 [illegible] $y = mx + b$[illegible] [illegible] m [illegible] [illegible] [illegible] b [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] m[illegible] In the adjacent figure, line L_1 is parallel to line L_2. If the equation of line L_1 is $y = 2x + 3$ and the equation of line L_2 is $y = mx + b$, where m is the slope and b is the y-intercept, what is the value of m?

a. **2** ✓

b. -2

c. 1/2

d. -1/2

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]. [illegible] [illegible] L_1 [illegible] [illegible] $y = 2x + 3$[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] $y = mx + b$. [illegible] [illegible] [illegible] [illegible] L_1 [illegible] 2. [illegible] [illegible] [illegible] L_2 [illegible] [illegible] L_1[illegible] [illegible] [illegible] [illegible] L_2[illegible] [illegible] [illegible] m[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] L_1. [illegible] $m = 2$. The property of parallel lines is that they have the same slope. The equation of line L_1 is given in the form $y = 2x + 3$, which is in the slope-intercept form $y = mx + b$. By comparison, we find that th.

© ClipSAT — clipsat.org | All Rights Reserved