Transformations & Vectors

ClipSAT Printable Practice Suite (clipsat.org) • Topic 7.01

ANSWER KEY — COMPLETE WORKED SOLUTIONS

Part I — Free-Response Questions (FRQs): Foundational Fluency (1–7)

1 [Foundational] • Target: Solving equations with algebra

For the model $f(x) = 2x + 9$ in solving equations with algebra, evaluate $f(5)$.

Final Answer: 19. Substitute $x = 5$: $f(5) = 2(5) + 9 = 19$.

2 [Foundational] • Target: Solving equations with algebra

Find the positive solutions to the quadratic equation $x^2 - 13x + 36 = 0$.

Final Answer: $x = 4$ and $x = 9$. Factoring $(x - 4)(x - 9) = 0$ yields the roots $x = 4$ and $x = 9$.

3 [Foundational] • Target: Methods for solving two-step equations

For the model $f(x) = 3x + 3$ in methods for solving two-step equations, evaluate $f(2)$.

Final Answer: 9. Substitute $x = 2$: $f(2) = 3(2) + 3 = 9$.

4 [Foundational] • Target: Methods for solving two-step equations

Find the positive solutions to the quadratic equation $x^2 - 4x + 3 = 0$.

Final Answer: $x = 1$ and $x = 3$. Factoring $(x - 1)(x - 3) = 0$ yields the roots $x = 1$ and $x = 3$.

5 [Foundational] • Target: Methods for solving two-step equations

A data set recorded for methods for solving two-step equations consists of the four values $\{12, 16, 20, 26\}$. What is the arithmetic mean? Show your complete algebraic work.

Final Answer: 18.5. The sum is $12 + 16 + 20 + 26 = 74$, and dividing by 4 gives 18.5.

6 [Foundational] • Target: Methods for solving two-step equations

For the model $f(x) = 3x + 3$ in methods for solving two-step equations, evaluate $f(3)$.

Final Answer: 12. Substitute $x = 3$: $f(3) = 3(3) + 3 = 12$.

7 [Foundational] • Target: Methods for solving two-step equations

Find the positive solutions to the quadratic equation $x^2 - 6x + 8 = 0$.

Final Answer: $x = 2$ and $x = 4$. Factoring $(x - 2)(x - 4) = 0$ yields the roots $x = 2$ and $x = 4$.

Part II — Free-Response Questions (FRQs): Intermediate Multi-Step Application (8–14)

© ClipSAT — clipsat.org | All Rights Reserved

8 [Intermediate] • Target: Methods for solving two-step equations

For the model $f(x) = 3x + 3$ in methods for solving two-step equations, evaluate $f(4)$.

Final Answer: 15. Substitute $x = 4$: $f(4) = 3(4) + 3 = 15$.

9 [Intermediate] • Target: Methods for solving two-step equations

Find the positive solutions to the quadratic equation $x^2 - 8x + 15 = 0$.

Final Answer: $x = 3$ and $x = 5$. Factoring $(x - 3)(x - 5) = 0$ yields the roots $x = 3$ and $x = 5$.

10 [Intermediate] • Target: Methods for solving two-step equations

For the model $f(x) = 3x + 3$ in methods for solving two-step equations, evaluate $f(5)$.

Final Answer: 18. Substitute $x = 5$: $f(5) = 3(5) + 3 = 18$.

11 [Intermediate] • Target: Methods for solving two-step equations

Find the positive solutions to the quadratic equation $x^2 - 10x + 24 = 0$.

Final Answer: $x = 4$ and $x = 6$. Factoring $(x - 4)(x - 6) = 0$ yields the roots $x = 4$ and $x = 6$.

12 [Intermediate] • Target: Two-step equations

For the model $f(x) = 4x + 4$ in two-step equations, evaluate $f(2)$.

Final Answer: 12. Substitute $x = 2$: $f(2) = 4(2) + 4 = 12$.

13 [Intermediate] • Target: Two-step equations

A data set recorded for two-step equations consists of the four values $\{13, 17, 21, 27\}$. What is the arithmetic mean? Show your complete algebraic work.

Final Answer: 19.5. The sum is $13 + 17 + 21 + 27 = 78$, and dividing by 4 gives 19.5.

14 [Intermediate] • Target: Two-step equations

For the model $f(x) = 4x + 4$ in two-step equations, evaluate $f(3)$.

Final Answer: 16. Substitute $x = 3$: $f(3) = 4(3) + 4 = 16$.

Part III — Free-Response Questions (FRQs): Challenging & Cross-Lesson Synthesis (15–20)

15 [Challenging] • Target: Two-step equations • Cross-Lesson: 3.01 Coordinate Geometry

For the model $f(x) = 4x + 4$ in two-step equations, evaluate $f(4)$.

Final Answer: 20. Substitute $x = 4$: $f(4) = 4(4) + 4 = 20$.

© ClipSAT — clipsat.org | All Rights Reserved

16 [Challenging] • Target: Two-step equations • Cross-Lesson: 4.01 Mensuration

For the model $f(x) = 4x + 4$ in two-step equations, evaluate $f(5)$.

Final Answer: 24. Substitute $x = 5$: $f(5) = 4(5) + 4 = 24$.

17 [Challenging] • Target: Solving problems with equations • Cross-Lesson: 5.01 Geometry

For the model $f(x) = 5x + 5$ in solving problems with equations, evaluate $f(2)$.

Final Answer: 15. Substitute $x = 2$: $f(2) = 5(2) + 5 = 15$.

18 [Challenging] • Target: Solving problems with equations • Cross-Lesson: 6.01 Trigonometry

A data set recorded for solving problems with equations consists of the four values $\{14, 18, 22, 28\}$. What is the arithmetic mean? Show your complete algebraic work.

Final Answer: 20.5. The sum is $14 + 18 + 22 + 28 = 82$, and dividing by 4 gives 20.5.

19 [Challenging] • Target: Solving problems with equations • Cross-Lesson: 8.01 Probability & Statistics

For the model $f(x) = 5x + 5$ in solving problems with equations, evaluate $f(3)$.

Final Answer: 20. Substitute $x = 3$: $f(3) = 5(3) + 5 = 20$.

20 [Challenging] • Target: Solving problems with equations • Cross-Lesson: 9.01 Functions

For the model $f(x) = 5x + 5$ in solving problems with equations, evaluate $f(4)$.

Final Answer: 25. Substitute $x = 4$: $f(4) = 5(4) + 5 = 25$.

Part IV — Multiple-Choice Questions (MCQs): Foundational Concept Mastery (21–28)

21 [Foundational] • Target: Introduction to equations

For the model $f(x) = 5x + 7$ in introduction to equations, evaluate $f(2)$.

a. 17 ✓

b. 22

c. 10

d. 21

Substitute $x = 2$: $f(2) = 5(2) + 7 = 17$.

© ClipSAT — clipsat.org | All Rights Reserved

22 [Foundational] • Target: Introduction to equations

Find the positive solutions to the quadratic equation $x^2 - 7x + 10 = 0$.

a. $x = 2$ and $x = 6$

b. $x = 2$ **and** $x = 5$ ✓

c. $x = -2$ and $x = -5$

d. $x = 7$ and $x = 10$

Factoring $(x - 2)(x - 5) = 0$ yields the roots $x = 2$ and $x = 5$.

23 [Foundational] • Target: Introduction to equations

For the model $f(x) = 5x + 7$ in introduction to equations, evaluate $f(5)$.

a. 32 ✓

b. 37

c. 25

d. 36

Substitute $x = 5$: $f(5) = 5(5) + 7 = 32$.

24 [Foundational] • Target: Solutions to equations

For the model $f(x) = 6x + 8$ in solutions to equations, evaluate $f(2)$.

a. 20 ✓

b. 26

c. 12

d. 24

Substitute $x = 2$: $f(2) = 6(2) + 8 = 20$.

25 [Foundational] • Target: Solutions to equations

Find the positive solutions to the quadratic equation $x^2 - 8x + 12 = 0$.

a. $x = 2$ and $x = 7$

b. $x = 2$ **and** $x = 6$ ✓

c. $x = -2$ and $x = -6$

d. $x = 8$ and $x = 12$

Factoring $(x - 2)(x - 6) = 0$ yields the roots $x = 2$ and $x = 6$.

26 [Foundational] • Target: Solutions to equations

For the model $f(x) = 6x + 8$ in solutions to equations, evaluate $f(5)$.

a. 38 ✓

b. 44

c. 30

d. 42

Substitute $x = 5$: $f(5) = 6(5) + 8 = 38$.

© ClipSAT — clipsat.org | All Rights Reserved

27 [Foundational] • Target: Solving equations with algebra

For the model $f(x) = 2x + 9$ in solving equations with algebra, evaluate $f(2)$.

a. 13 ✓

b. 15

c. 4

d. 17

Substitute $x = 2$: $f(2) = 2(2) + 9 = 13$.

28 [Foundational] • Target: Solving equations with algebra

Find the positive solutions to the quadratic equation $x^2 - 9x + 14 = 0$.

a. $x = 2$ and $x = 8$

b. $x = 2$ **and** $x = 7$ ✓

c. $x = -2$ and $x = -7$

d. $x = 9$ and $x = 14$

Factoring $(x - 2)(x - 7) = 0$ yields the roots $x = 2$ and $x = 7$.

Part V — Multiple-Choice Questions (MCQs): Intermediate Exam Application (29–37)

29 [Intermediate] • Target: Introduction to equations

Find the positive solutions to the quadratic equation $x^2 - 5x + 4 = 0$.

a. $x = 1$ and $x = 5$

b. $x = 1$ **and** $x = 4$ ✓

c. $x = -1$ and $x = -4$

d. $x = 5$ and $x = 4$

Factoring $(x - 1)(x - 4) = 0$ yields the roots $x = 1$ and $x = 4$.

30 [Intermediate] • Target: Introduction to equations

A data set recorded for introduction to equations consists of the four values $\{18, 22, 26, 32\}$. What is the arithmetic mean?

a. 22.5

b. 23.5

c. 24.5 ✓

d. 26.5

The sum is $18 + 22 + 26 + 32 = 98$, and dividing by 4 gives 24.5.

© ClipSAT — clipsat.org | All Rights Reserved

31 [Intermediate] • Target: Introduction to equations

For the model $f(x) = 5x + 7$ in introduction to equations, evaluate $f(3)$.

a. 22 ✓

b. 27

c. 15

d. 26

Substitute $x = 3$: $f(3) = 5(3) + 7 = 22$.

32 [Intermediate] • Target: Introduction to equations

For the model $f(x) = 5x + 7$ in introduction to equations, evaluate $f(4)$.

a. 27 ✓

b. 32

c. 20

d. 31

Substitute $x = 4$: $f(4) = 5(4) + 7 = 27$.

33 [Intermediate] • Target: Introduction to equations

Find the positive solutions to the quadratic equation $x^2 - 9x + 18 = 0$.

a. $x = 3$ and $x = 7$

b. $x = 3$ **and** $x = 6$ ✓

c. $x = -3$ and $x = -6$

d. $x = 9$ and $x = 18$

Factoring $(x - 3)(x - 6) = 0$ yields the roots $x = 3$ and $x = 6$.

34 [Intermediate] • Target: Introduction to equations

Find the positive solutions to the quadratic equation $x^2 - 11x + 28 = 0$.

a. $x = 4$ and $x = 8$

b. $x = 4$ **and** $x = 7$ ✓

c. $x = -4$ and $x = -7$

d. $x = 11$ and $x = 28$

Factoring $(x - 4)(x - 7) = 0$ yields the roots $x = 4$ and $x = 7$.

© ClipSAT — clipsat.org | All Rights Reserved

35 [Intermediate] • Target: Solutions to equations

A data set recorded for solutions to equations consists of the four values $\{10, 14, 18, 24\}$. What is the arithmetic mean?

a. 14.5

b. 15.5

c. 16.5 ✓

d. 18.5

The sum is $10 + 14 + 18 + 24 = 66$, and dividing by 4 gives 16.5.

36 [Intermediate] • Target: Solutions to equations

For the model $f(x) = 6x + 8$ in solutions to equations, evaluate $f(3)$.

a. 26 ✓

b. 32

c. 18

d. 30

Substitute $x = 3$: $f(3) = 6(3) + 8 = 26$.

37 [Intermediate] • Target: Solutions to equations

For the model $f(x) = 6x + 8$ in solutions to equations, evaluate $f(4)$.

a. 32 ✓

b. 38

c. 24

d. 36

Substitute $x = 4$: $f(4) = 6(4) + 8 = 32$.

Part VI — Multiple-Choice Questions (MCQs): Challenging & Cross-Lesson Synthesis (38–45)

38 [Challenging] • Target: Solutions to equations • Cross-Lesson: 6.01 Trigonometry

Find the positive solutions to the quadratic equation $x^2 - 10x + 21 = 0$.

a. $x = 3$ and $x = 8$

b. $x = 3$ **and** $x = 7$ ✓

c. $x = -3$ and $x = -7$

d. $x = 10$ and $x = 21$

Factoring $(x - 3)(x - 7) = 0$ yields the roots $x = 3$ and $x = 7$.

© ClipSAT — clipsat.org | All Rights Reserved

39 [Challenging] • Target: Solutions to equations • Cross-Lesson: 8.01 Probability & Statistics

Find the positive solutions to the quadratic equation $x^2 - 12x + 32 = 0$.

a. $x = 4$ and $x = 9$

b. $x = 4$ **and** $x = 8$ ✓

c. $x = -4$ and $x = -8$

d. $x = 12$ and $x = 32$

Factoring $(x - 4)(x - 8) = 0$ yields the roots $x = 4$ and $x = 8$.

40 [Challenging] • Target: Solving equations with algebra • Cross-Lesson: 9.01 Functions

Find the positive solutions to the quadratic equation $x^2 - 7x + 6 = 0$.

a. $x = 1$ and $x = 7$

b. $x = 1$ **and** $x = 6$ ✓

c. $x = -1$ and $x = -6$

d. $x = 7$ and $x = 6$

Factoring $(x - 1)(x - 6) = 0$ yields the roots $x = 1$ and $x = 6$.

41 [Challenging] • Target: Solving equations with algebra • Cross-Lesson: 1.01 Number

For the model $f(x) = 2x + 9$ in solving equations with algebra, evaluate $f(3)$.

a. 15 ✓

b. 17

c. 6

d. 19

Substitute $x = 3$: $f(3) = 2(3) + 9 = 15$.

42 [Challenging] • Target: Solving equations with algebra • Cross-Lesson: 10.01 Sets & Venn Diagrams

For the model $f(x) = 2x + 9$ in solving equations with algebra, evaluate $f(4)$.

a. 17 ✓

b. 19

c. 8

d. 21

Substitute $x = 4$: $f(4) = 2(4) + 9 = 17$.

43 [Challenging] • Target: Solving equations with algebra • Cross-Lesson: 2.01 Algebra & Graphs

Find the positive solutions to the quadratic equation $x^2 - 11x + 24 = 0$.

a. $x = 3$ and $x = 9$

b. $x = 3$ **and** $x = 8$ ✓

c. $x = -3$ and $x = -8$

d. $x = 11$ and $x = 24$

Factoring $(x - 3)(x - 8) = 0$ yields the roots $x = 3$ and $x = 8$.

© ClipSAT — clipsat.org | All Rights Reserved

44 [Challenging] • Target: Methods for solving two-step equations • Cross-Lesson: 3.01 Coordinate Geometry

A data set recorded for methods for solving two-step equations consists of the four values $\{12, 16, 20, 26\}$. What is the arithmetic mean?

a. 16.5

b. 17.5

c. 18.5 ✓

d. 20.5

The sum is $12 + 16 + 20 + 26 = 74$, and dividing by 4 gives 18.5.

45 [Challenging] • Target: Two-step equations • Cross-Lesson: 4.01 Mensuration

A data set recorded for two-step equations consists of the four values $\{13, 17, 21, 27\}$. What is the arithmetic mean?

a. 17.5

b. 18.5

c. 19.5 ✓

d. 21.5

The sum is $13 + 17 + 21 + 27 = 78$, and dividing by 4 gives 19.5.

© ClipSAT — clipsat.org | All Rights Reserved