1 / PLUMBING FLOOR PLAN

DOMESTIC COLD / HOT WATER, SANITARY DRAINAGE AND VENT ROUTING



SANITARY MAIN: 32.00 FT / COLD WATER MAIN: 40.00 FT CENTERLINE

GRAPHIC SCALE

0 5 10 15 20 FT

PLUMBING KEYNOTES

01 Six WC and four LAV fixtures are shown in restrooms 107 and 108.

02 Floor drains FD-01 and FD-02 serve restrooms. FD-03 and FD-04 serve mechanical room 109.

03 Solid heavy line denotes sanitary main below slab. Water routes are above ceiling.

04 Provide accessible isolation valve at lavatory branches and water heater.

05 Cleanouts CO at ends of the selected main. Two 2 IN VTR locations are shown.

06 Routing and nominal pipe sizes are synthetic. No hydraulic or drainage design is implied.

PLAN SYMBOLS

- WATER CLOSET
- LAVATORY
- FLOOR DRAIN
- SANITARY
- COLD WATER
- HOT WATER
- VENT

COUNTING EXERCISE

Plan: 6 WC, 4 LAV and 4 FD. Legend adds one example of each.

Measure the 32 FT sanitary main or the 40 FT cold-water trace.

20 FT calibration segment = 360 PDF points.

POLYPDF

DRAWING DEMO LIBRARY

PROJECT

WILLOW CREEK

COMMUNITY CENTER

WC-26-014

ONE-STORY / 5,760 SF

DRAWING TITLE

WATER AND DRAINAGE PLAN

DISCIPLINE

PLUMBING / SANITARY

ISSUE RECORD

REVISION A

2026-09-15

Demonstration issue

Drawn: PP / Checked: QA

SHEET DATA

Scale: 1/4 IN = 1 FT

Original: 36 x 24 IN

PDF page 1

Units: feet unless noted

USE NOTICE

FICTIONAL PROJECT

DEMONSTRATION ONLY

NOT FOR CONSTRUCTION

No engineering design, code review or permit approval is implied.

P101

REV A

1 DOMESTIC WATER RISER

DIAGRAM / NOT TO SCALE



Isolation valves, temperature control and relief route shown schematically.

Heater capacity and pipe sizes are invented for the demonstration set.

2 SANITARY / VENT RISER

DIAGRAM / NOT TO SCALE



Branches represent grouped fixtures; plan P101 contains individual symbols.

Vent loops and fittings are schematic. No drainage loading is claimed.

3 FIXTURE SCHEDULE

SCHEDULE / NOT TO SCALE

TAG	DESCRIPTION	QTY	CW	HW	SAN / VENT
WC-01/06	FLOOR WATER CLOSET	6	1/2 IN	--	3 IN / 2 IN
LAV-01/04	WALL LAVATORY	4	1/2 IN	1/2 IN	1-1/2 / 2 IN
FD-01/04	FLOOR DRAIN	4	--	--	2 IN / 2 IN
WH-1	STORAGE WATER HEATER	1	1 IN	3/4 IN	INDIRECT
CO	CLEANOUT	2	--	--	4 IN
VTR	VENT THROUGH ROOF	2	--	--	2 IN

SCHEDULE KEY

CW = cold water; HW = hot water; SAN = sanitary; VTR = vent through roof.

Fixture quantities match P101. The legend is excluded from the schedule.

Nominal sizes are demonstration data and are not installation instructions.

4 FLOOR DRAIN / CLEANOUT DETAILS

DIAGRAM / NOT TO SCALE



Schematic floor section. Floor line does not establish actual elevations.

Detail references support hyperlink navigation and PDF markup exercises.

PLUMBING NOTES

Details are diagrams and intentionally not to scale.

P101 contains fourteen wet fixtures: six WC, four LAV and four FD.

One WH-1, two cleanouts and two vent-through-roof points are separately tagged.

Selected sanitary main: (49,3) to (81,3), exactly 32 FT.

Selected cold main: (78,17) to (78,28) to (49,28), exactly 40 FT.

DEMO WORKFLOWS

Calibrate P101, trace two service routes and compare quantities with the schedule.

Find WC, LAV, FD and VTR using text search.

Mark a coordination issue and jump between P101 and P501.

POLYPDF

DRAWING DEMO LIBRARY

PROJECT

WILLOW CREEK

COMMUNITY CENTER

WC-26-014

ONE-STORY / 5,760 SF

DRAWING TITLE

PLUMBING DETAILS AND SCHEDULES

DISCIPLINE

PLUMBING / SANITARY

ISSUE RECORD

REVISION A

2026-09-15

Demonstration issue

Drawn: PP / Checked: QA

SHEET DATA

Scale: AS NOTED

Original: 36 x 24 IN

PDF page 2

Units: feet unless noted

USE NOTICE

FICTIONAL PROJECT

DEMONSTRATION ONLY

NOT FOR CONSTRUCTION

No engineering design, code review or permit approval is implied.

P501

REV A