QA ASSESSMENT TASK

Test Plan

PlanRadar Form Builder

Manual and automated testing of form configuration, field permissions, default values and mandatory fields.

Document	Test Plan
Version	1.2 – Final (updated with Cycle 2 results)
Prepared by	Mohamed El Hadad – QA Engineer (candidate)
Application under test	PlanRadar Web App – Forms and Lists › Forms
Test project	QA Assessment - Form Builder
Form under test	QA_Form_Assessment_2026
Companion files	PlanRadar_Form_Builder_Test_Cases.xlsx GitHub automation repo · Selenium + TestNG · Java 21

Contents

1 Introduction

2 Scope

3 Requirements under test

4 Test approach

5 Test environment

6 Form configuration and test data

7 Roles and test users

8 Test scenarios and execution results

9 Automation scope

10 Entry and exit criteria

11 Defect management

12 Risks and mitigation

13 Schedule and responsibilities

14 Deliverables

15 References

1 Introduction

1.1 Purpose

This plan defines how the PlanRadar Form Builder is tested: what is covered, how, with which data and users, and when testing is complete. It also summarises the results of the two execution cycles run on 23 and 24 October 2026. Test cases, test data and execution results are kept in the companion file **PlanRadar_Form_Builder_Test_Cases.xlsx**.

1.2 Objectives

1. Verify that a form with several field types and configurations applies every configuration accurately once assigned to a project.
2. Verify that field permissions (view / edit per role) are enforced for each user role.
3. Verify that default values are populated when the form is loaded in a new ticket.
4. Verify that mandatory fields are enforced before a ticket can be saved.
5. Automate at least one of these scenarios and publish the script in a public GitHub repository.

2 Scope

2.1 In scope

Area	Items
Form Builder	Create, name, describe, save and preview a form; add, rename, reorder, duplicate and remove fields
Field types	Predefined (Title, Priority) and custom (Short text, Long text, Date, Decimal, Checkbox, List) fields
Field properties	Mandatory, Default value, linked list
Field permissions	"All roles can view and edit" toggle, Visible To, Editable By
Project	Assigning the form to the existing project (+ Assign form) and linking a list
Tickets	Creating, saving and reopening tickets with the form as each role; Journal entries

2.2 Out of scope

Area	Reason
Mobile apps (iOS / Android)	Forms are built in the Web App only; mobile ticket checks are a follow-up
Reports, filters, exports	Not part of the assessment scenarios
Performance, load, security	Require a dedicated environment and tools
Billing, licences, SSO	Not related to the Form Builder

3 Requirements under test

Req. ID	Requirement (from the assessment task)	Scenario
REQ-01	Create a new form with a variety of field types and configurations, add it to the existing project, and verify all configurations are applied	SC-01
REQ-02	Test permission settings for fields (view / edit per role) and validate they are enforced	SC-02
REQ-03	Test default values and ensure they are populated when the form is loaded	SC-03
REQ-04	Verify that mandatory fields are enforced	SC-04
REQ-05	Automate at least one testing scenario	SC-03, SC-04

The full requirement-to-test-case mapping is in the **Traceability** sheet of the test cases file.

4 Test approach

Each scenario is tested end to end: configure the form in the Form Builder, assign it to the project, then verify the behaviour inside a ticket as the relevant user.

4.1 Test types

Type	Application
Functional	Every configuration checked against the PlanRadar knowledge base (documented behaviour = expected result)
Positive / negative	Valid input is accepted; invalid or missing input is rejected with a clear message
Role-based	Permission cases are run while signed in as the restricted user, not only as Owner
Persistence / regression	Values are checked again after save and reopen; Journal entries confirm each change
Exploratory	Time-boxed sessions per scenario to find issues outside the scripted cases
Automation	Repeatable regression of the mandatory-field and default-value scenarios

4.2 Test design techniques

Technique	Used for
Equivalence partitioning / boundary values	Decimal, Date and attachment limits
Decision table	Permission combinations: view on/off × edit on/off × role
State transition	Form life cycle: created → saved → assigned → used in a ticket
Error guessing	Empty, whitespace-only and very long values; unsaved changes

4.3 Priority and status values

Priority	Meaning
Critical	Security or core rule; failure blocks release
High	Core behaviour of a scenario
Medium	Important configuration or edge case
Low	Cosmetic or rare path

Status	Meaning
Passed	Actual result matches expected result
Failed	Actual result differs; a defect is raised
Blocked	Cannot run because of a dependency
Not Run	Not executed yet

5 Test environment

Item	Value
Application	PlanRadar Web App (www.planradar.com)
Account	PlanRadar trial account (Owner)
Project / location	QA Assessment - Form Builder / QA Testing Location
Browser	Google Chrome (latest)
Operating system	Windows
Automation	Selenium WebDriver 4 + TestNG, Java 21, Maven

6 Form configuration and test data

6.1 Form under test: QA_Form_Assessment_2026

C1 = Cycle 1 (23 Oct 2026), C2 = Cycle 2 (24 Oct 2026).

Field	Type	Required	Default value	Linked list	Visible To	Editable By
Title	Predefined	System	—	—	All roles	All roles
Inspection Title	Short text	**Yes**	—	—	All roles	All roles
Description	Long text	No	QA Assessment - Default Description (C1) QA Assessment - Updated Default Description (C2)	—	All roles	All roles
Priority	Predefined	No	Medium	—	All roles	All roles
Inspection Date	Date	No	15/10/2026 (C2)	—	All roles	All roles
Estimated Cost	Decimal	No	—	—	All roles	All roles
Requires Follow-up	Checkbox	No	Unchecked (C1) · Checked (C2)	—	All roles	All roles
Internal Notes	Text	No	—	—	Owner, QA_Editor, QA_Viewer	Owner, QA_Editor
Inspection Category	List (multi-select in C2)	No	—	Type of Work	All roles	All roles
BL08_Restricted_Required	Short text	**Yes** (form + project)	—	—	All except QA_Restricted	All except QA_Restricted
BL11_Default_Number	Number	No	10	—	All roles	All roles
Time field	Time	No	10:30	—	All roles	All roles

6.2 Ticket test data

Item	Value
Title	QA_TC001_Mandatory_Validation
Inspection Title	QA Inspection Test 001
Inspection Category	Assessment
Internal Notes (editor update)	QA Editor - Permission Test
Cycle 2 working ticket	Ticket #24
Numeric inputs (Estimated Cost)	0 · -1 · 999999999 · abc · 2,5 · 2.5
List multi-selection	Assessment, Condition Schedule, Clean up
Whitespace input	5 spaces in Inspection Title

> Passwords are never written in this plan, the test cases file or the repository. The automation reads credentials from environment variables or an untracked `config.properties` file locally and from repository secrets in CI.

7 Roles and test users

Four project roles are used, each with its own test account. The account-to-role mapping is kept in the **Roles & Accounts** sheet of the test cases file.

Role	Tickets – view	Tickets – edit	Internal Notes	Purpose
Owner	All tickets	All tickets	View and edit	Builds the form; runs SC-01, SC-03, SC-04
QA_Editor	All tickets	All tickets the user can view	View and edit	Positive permission case
QA_Viewer	All tickets	As configured	View only	Read-only permission case
QA_Restricted	All tickets	As configured	Hidden	Hidden-field cases (incl. hidden mandatory field)

8 Test scenarios and execution results

Four scenarios hold **35 test cases**, run in two cycles. **28 were executed and all 28 passed**; 4 were descoped and 3 are planned for a later cycle. Steps, test data, expected and actual results are in **PlanRadar_Form_Builder_Test_Cases.xlsx**.

8.1 Scenarios

ID	Scenario	What is verified	Cycle 1	Cycle 2
SC-01	Form creation & field configuration	Form created, assigned and selectable; each field type renders and saves as configured; numeric boundaries, date persistence, list multi-selection	TC-001 – TC-009	TC-021 – TC-025
SC-02	Field permissions	Editor edits; Viewer read-only with tooltip; Restricted role does not see hidden fields and is not blocked by a hidden mandatory field	TC-010 – TC-013	TC-026 – TC-029
SC-03	Default values	Defaults pre-filled on load and stored; changing a default does not alter existing tickets; Number, Date, Time, Checkbox defaults	TC-014 – TC-016	TC-030 – TC-031
SC-04	Mandatory fields	Required indicator; save blocked when empty, whitespace-only or cleared on an existing ticket; save succeeds once filled	TC-017 – TC-020	TC-032 – TC-035

8.2 Execution summary

Scenario	Total	Passed	Failed	Skipped	Not Run	Pass rate*
SC-01	14	12	0	2	0	100%
SC-02	8	5	0	2	1	100%
SC-03	5	5	0	0	0	100%
SC-04	8	6	0	0	2	100%
Total	**35**	**28**	**0**	**4**	**3**	100%

* Pass rate = Passed / Executed. Cycle 1 (23 Oct 2026): 20 of 20 passed. Cycle 2 (24 Oct 2026): 8 passed, 4 skipped, 3 not run. No product defects were raised.

8.3 Cases not executed

Case	Title	Status	Reason
TC-024	Attachment count limit and file type	Skipped	Attachment fields outside the agreed scope
TC-025	Checklist note / attachment on Fail	Skipped	Checklist field outside the agreed scope
TC-026	Subcontractor field restrictions	Skipped	Permission enforcement already covered by three roles (TC-011 – TC-013)
TC-027	Apply to all fields / Reset permissions	Skipped	Administrative bulk action outside the agreed scope
TC-029	Restricted value via API / mobile	Not Run	Needs API tooling and mobile devices; planned for a security-focused cycle
TC-034	Project-level mandatory override isolation	Not Run	Needs a second project
TC-035	Default value satisfies mandatory rule	Not Run	Planned for the next cycle

8.4 Observations

ID	Observation	Case	Follow-up
OB-01	Estimated Cost (Decimal) accepts a negative value (-1) and 999999999; numeric fields have no min / max setting	TC-021	Recommendation R6
OB-02	Comma decimal separator (2,5) is blocked; only the dot is accepted in the tested locale	TC-021	Show expected format as a hint
OB-03	A new mandatory field was not mandatory in the project until the Mandatory checkbox was also ticked in Projects › Forms	TC-028	Show project-level state in the builder
OB-04	An in-use list value cannot be disabled; a message explains why (positive)	TC-023	—
OB-05	The mandatory-field toast does not name the missing field	TC-018	Recommendation R3

9 Automation scope

The mandatory-field (SC-04) and default-value (SC-03) scenarios are automated: they are deterministic, run on every release and are slow to re-check by hand.

Item	Decision
Tool	Selenium WebDriver 4 with TestNG, written in Java 21 and built with Maven; ChromeDriver managed by Selenium Manager (Firefox / Edge optional)
Design	Page Object Model with PageFactory: LoginPage, TicketsPage, CreateTicketDialog; BaseTest handles WebDriver set-up and tear-down
Test suite	`testng.xml` groups the classes MandatoryFieldsTest and DefaultValuesTest; run with `mvn clean test`
Automated cases	TC-018, TC-019 (SC-04) · TC-014, TC-015 (SC-03)
Credentials	Read from environment variables / an untracked `config.properties` locally; repository secrets in CI
Reporting	TestNG / Maven Surefire HTML report and Extent Report; screenshot captured on failure through a TestNG listener
CI	GitHub Actions workflow (setup-java + Maven) on every push, Chrome in headless mode
Delivery	Public GitHub repository with a README covering setup, run and structure

Permission cases (SC-02) stay manual: they need four separate signed-in users, which makes them slower and less stable to automate on a trial account.

10 Entry and exit criteria

Entry criteria	Exit criteria
Trial account active; project and location created	100% of in-scope Critical and High cases executed and passed; descoped cases recorded with a reason
Roles QA_Editor, QA_Viewer and QA_Restricted created and users assigned	At least 90% of all in-scope cases passed
Form QA_Form_Assessment_2026 configured as in section 6	No open Critical or High defect
Knowledge base articles reviewed as the expected-behaviour baseline	Automated suite green on two consecutive runs

11 Defect management

Each defect records ID, title, environment, steps to reproduce, expected vs actual result, severity, screenshot or video, and the linked test case ID.

Severity	Definition	Example
Critical	Data exposure or data loss	A hidden field's value is visible to a restricted role
High	Core rule not enforced	Ticket saves with an empty mandatory field
Medium	Configuration applied partially	A default value is missing for one field type
Low	Cosmetic or wording	Required asterisk missing on a group header

12 Risks and mitigation

Risk	Impact	Mitigation
Trial account limits users or roles	SC-02 only partly executable	Use secondary email accounts; mark affected cases Blocked with the reason
UI changes break locators	False automation failures	Stable locators (id, name, data attributes) kept in page objects; explicit waits (WebDriverWait), no hard sleeps
Trial account expires	Testing stops	Run Critical and High cases first; export results early
High-priority cases TC-026 and TC-029 not executed	Subcontractor and API / mobile exposure unverified	Covered partly by TC-011 – TC-013; schedule a security-focused cycle with API tooling
Knowledge base differs from the live app	Wrong expected results	Log the difference as an observation and confirm with the product team

13 Schedule and responsibilities

#	Activity	Output	Owner
1	Review knowledge base, set up account, project, roles and users	Ready test environment	Mohamed El Hadad
2	Write test plan and test cases	This plan, test cases file	Mohamed El Hadad
3	Execute manual test cases in two cycles (23 and 24 Oct 2026)	Execution results, observations	Mohamed El Hadad
4	Develop and run the automated suite	GitHub repository, TestNG report	Mohamed El Hadad
5	Write recommendations and submit deliverables	Recommendations document	Mohamed El Hadad

14 Deliverables

Deliverable	File / location
Test plan	This document (PDF)
Test cases, results, test data, traceability	PlanRadar_Form_Builder_Test_Cases.xlsx
Automated test script	Public GitHub repository (Selenium + TestNG, Java)
Recommendations for the Form Builder	Separate recommendations document

15 References

- PlanRadar Help Center – Forms overview
- PlanRadar Help Center – Create & Edit Forms
- PlanRadar Help Center – Field Types
- PlanRadar Help Center – Edit Field Properties
- PlanRadar Help Center – Edit Field Permissions
- PlanRadar Help Center – Manage Forms of a Project
- PlanRadar Help Center – Manage Forms
- PlanRadar Help Center – Permissions