

Retail interior / coordinated design

Storefront, interior and display details · neutral material tones



STOREFRONT / DESIGN INTENT



INTERIOR / DISPLAY AND COUNTER



MESH / LIGHT



DISPLAY FRAME



PLASTER / SHELF

Overall plan / setting-out


Setting-out / coordinated interfaces · 1:20 · finish-face dimensions; site verification pending

SET-OUT DATUMS

- A 0 / 0
- B 2400 / 0
- C 2400 / 3106
- D 0 / 3106

STREET-FACING DISPLAY
Dashed line: shelf above
Solid return toward interior

Wall bands graphic only
Thickness TBC #26
Envelope TBC #4



N ↓ STOREFRONT
ASSUMED #23


SIDE DISPLAY
250 deep shelving
25 × 25 main steel frame

COUNTER / STEEL FRAME
1000 × 450 footprint
20 × 20 black steel

PIVOT GLASS DOOR
1000-wide leaf · 12 glass
Inward opening

REAR / SIDE JUNCTION


LOCAL PLAN 1:5



25 × 25 × 1.6 SHS / 250-deep units
Rear bay continues right; no overlap

DOOR EDGE / PIVOT


LOCAL PLAN 1:2



12 glass / 4 gap / 25 SHS · pivot fittings TBC #16


Ceiling / lighting coordination

Reflected ceiling plan · lighting, display footprints and dimensional coordination



UNIT HEAD / CEILING

SECTION 1:5



2600 ceiling / frame datum
Mesh zone 2200–2600 at front
Wall fixings TBC #16; no gypsum fixing

FOLDED TRAY / LIGHT


SECTION 1:2



3 mm folded tray · 25 front downstand
20 × 20 × 1.6 support · LED profile TBC #16


Storefront / external elevation

Developed storefront · street-facing displays, glazed entrance and halo-lit brand



HALO LETTER / BACKING

STAND-OFF SECTION 1:2



25 stand-off · halo behind black letters
Backing / wall support / drivers TBC #16

Rear focal wall / internal elevation

Rear focal wall · developed shelving + owner-directed counter front



UNLIT BLACK LOGO


600 wide · centre at 1900

BLACK TRAY / WARM LED

250 deep · 25 downstand


COUNTER FRONT

Mesh left / neutral solid right
Panel split and top TBC #16



REAR SHELF / FRAME


SECTION 1:2



3 mm folded tray · 25 front downstand
20 × 20 × 1.6 support · LED profile TBC #16

COUNTER / FOOTPRINT

PLAN 1:10





20 × 20 frame · front split TBC #16

Left display / internal elevation

Developed display elevation · interfaces + material codes · bottles indicative only


BLACK STEEL / NEUTRAL PPC / EXPANDED MESH / 3000 K LED



INDICATIVE BOTTLES · NOT A STOCK / CAPACITY SCHEDULE


SHELF / FRONT EDGE

SECTION 1:2



CABINET / PLINTH

SECTION 1:5




100 high · 50 recess · warm toe-kick LED

Right display / internal elevation


Developed display elevation · interfaces + material codes · bottles indicative only

BLACK STEEL / NEUTRAL PPC / EXPANDED MESH / 3000 K LED




SHELF / FRONT EDGE

SECTION 1:2




CABINET / PLINTH

SECTION 1:5




100 high · 50 recess · warm toe-kick LED



INDICATIVE BOTTLES · NOT A STOCK / CAPACITY SCHEDULE

Spatial assembly / cutaway axonometric

Spatial cutaway · orthographic projection · direct material and interface annotations



ORTHOGRAPHIC CUTAWAY · NTS · ceiling plane removed