



FLOOR: 1200x600 RECTIFIED STONE-LOOK PORCELAIN

Option A: 1200 across the width, 600 along the depth.
Across: 0 full + 2 x 1194 cut. Depth: 4 full + 2 x 343 cut.
Grout 2 mm between tiles; 5 mm perimeter movement joint.
Tiles run under all units and the counter (full 2400 x 3106).
Threshold flush, no level change (#20). Set out from the centre line.



Site / consultant items still open: #4 finished size, #16 MEP/fire, #23 north, #26 datum + wall thickness. Verify before fabrication.



BORN FRAGRANCE

PROJECT BORN FRAGRANCE - shop fit-out

SHEET SD-03

TITLE FLOOR FINISH PLAN

SCALE 1:20 @ A3

DATE 2026-10-05

REV A - owner-approved TBC answers

SPEC spec/SHOP_SPEC.json @ fb5eebb

DRAWN Claude Code (AI), for owner review

TBC ITEMS ON THIS SHEET

#4 Is 2400 x 3106 the finished size (after plaster)?
#16 Fixings, MEP, fire and escape requirements
#23* North direction
#26* Vertical datum (FFL) and wall thickness / construction

* proposed item, not yet in spec/TBC.md
TBC items are shown in revision clouds.
Dimensions computed from SHOP_SPEC.json.
Do not scale from the render.
FOR COORDINATION - SITE ITEMS OPEN