AWS - Search | Cloud Computing Services - Amaz | Console Home | Console Home | a | Assignment.pdf

https://ap-south-1.console.aws.amazon.com/console/home?region=ap-south-1#

s3 | Ask Amazon Q | Asia Pacific (Mumbai) | harshil25012 (6967-37

Console Home Info

Reset to default layout | + Add widgets

Recently visited Info

No recently visited services

Explore one of these commonly visited AWS services.

EC2 S3 CloudWatch IAM

View all services

Applications (0) Info

Create application

Region: Asia Pacific (Mumbai)

Select Region: ap-south-1 (Current Region)

Find applications

1

Name	Description	Region	Originati.

No applications

Get started by creating an application.

Create application

Go to myApplications

Welcome to AWS

AWS Health Info

Cost and usage Info

Air: Moderate Tomorrow | Search | ENG IN | 23:08 26/01/2026

AWS - Search | Cloud Computing Services - Amaz | Console Home | Console Home | a | Assignment.pdf

https://ap-south-1.console.aws.amazon.com/console/home?region=ap-south-1#

s3 | Ask Amazon Q | Asia Pacific (Mumbai) | harshil25012 (6967-37

- Services
- Features
- Documentation
- Knowledge articles
- Marketplace
- Blog posts
- Events
- Tutorials

Services

Show more

S3
Scalable Storage in the Cloud

S3 Glacier
Archive Storage in the Cloud

AWS Snow Family
Large Scale Data Transport

Features

Show more

S3 on Outposts
AWS Outposts feature

Exports to S3
DynamoDB feature

S3 Access Grants
S3 feature

Were these results helpful?

Yes | No

Reset to default layout | + Add widgets

Create application

Find applications

1

on | Region | Originati.

applications
creating an application.

e application

myApplications

Air: Moderate
Tomorrow

Search

ENG
IN

23:08
26/01/2026

Amazon S3

- **Buckets**
  - General purpose buckets
  - Directory buckets
  - Table buckets
  - Vector buckets
- **Access management and security**
  - Access Points
  - Access Points for FSx
  - Access Grants
  - IAM Access Analyzer
- **Storage management and insights**
  - Storage Lens
  - Batch Operations

Account and organization settings

AWS Marketplace for S3

General purpose buckets | All AWS Regions | Directory buckets

General purpose buckets (0) Info

Copy ARN | Empty | Delete | Create bucket

Buckets are containers for data stored in S3.

Find buckets by name

Name	AWS Region	Creation date

No buckets

You don't have any buckets.

Create bucket

Account snapshot Info

Updated daily

View dashboard

Storage Lens provides visibility into storage usage and activity trends.

External access summary Info

Updated daily

External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Create bucket Info

Buckets are containers for data stored in S3.

General configuration

AWS Region

Asia Pacific (Mumbai) ap-south-1

Bucket type Info

- (●) General purpose
  Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.
- ( ) Directory
  Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.

Bucket name Info

amzn-s3-demo-bucket

Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). Learn more

Copy settings from existing bucket - *optional*

Only the bucket settings in the following configuration are copied.

Choose bucket

Format: s3://bucket/prefix

Object Ownership Info

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences
Air: Moderate Tomorrow
Search
ENG IN 23:09 26/01/2026

Create bucket Info

Buckets are containers for data stored in S3.

General configuration

AWS Region

Asia Pacific (Mumbai) ap-south-1

Bucket type Info

- (●) General purpose
  Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.
- ( ) Directory
  Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.

Bucket name Info

harshil25012-cloud

Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). Learn more

Copy settings from existing bucket - *optional*

Only the bucket settings in the following configuration are copied.

Choose bucket

Format: s3://bucket/prefix

Object Ownership Info

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences
Air: Moderate Tomorrow
Search
ENG IN 23:09 26/01/2026

Bucket Versioning

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. Learn more

Bucket Versioning

- ○ Disable
- ◉ Enable

Tags - *optional*

You can use bucket tags to analyze, manage and specify permissions for a bucket. Learn more

> You can use s3:ListTagsForResource, s3:TagResource, and s3:UntagResource APIs to manage tags on S3 general purpose buckets for access control in addition to cost allocation and resource organization. To ensure a seamless transition, please provide permissions to s3:ListTagsForResource, s3:TagResource, and s3:UntagResource actions. Learn more

No tags associated with this bucket.

Add new tag

You can add up to 50 tags.

Default encryption Info

Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption type Info

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences
Trending videos An obstacle cou... Search ENG IN 23:10 26/01/2026

Successfully created bucket "harshil25012-cloud"
To upload files and folders, or to configure additional bucket settings, choose **View details**.

View details

General purpose buckets | All AWS Regions | Directory buckets

General purpose buckets (1) Info

Buckets are containers for data stored in S3.

Copy ARN | Empty | Delete | Create bucket

Find buckets by name

1

Name	AWS Region	Creation date
harshil25012-cloud	Asia Pacific (Mumbai) ap-south-1	January 26, 2026, 23:11:26 (UTC+05:30)

Account snapshot Info

View dashboard

Updated daily

Storage Lens provides visibility into storage usage and activity trends.

External access summary Info

Updated daily

External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

© 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

19°C Mostly cloudy | Search | ENG IN | 23:11 26/01/2026

harshil25012-cloud Info

Objects | Metadata | Properties | Permissions | Metrics | Management | Access Points

Objects (0)

Copy S3 URI | Copy URL | Download | Open | Delete | Actions | Create folder | Upload

Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more

Find objects by prefix | Show versions | 1

Name	Type	Last modified	Size	Storage class

No objects

You don't have any objects in this bucket.

Upload

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. Learn more

Drag and drop files and folders you want to upload here, or choose **Add files** or **Add folder**.

Files and folders (1 total, 7.3 MB)

All files and folders in this table will be uploaded.

Remove | Add files | Add folder

Find by name

1

Name	Folder	Type	Size
HARSHIL A86904825012.docx	-	application/vnd.openxmlformats-officedocum...	7.3 MB

Destination Info

Destination

s3://harshil25012-cloud

Destination details

Bucket settings that impact new objects stored in the specified destination.

Permissions

Grant public access and access to other AWS accounts.

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

19°C Mostly cloudy
Search
ENG IN 23:15 26/01/2026

AWS - Search | Cloud Computing Services - Amaz | Upload objects - S3 bucket harshil | Assignment.pdf

https://ap-south-1.console.aws.amazon.com/s3/upload/harshil25012-cloud?region=ap-south-1

aws | Search [Alt+S] | Ask Amazon Q | Asia Pacific (Mumbai) | harshil25012 (6967-3700-9731) | harshil25012

Amazon S3

Upload succeeded
For more information, see the **Files and folders** table.

Upload: status

Close

After you navigate away from this page, the following information is no longer available.

Summary

Destination	Succeeded	Failed
s3://harshil25012-cloud	1 file, 7.3 MB (100.00%)	0 files, 0 B (0%)

Files and folders | Configuration

Files and folders (1 total, 7.3 MB)

Find by name

1

Name	Folder	Type	Size	Status	Error
HARSHIL A86904825012.docx	-	application/vnd.openxmlform...	7.3 MB	Succeeded	-

CloudShell | Feedback | Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy | Terms | Cookie preferences

19°C Mostly cloudy | Search | ENG IN | 23:16 26/01/2026

Amazon S3

- Buckets
  - General purpose buckets
  - Directory buckets
  - Table buckets
  - Vector buckets
- Access management and security
  - Access Points
  - Access Points for FSx
  - Access Grants
  - IAM Access Analyzer
- Storage management and insights
  - Storage Lens
  - Batch Operations

Account and organization settings
AWS Marketplace for S3

Bucket overview

AWS Region	Amazon Resource Name (ARN)	Creation date
Asia Pacific (Mumbai) ap-south-1	arn:aws:s3:::harshil25012-cloud	January 26, 2026, 23:11:26 (UTC+05:30)

Bucket Versioning

Edit

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. Learn more

Bucket Versioning
Enabled

Multi-factor authentication (MFA) delete
An additional layer of security that requires multi-factor authentication for changing Bucket Versioning settings and permanently deleting object versions. To modify MFA delete settings, use the AWS CLI, AWS SDK, or the Amazon S3 REST API. Learn more
Disabled

Bucket ABAC

Edit

Attribute-based access control (ABAC) is an authorization strategy that defines permissions based on attributes. With ABAC, you can attach tags to your general purpose buckets and AWS Identity and Access Management (IAM) entities (users or roles), then scale access to objects in your S3 general purpose buckets using tag-based policies. Learn more

ABAC status

Buckets

General purpose buckets are containers for objects stored in Amazon S3. You can store any number of objects in a bucket. You can create, configure, empty, and delete buckets. However, you can only delete an empty bucket.

By default, you can create up to 10,000 general purpose buckets per AWS account. To request a quota increase for general purpose buckets, visit the Service Quotas console.

You can choose between two types of S3 buckets, general purpose buckets or directory buckets. A general purpose bucket is the default bucket type that is used for the majority of use cases in S3. General purpose buckets support all S3 features and most storage classes.

- **Manage access** – General purpose buckets are private and can only be accessed if you

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

harshil25012-cloud Info

Objects | Metadata | Properties | Permissions | Metrics | Management | Access Points

Objects (2)

Copy S3 URI | Copy URL | Download | Open | Delete | Actions | Create folder | Upload

Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more

Find objects by prefix

Show versions

1

Name	Type	Version ID	Last modified	Size	Storage class
HARSHIL A86904825012.docx	docx	EvCTmepGbeWhBKCgsUK40KfOuLpmt7Oc	January 26, 2026, 23:25:47 (UTC+05:30)	7.3 MB	Standard
HARSHIL A86904825012.docx	docx	Gj4Ewfu7Wad2aCgY3qW0.YQ9VrC07tnk	January 26, 2026, 23:15:58 (UTC+05:30)	7.3 MB	Standard

Objects

Objects are the fundamental entities stored in Amazon S3. You must explicitly grant others permissions to access your objects. Each object has *data*, a *key*, and *metadata*. The object key (or key name) uniquely identifies the object in a bucket.

Amazon S3 maintains a set of system and user metadata for each object and processes the system metadata as needed for storage management.

Amazon S3 has a flat structure instead of a hierarchy like you might see in a file system. However, the console supports the folder concept as a means of grouping objects, using a shared name prefix for objects in the same folder.

Use this page to see all the objects in a bucket or folder, create a folder, or upload an object. You can open, download, delete, and

© 2026, Amazon Web Services, Inc. or its affiliates.

HARSHIL A86904825012.docx Info

Copy S3 URI | Download | Open | Object actions

Version ID: Gj4Ewfu7Wad2aCgY3qW0.YQ9VrC07tnk

Properties | Permissions | Versions

Object overview

Owner
80b1e79224f0006a02793ebec91914050d122d1a28eff7c272ab2cdf136836fa

AWS Region
Asia Pacific (Mumbai) ap-south-1

Last modified
January 26, 2026, 23:15:58 (UTC+05:30)

Size
7.3 MB

Type
docx

Key
HARSHIL A86904825012.docx

S3 URI
s3://harshil25012-cloud/HARSHIL A86904825012.docx

Amazon Resource Name (ARN)
arn:aws:s3:::harshil25012-cloud/HARSHIL A86904825012.docx

Entity tag (Etag)
68ed5e361767410f3acde863e9b2a004

Object URL
https://harshil25012-cloud.s3.ap-south-1.amazonaws.com/HARSHIL+A86904825012.docx?versionId=Gj4Ewfu7Wad2aCgY3qW0.YQ9VrC07tnk

Objects

Objects are the fundamental entities stored in Amazon S3. You must explicitly grant others permissions to access your objects. Each object has *data*, a *key*, and *metadata*. The object key (or key name) uniquely identifies the object in a bucket.

Amazon S3 maintains a set of system and user metadata for each object and processes the system metadata as needed for storage management.

Amazon S3 has a flat structure instead of a hierarchy like you might see in a file system. However, the console supports the folder concept as a means of grouping objects, using a shared name prefix for objects in the same folder.

Use this page to see all the objects in a bucket or folder, create a folder, or upload an object. You can open, download, delete, and

© 2026, Amazon Web Services, Inc. or its affiliates.