



Purchase Order CBH_V-2024-0107_SMN_KET

Ref No. V-2024-0107

Buyer

Kungliga Tekniska högskolan, KTH

- Organisation number: 202100-3054
- Vat number: SE202100305401
- EORI number: SE2021003054

School of Engineering Sciences in Chemistry, Biotechnology, and Health (CBH)

School office, Teknikringen 30, SE - 114 28 Stockholm

Contact: Procurement manager, Kristina Holmberg, inkopsansvarig@cbh.kth.se

Contact person KTH

Shareq Mohd Nazir, smnazir@kth.se

Seller

Pfeiffer Vacuum Scandinavia AB, Johanneslundsvägen 12, SE 194 61 Upplands Väsby

Contract/technical contact person

Cecilia Åhlfeldt, sales.se@pfeiffer-vacuum.com

Scope of the order

Reference to: PV AB_11013659

Summary of the order

Levande och levererad, leverans villkor, villkor för försäljning och leverans av varor och tjänster.

Pos	Artikel-Nr/Beskrivning	Antal	Total Belopp
1.0	GSD 350 Q2C, OmniStar Gas analysis system 1-200 u, 100-240 V, 50/60 Hz stainless steel capillary, 1 Part No.: PT Q81 217 320 Benchtop-mass spectrometer for gas analysis at atmospheric pressure (1000 hPa) - Mass range: 1-200 u - Two-stage gas inlet system with electromagnetic actuated valves - Low gas consumption of 1-2 sccm - Operating temperature: Capillary, up to: 350 °C - Gas connection: Stainless steel capillary - Gas connection length: 1 m - Supply: 100-240 V AC - Interfaces: - Ethernet - Output: Analog: 4x, 0-10 V / 16 Bit - Output: Digital: 7x, 24 V - Input: Analog: 5x, ± 10 V / 16 Bit - Input: Digital: 4x, 24 V - Detector: Faraday/EM - Filament: Iridium, Y ₂ O ₃ -coated - Vacuum chamber with total pressure gauge and heating - SplitFlow turbo pump and oil free diaphragm pump - PV MassSpec software, for Windows 10, 8.1 and 7 for measurement, storage and display of measurement data - Low detection limit (<100 ppb for krypton in air) - Easy-to-operate analysis unit with 7" touch screen or Web User Interface - Compact and portable device (approx. 25.5 kg total weight) - Fast measuring time (up to 1 ms/u dwell time) - Corrosive gas version with controlled purge gas system	1,00 pc.	547.090,50
2.0	Capillary hose adapter for GSD 350, 350 °C adapter to 1/4" and to DN 16 ISO-KF Part No.: PT 167 071 -T	1,00 pc.	7.820,25
3.0	Part No.: Training - KA Installation & user training for 3-5 persons.	1,00 pc.	23.000,00

Delivery address

Delivery Address:

Version 2023-11-13_1

KTH- Royal Institute of Technology
Godsmottagning
Attn: Shareq Mohd Nazir
Teknikringen 54
114 28 Stockholm
SE-Sweden

Terms of delivery: **DDP Incoterms 2020**

Invoicing:

E-invoice

The requirement for electronic invoices being sent to the public sector was established on the 1st of April 2019 in Sweden.

Please note that PDF invoice format via email *is not* classified as electronic invoice. Read more on the Swedish Agency of Digital Administration's website: [Mandatory e-invoicing in the public sector](#)

E-invoice Peppol (Bis Billing 3,0)

KTH's Peppol-id: 0007:2021003054

The reference code needs to be found under "Order reference" on the electronic invoice, "BuyerReference" in the XML file constitutes the order reference on the invoice.

E-invoice via invoice portal

If you do not have your own system for sending e-invoices, KTH recommend a free invoice portal via Kofax where you can create and send e-invoices. The portal can be found at www.fakturaportalen.se/en.

The following information is required on the invoice to the Royal Institute of Technology (KTH):

The invoice shall be addressed to KTH:

Kungliga Tekniska Högskolan

Fakturaservice

Box 24075

104 50 Stockholm

Sweden

VAT no: SE202100305401

- Invoice Number
- Referens number: V-2024-0107
- Date of issue (date of invoice)
- Due Date of invoice (KTH applies net 30 days)
- Correct reference, **CARINAL KTHCBH**
- Supplier(s) name and address
- The supplier(s) VAT registration number (VAT number) and an adding comment on whether the organization is VAT registered or security number should be used.
- KTH's VAT registration number is SE202100305401. *Note! This is only needed to be specified in reverse tax liability or if buyer in another country within the EU's VAT area has invoked their VAT number to receive the delivery without VAT*

- VAT is added and specified to the total of the amount Information regarding the invoice (what the invoice relates to, i.e. the transaction amount/ extent and nature)
- The date when the sales of the goods or services took place or were completed
- Invoice amount and the currency of payment
- IBAN NUMBER alternative account number and bank code depending on the country
- SWIFT code
- The credit invoice must refer to the debit invoice or an applicable comment needs to be added

For further information please contact fakturaservice@kth.se

Total price:

The total price is 577 910,75 SEK excluding Swedish value added tax (VAT).

Appendix 1: PV AB_110136

Signature

Date Oct 24, 2024



Shareq Mohd Nazir, Assistant Professor, Department of Chemical Engineering

Date Oct 24, 2024



Purchasing manager, Kristina Holmberg, Support office

V-2024-0107
Kungliga Tekniska Högskola
SE 104 50 STOCKHOLM

Pfeiffer Vacuum Scandinavia AB
Johanneslundsvägen 12
SE 194 61 Upplands Väsby
Phone: +46 8 59074810
sales.se@pfeiffer-vacuum.com
www.pfeiffer-vacuum.com

Offert 11013659

Härmed har vi nöjet att offerera enligt nedan.

Kundreferens	: V-2024-0107	Betalningsvillkor	: 30 dagar netto
Giltighetstid	: 2024-12-16	Leveransvillkor	: DDP
Sida	: 1 / 2	Datum	: 2024-09-18
Beräknad leveranstid	: 10 veckor	Vår referens	: Daniel Rosengren

Leveransvillkor enligt Pfeiffer Vacuum General Terms and Conditions of Sale and Supply.

Pos	Artikel-Nr/Beskrivning	Antal	Total Belopp
1.0	GSD 350 O2C, OmniStar Gas analysis system 1-200 u, 100-240 V, 50/60 Hz stainless steel capillary, 1 Part No.: PT Q81 217 320 Benchtop-mass spectrometer for gas analysis at atmospheric pressure (1000 hPa) - Mass range: 1-200 u - Two-stage gas inlet system with electromagnetic actuated valves - Low gas consumption of 1-2 sccm - Operating temperature: Capillary, up to: 350 °C - Gas connection: Stainless steel capillary - Gas connection: length: 1 m - Supply: 100-240 V AC - Interfaces: - Ethernet - Output: Analog: 4x, 0-10 V / 16 Bit - Output: Digital: 7x, 24 V - Input: Analog: 5x, ± 10 V / 16 Bit - Input: Digital: 4x, 24 V - Detector: Faraday/EM - Filament: Iridium, Y₂O₃-coated - Vacuum chamber with total pressure gauge and heating - SplitFlow turbo pump and oil free diaphragm pump - PV MassSpec software, for Windows 10, 8.1 and 7 for measurement, storage and display of measurement data - Low detection limit (<100 ppb for krypton in air) - Easy-to-operate analysis unit with 7" touch screen or Web User Interface - Compact and portable device (approx. 25,5 kg total weight) - Fast measuring time (up to 1 ms/u dwell time) - Corrosive gas version with controlled purge gas system	1,00 pc.	547.090,50
2.0	Capillary hose adapter for GSD 350, 350 °C adapter to 1/4" and to DN 16 ISO-KF Part No.: PT 167 071 -T	1,00 pc.	7.820,25
3.0	Part No.: Training - KA Installation & user training for 3-5 persons.	1,00 pc.	23.000,00

Offert 11013659

Kundreferens : V-2024-0107
Kundnamn : Kungliga Tekniska Högskola
Sida : 2 / 2

Pos	Artikel-Nr/Beskrivning	Antal	Total Belopp
		BALANCE B/F	SEK 577.910,75
		Summa	SEK 577.910,75

Prisvillkor:

SEK exkl. moms - DDP Stockholm, Incoterms 2020
SEK 100 debiteras på order mindre än SEK 1000.

ATT BETALA: **SEK 577.910,75**

For deliveries to Buyers outside of the EU, the following terms apply:

1. The Buyer shall not sell, export or re-export, directly or indirectly, to the Russian Federation or for use in the Russian Federation any goods supplied under or in connection with this order (hereinafter the "Purpose"). The Buyer shall use its best efforts to ensure that the Purpose is not frustrated by any third parties further down the commercial chain, including possible resellers, and shall maintain an adequate monitoring mechanism to detect any of the above-mentioned conducts.
2. Any violation of section 1 shall constitute a material breach of an essential element of this contract and shall entitle the Seller to seek appropriate remedies, including, but not limited to (i) termination of this contract and (ii) a penalty of 8% of the total value of this contract.
3. The Buyer shall immediately inform the Seller about any problems in applying section 1, including any relevant activities by third parties that could frustrate the Purpose and shall make available to the Seller any reasonably required information concerning its compliance with section 1 within two weeks of a corresponding request.

Pfeiffer Vacuum Scandinavia AB



High and Ultra-High Vacuum Isolation Valves

- Large range of angle valves with different actuator types
- Many variants available from stock
- Also available for order via Select & Request

— Anzeige / Advert —



Purchase Order CBH_V-2024-0107_SMN_KET

Final Audit Report

2024-10-24

Created:	2024-10-24 (Central European Summer Time)
By:	Kristina Holmberg (hoki@kth.se)
Status:	Signed
Transaction ID:	CBJCHBCAABAAI6FC0DChpFHqpQLxG7kZNuam3K17pzZ3

"Purchase Order CBH_V-2024-0107_SMN_KET" History

 Document created by Kristina Holmberg (hoki@kth.se)

2024-10-24 - 15:09:06 GMT+2- IP address: 130.237.10.22

 Document e-signed by Kristina Holmberg (hoki@kth.se)

Signature Date: 2024-10-24 - 15:11:12 GMT+2 - Time Source: server- IP address: 130.237.10.22

 Document emailed to smnazir@kth.se for signature

2024-10-24 - 15:11:14 GMT+2

 Email viewed by smnazir@kth.se

2024-10-24 - 15:12:51 GMT+2- IP address: 83.255.121.102

 Signer smnazir@kth.se entered name at signing as Shareq Mohd Nazir

2024-10-24 - 15:17:38 GMT+2- IP address: 83.255.121.102

 Document e-signed by Shareq Mohd Nazir (smnazir@kth.se)

Signature Date: 2024-10-24 - 15:17:40 GMT+2 - Time Source: server- IP address: 83.255.121.102

 Agreement completed.

2024-10-24 - 15:17:40 GMT+2



KTH Sign

Powered by
Adobe
Acrobat Sign