

[Home](#) > [Electromechanical](#) > BCB1012UH


Images are for reference only  
See technical specifications

### BCB1012UH DELTA

**In Stock: 2,867**

Blowers 97x94x25mm 12V DC Fan

**Manufacturers:** DELTA

**Mfr.Part#:** BCB1012UH

**Package/Case:** DC

**Product Type:** [Electromechanical](#)

**RoHS:** 

**Lifecycle:** Active

- 1 +

Add to BOM

 [Inquiry Now](#)


#### Easy Returns

Clear and straightforward after-sales process



#### Counterfeit Risk Mitigation

Multi-step inspection to verify authenticity and specifications



#### Obsolete Parts Sourcing

Secure solutions for hard-to-find and end-of-life components



#### Sourcing Transparency

Clear visibility into part condition, pricing, and order handling

**Better price for more quantity?**

Quote

Why Buy from AVAQ:

- Customer-Specified Shipping
- ESD Safe
- MSL Compliant
- Industry Standards Compliance
- 365-Day Quality Guarantee

Information FAQs Service Policies Reviews3

BCB1012UH Information

Description

The BCB1012UH is a high-performance, 12VDC fan blower from Delta Electronics. It features a rectangular/rounded shape with dimensions of 97.2mm L x 94.4mm H. The ball-shaped design allows for efficient air circulation. This fan blower offers a relatively high cubic feet per minute (CFM) of 35.3 CFM, translating to better cooling performance in various applications. It is equipped with two wire leads for easy integration into electronic systems. In summary, the BCB1012UH is a reliable, high-performance fan blower designed for efficient cooling in electronic applications.

Features

The BCB1012UH features a 12VDC fan blower with a rectangular/rounded design. It has dimensions of 97.2mm L x 94.4mm H. The ball design allows for easy installation. The airflow capacity is 35.3 CFM (0.988m³/minute), making it suitable for various cooling applications. It comes with two wire leads for connection to a power source.

Pinout

The BCB1012UH fan blower does not specify a pin count or functions, as it is a single-component device without external connections typically associated with a pin-count description.

Manufacturer

The manufacturer of the BCB1012UH is Delta Electronics, a global technology company specializing in power and automation solutions. Delta Electronics combines engineering expertise with a customer-centric approach.

Applications

The BCB1012UH from Delta Electronics is a versatile 12VDC fan blower. It finds applications in automotive ventilation, HVAC systems, electronic cooling, and other places where air circulation is needed.

BCB1012UH FAQs

1.Q: What is the power consumption of the Delta Electronics BCB1012 at full load?

A: It draws 3.20A current (38.4W power) at 12VDC under typical operation.

2.Q: How is the Delta Electronics BCB1012 terminated for wiring?

A: It uses 2 wire leads for simple power connection.

3.Q: What are the thermal limits for the Delta Electronics BCB1012?

A: Operating temperature range is -10°C to 60°C (14°F to 140°F).

4.Q: What is the expected lifespan of the Delta Electronics BCB1012 under normal conditions?

A: The fan has a lifetime of 50,000 hours at 40°C due to its ball bearing construction.

5.Q: What is the airflow capacity of the Delta Electronics BCB1012?

A: It delivers 35.3 CFM (0.988m³/min) at a static pressure of 4.053 in H<sub>2</sub>O (1009.6 Pa).

6.Q: What certifications does the Delta Electronics BCB1012 comply with?

A: It is certified by CE, CSA, UL, and VDE for safety and performance standards.

**7.Q: What is the operating voltage range for the Delta Electronics BCB1012?**

A: It operates within 6–13.2VDC, with a rated voltage of 12VDC.

**8.Q: What are the key features of the Delta Electronics BCB1012 DC Blower?**

A: Key features include: 12VDC operation, 35.3 CFM airflow, ball bearing design, locked rotor protection, 67.8dB(A) noise level, and approvals for CE/CSA/UL/VDE.

## Service Policies and Others

After-Sales & Settlement Related



### Payment

#### Payment Method ⓘ



TT/Wire Transfer



Western Union



Paypal



Money Gram

For alternative payment channels, please reach out to us at:

[sales@avaq.com](mailto:sales@avaq.com)



### Shipping & Packing

#### Shipping Method ⓘ



Fedex



DHL



UPS



TNT


#### Packing ⓘ

AVAQ determines and packages all devices based on electrostatic discharge (ESD) and moisture sensitivity level (MSL) protection requirements.



### Warranty

#### 365-Day Product Quality Guarantee ⓘ





We promise to provide 365 days quality assurance service for all our products.

After Sales Service ⓘ

Returns and exchanges are supported, provided the items remain in their original condition.

Excellent ★★★★★

See all reviews on [★ Trustpilot](#)



**A\*\*n** 02/25/2025 ★★★★★

The parts are excellent quality, and I've never had any trouble with shipping or delivery.



**P\*\*t** 09/04/2024 ★★★★★

I was so impressed with the sales team! They were really helpful and knowledgeable and found perfect replacements for the discontinued parts I needed!



**I\*\*s** 01/16/2025 ★★★★★

The price was much lower than in other places, and the quality was fantastic. I'm really happy with this awesome deal.

Write a Review

You need to log in to reply. [Sign In](#) | [Sign Up](#)

 **Service Support**

✉ **Email:** sales@avaq.com

📞 **Phone:** +852 95804164


**Qualification**



**Payment Methods**



 **Shipping Information**



**Expected Shipping Date:**

May 7 to May 8 2026

Order now: Ships in approximately **48** hours

Order after **02:21:17**: Ships in approximately 72 hours (HKT)

**Expected Quotation Date:**

If your RFQ is submitted within **02:21:17** we will provide a quote on the same day. (HKT)

**Supplier Lead-Time:**

Call for availability

\*Lead times apply to standard orders and are based on business days only. Please contact us for details.

 **Top Sellers**



**TEC1-12706** 4,952+

Module: Innovative Thermogenic Technology; Durable Construction; Easy...

[Add to BOM](#) [Get a Quote](#)



**SRD-12VDC-SL-C** 5,403+

Ideal for use in a wide range of industries including industrial control systems and...

[Add to BOM](#) [Get a Quote](#)



**SLA-24VDC-SL-A** 5,134+

High-performance general-purpose relay for various industrial applications

[Add to BOM](#) [Get a Quote](#)


 **Recommended For You**



**AR5212A-00**

[Add to BOM](#)

[Get a Quote](#)



**88SA8040-TBC1**

French Electronic Distributor since 1988

[Add to BOM](#)


[Get a Quote](#)



**SIL504CM208**

[Add to BOM](#)

[Get a Quote](#)





Address: Room H28, Blk EH, 10th Floor,  
Golden Bear Ind. Ctr., 66-82 Chai Wan  
Kok St., Tsuen Wan, Hongkong

#### Subscribe

Please enter your email

Subscribe

#### PRODUCTS

Datasheets

Category

New Products

Manufacturers

#### SERVICES

Solutions

Industry Focus

Help Center

#### COMPANY

About AVAQ

Quality

Privacy Policy

Terms & Conditions

#### Contact Us

Consult Now

Email: [sales@avaq.com](mailto:sales@avaq.com)

Tel: +852 95804164



COPYRIGHT © 2026 AVAQ SEMICONDUCTOR CO., LIMITED ALL RIGHTS RESERVED

