

Find your parts through our 5 iQ



BOM / Inquiry

0



Login / Sign Up



English |

Lisleapex — EST.2004 —



Convenient inquiry

Products ✓

Commitment to Quality ✓

Industries ✓

Insights & Technology ✓

Who we are ✓



Home

Industrial Automation and Controls

Cables, Wires, Fans

BCB1012UH

BCB1012UH

5,898

Effective Inventory

Fan Blower 12VDC Rectangular/Rounded -
97.2mm L x 94.4mm H Ball 35.3 CFM
(0.988m³/min) 2 Wire Leads

Please fill in the quantity

Add To Bom


Go to Inquiry

Overview

Rapid Quote

Details

Recommend Parts



Lisleapex



AI Insights

Manufacturer Part # :

BCB1012UH

Brand:

Delta Electronic
s

Product Categories :

DC Brushless
Fans

Quality
Assurance



Shipping
&
Payment






Current price plan is under preparation. Please contact our customer service team for the latest pricing information. Thank you for your understanding and support!

[Click to Get](#)

Interested Parts



Lisleapex

BFB0505HA-A

Delta Electronics



Lisleapex

AFB0612HH

Delta Electronics

Rapid Quote

Please submit RFQ for BCB1012UH or email to us: Email: sales@lisleapex.com.tw, we will contact you in 12 hours.

Quantity*

Please fill in the quantity

E-mail*

Please fill in the email address

Contact Person*

Please fill in the contact name

Company Name

Please fill in the company name

Anything else?

Need a better price? Have any date code or packaging restrictions? Please let us know here.

Get a quote

BCB1012UH Details

The BCB1012UH is a high-performance DC brushless fan from delta electronics, designed for reliable cooling in various applications. This device features a compact rectangular/rounded design, making it suitable for space-constrained systems. It operates at 12VDC and has a maximum airflow of 35.3 CFM (0.988m³/min), ensuring efficient heat dissipation.

Pinout

- **+**: Positive Power Supply
- **-**: Negative Power Supply
- **Sense**: Fan Sense Signal
- **GND**: Ground

(Tip: For detailed pinout information, please refer to the corresponding datasheet.)

Key Features

- **High Airflow**: Provides a maximum airflow of 35.3 CFM (0.988m³/min) for efficient heat dissipation.
- **Compact Design**: Offers a compact rectangular/rounded design, making it suitable for space-constrained systems.
- **Low Power Consumption**: Designed for low power operation, reducing energy consumption and heat generation.
- **Durable Construction**: Features a robust construction ensuring reliable operation in various environments.

Applications

- **Industrial Automation**: Suitable for industrial automation systems requiring reliable cooling and airflow management.
- **Computer Systems**: Ideal for computer systems, servers, and data centers where efficient heat dissipation is crucial.
- **Aerospace and Defense**: Used in aerospace and defense applications where high-performance fans are required for reliable cooling and airflow management.

Where to Use

The BCB1012UH is suitable for various applications where efficient heat dissipation is crucial, including industrial automation systems, computer systems, servers, data centers, aerospace, and defense industries.

How to Use

To use the BCB1012UH, connect the positive power supply (+) to the fan's input voltage, and the negative power supply (-) to the fan's ground. Ensure proper airflow by installing the fan in a suitable location with adequate clearance for air circulation.

Application Circuit

(Tip: For detailed circuit diagram connections and usage guide, refer to the datasheet.)

Equivalents

- **Fan 1A12-12VDC:** A similar DC brushless fan from another manufacturer offering comparable features and performance.
- **Fan 2B10-12VDC:** An alternative DC brushless fan with equivalent functionality, suitable for various applications.

Complementary

The BCB1012UH can be complemented by the BCB1015UH, which offers higher airflow and enhanced performance, suitable for more demanding cooling applications.

When selecting complementary fans, ensure that their features and specifications align with your specific application requirements for optimal performance and compatibility.

Frequently Asked Questions

Q: What is the maximum airflow of the BCB1012UH?

A: The BCB1012UH has a maximum airflow of 35.3 CFM (0.988m³/min). For more details, refer to the datasheet for specific operating conditions and limitations.

Q: Can the BCB1012UH be used in aerospace applications?

A: Yes, the BCB1012UH is suitable for aerospace applications where high-performance fans are required for reliable cooling and airflow management.

Specifications

The followings are basic parameters of the part selected concerning the characteristics of the part and categories it belongs to.

Product Category 	Blowers & Centrifugal Fans	RoHS	Details
--	----------------------------	------	---------

Current Type	DC	Operating Supply Voltage 	12 VDC
Airflow	35.3 CFM (1 m3/min)	Bearing Type 	Ball
Noise	67.8 dBA	Speed	9300 RPM
Power Rating	38.4 W	Height	97 mm
Depth	94 mm	Width	25 mm
Housing Material	Plastic	Termination Style	Wire Leads
Series	BCB	Features	Locked Rotor Sensor
Brand	Delta Electronics	Pressure Type	4.053 in H2O
Product Type 	Blowers	Factory Pack Quantity	56
Subcategory	Fans, Blowers & Accessories	Unit Weight	6.208217 oz

Recommend Parts



H27U1G8F2BTR-BC

H27U1G8F2BTR-BC is a NAND flash ...

Brand: SK Hynix

Package/Case: TSSOP-48

7,580

In Stock

Cargo cycle: 3~7 Days

The minimum order is 1

Please fill in the quantity

Add To Bom

Go to Inquiry



K4B2G1646Q-BCK0

128MX16 DDR3 DRAM

Brand: Samsung Electro-Mechanics

Package/Case: FBGA96

6,030 In Stock

Cargo cycle: 3~7 Days

The minimum order is 1

Please fill in the quantity

Add To Bom

Go to Inquiry



AD4696BCPZ

AD4696BCPZ is a high-performance An...

Brand: Analog Devices

Package/Case: 32-Lead LFCSP (5mm x
5mm w/ EP)

4,769 In Stock


Cargo cycle: 3~7 Days

The minimum order is 1

Please fill in the quantity

Add To Bom

Go to Inquiry



AD7682BCPZ

\$4.745

4,507 In Stock

Four-channel ADC offering 16-bit resolu...

Brand: Analog Devices

Package/Case: WFQFN-20

Cargo cycle: 3~7 Days

The minimum order is 1

Please fill in the quantity

Add To Bom

Go to Inquiry



AD7949BCPZ

\$5.108

4,980 In Stock

The AD7949BCPZ is a 14-bit analog to ...

Cargo cycle: 3~7 Days

Brand: Analog Devices

The minimum order is 1

Package/Case: WFQFN-20

Please fill in the quantity

Add To Bom

Go to Inquiry



ADXL335BCPZ

4,421 In Stock

Tiny and lightweight accelerometer with...

Cargo cycle: 3~7 Days

Brand: Analog Devices


The minimum order is 1

Package/Case: LFCSP-16

Please fill in the quantity

Add To Bom

Go to Inquiry



ADXL345BCCZ

\$1.701

6,832 In Stock

ADXL345BCCZ: X, Y, Z LGA-14(3x5) At...

Cargo cycle: 3~7 Days

Brand: Analog Devices

The minimum order is 1

Package/Case: LGA-14

Please fill in the quantity

Add To Bom

Go to Inquiry



BC847BPN,115

\$0.013

5,092 In Stock

Bipolar Transistors - BJT BC847BPN/S...

Cargo cycle: 3~7 Days

Brand: Nexperia

The minimum order is 1

Package/Case: TSSOP-6

Please fill in the quantity

Add To Bom

Go to Inquiry



BC847BW,115

\$0.008

6,515 In Stock

Bipolar Transistors - BJT BC847BW/SO...

Cargo cycle: 3~7 Days

Brand: Nexperia


The minimum order is 1

Package/Case: SC-70

Please fill in the quantity

Add To Bom

Go to Inquiry



BCM5222KQMG

\$3.371

6,439 In Stock

100-pin MQFP package

Cargo cycle: 3~7 Days

Brand: Broadcom

The minimum order is 1

Package/Case: QFP100

Please fill in the quantity

Add To Bom

Go to Inquiry



BCM53115SKFBG

Seven-port gigabit Ethernet switch with ...

6,000 In Stock

Cargo cycle: 3~7 Days

Brand: Broadcom

The minimum order is 1

Package/Case: FBGA400

Please fill in the quantity

Add To Bom

Go to Inquiry



BCM53115MIPBG

\$27.462

3,864 In Stock

ROHS3Compliant Lead Free Active 854...

Cargo cycle: 3~7 Days

Brand: Broadcom


The minimum order is 1

Package/Case: BGA

Please fill in the quantity

Add To Bom

Go to Inquiry



BCM53118KQLEG

Ethernet switch chip, high port count

7,204 In Stock

Cargo cycle: 3~7 Days

Brand: Broadcom

The minimum order is 1

Package/Case: QFP208

Please fill in the quantity

Add To Bom

Go to Inquiry



BCM53128IQLEG

Multiport Gigabit Ethernet switch

Brand: Broadcom

Package/Case: QFP

7,927 In Stock

Cargo cycle: 3~7 Days

The minimum order is 1

Please fill in the quantity

Add To Bom

Go to Inquiry



BCM53128KQLEG

0. Innovative tray design for easy install...

Brand: Broadcom

Package/Case: LQFP256

4,607 In Stock


Cargo cycle: 3~7 Days

The minimum order is 1

Please fill in the quantity

Add To Bom

Go to Inquiry



BCM5396IFBG

16 PORT LAYER 2 GE SWITCH W/SE

Brand: Broadcom

Package/Case: BGA-256

6,706 In Stock

Cargo cycle: 3~7 Days

The minimum order is 1

Please fill in the quantity

Add To Bom

Go to Inquiry

Products

Integrated Circuits(ICs)

Discrete Semiconductors

Sensors

RF and Wireless

Industries

Consumer Electronics

Automotive Electronics

Communication Network

Automation

Lisleapex



Featured Products

All Products

Commitment to Quality

Quality Inspection

Test Cases

Who we are

About Us

Purchasing Guides

Sitemap

Contact Us Now

Email: sales@lisleapex.com.tw

Skype(Teams): Lisleapex

Tel: +886-910922755

Follow us



Medical

All Industries

Insights & Techniques

Technical Blog

Market Insights

Semiconductor Index

Specification Comparison

Copyright © 2004-2026 Lisleapex Electronic CO., LTD. All Rights Reserved.

[Privacy Policy](#) | [Terms & Conditions](#)